



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 1 - FIT - Legacy Data Report

## Elmore Pond Brook

SGAT Version: 4.56

Reach: **R19S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>150.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>30.3100</b>	<b>0.00000</b>
		<b>0</b>	
	Data Armoring:		
5.4	Straightening Length:	<b>156.33000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>22.9500</b>	<b>96.2100</b>
	Berm:	<b>22.9500</b>	<b>96.2100</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Flood Chute</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>196.4499969</b>
	Bank Height:	<b>N.D.</b>	<b>4.000</b>

Reach: **R19S1.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Flood Chute</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources

VT DEC

Vermont.gov  
June, 17 2026

Reach: **R19S1.02S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>No Data</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data: <b>No Data</b>	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data: <b>No Data</b>		
	Length:		
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **R19S1.02S1.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>No Data</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data: <b>No Data</b>	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data: <b>No Data</b>		
	Length:		
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **R19S1.02S1.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>50.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **R19S1.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Waterfall</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:		<b>Flood Chute</b>
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>88.4100037</b>
	Bank Height:	<b>N.D.</b>	<b>14.596</b>



# Stream Geomorphic Assessment

## Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **R19S1.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>535</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>170.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>502.070</b>	<b>655.700</b>
		<b>01</b>	<b>01</b>
	Data Armoring:		
5.4	Straightening Length:	<b>378.82001</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>132.9300</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>132.9300</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>254.5700</b>	<b>297.3200</b>
6.4	Miander Migration:	<b>Flood Chute</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>140.5000000</b>
	Bank Height:	<b>N.D.</b>	<b>5.199</b>

Reach: **R19S1.06**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>40.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>26.3200</b>
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources

VT DEC

Vermont.gov  
June, 17 2026

Reach: **R19S1.07**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>No Data</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data: <b>No Data</b>	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data: <b>No Data</b>		
	Length:		
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **R19S1.08**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>No Data</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data: <b>No Data</b>	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data: <b>No Data</b>		
	Length:		
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **R19S1.09**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>No Data</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data: <b>No Data</b>	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data: <b>No Data</b>		
	Length:		
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **R19S1.10**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>No Data</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data: <b>No Data</b>	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data: <b>No Data</b>		
	Length:		
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources

VT DEC

Vermont.gov  
June, 17 2026

Reach: **R19S1.12**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>No Data</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data: <b>No Data</b>	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data: <b>No Data</b>		
	Length:		
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **R19S1.06S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>No Data</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data: <b>No Data</b>	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data: <b>No Data</b>		
	Length:		
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **R19S1.06S1.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>Yes</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **R19S1.06S1.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>54</b>	<b>184</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>240.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>130.7200</b>	<b>57.0000</b>
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **R19S1.06S1.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>Yes</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **R19S1.06S1.05**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1258</b>	<b>531</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>195.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>351.04999</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>250.2800</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>250.2800</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>107.8500</b>	<b>70.5600</b>
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **R19S1.05S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>444</b>	<b>410</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>100.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>254.0600</b>	<b>51.6400</b>
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **R19S1.05S1.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>No Data</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:		
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:		
5.4	Straightening Length:		
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:	<b>No Data</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:	<b>No Data</b>	
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **R19S1.05S1.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>No Data</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data: <b>No Data</b>	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data: <b>No Data</b>		
	Length:		
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **R19S1.05S1.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>No Data</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data: <b>No Data</b>	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data: <b>No Data</b>		
	Length:		
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		