



Phase 2 - FIT - Legacy Data Report

Neshobe

SGAT Version: 4.56

Reach: M11 -0

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>5,683.2</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>347.5</b>	<b>48.6</b>
	Erosion Height (ft.):	<b>5.3</b>	<b>7.0</b>
	Revetment Type:	<b>None</b>	<b>Rip-Rap</b>
	Revetment length	<b>0.0</b>	<b>680.8</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>219</b>
3.3	<u>Riparian Corridor</u>	<u>Left</u>	<u>Right</u>
	Mass Failures:	<b>6.95</b>	
	Average Height (ft.):	<b>15.0</b>	
	Mass Failures:	<b>One</b>	
	Average Heigh (ft.):	<b>15.0</b>	
	Gullies:	<b>None</b>	
	Number of Gullies		
	Total Length of Gullies (ft.):		
	Average Height of Gullies		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>4</b>
4.5	Flow Regulation Type:	<b>None</b>
	Use:	
4.7	Stormwater Inputs	
	Overland Flow <b>0</b>	Road Ditch <b>0</b>
	Field Ditch <b>0</b>	Tile Drain <b>0</b>
	Other <b>1</b>	Ub Strm Wtr Pipe <b>0</b>
4.9	Beaver Dams:	<b>0</b>
	Affected length (ft.):	<b>0.0</b>
5.2	Migration Features	
	Flood Chutes:	<b>5</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>Yes</b>
5.5	Channel Alterations	
	Straightening:	<b>None</b>
	Length (ft.):	<b>0.0</b>
	Dredging:	<b>None</b>



Phase 2 - FIT - Legacy Data Report

Neshobe

SGAT Version: 4.56

Reach: M11 -0

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>5,683.2</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>347.5</b>	<b>48.6</b>
	Erosion Height (ft.):	<b>5.3</b>	<b>7.0</b>
	Revetment Type:	<b>None</b>	<b>Rip-Rap</b>
	Revetment length	<b>0.0</b>	<b>680.8</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>219</b>
3.3	<u>Riparian Corridor</u>	<u>Left</u>	<u>Right</u>
	Mass Failures:	<b>6.95</b>	
	Average Height (ft.):	<b>15.0</b>	
	Mass Failures:	<b>One</b>	
	Average Heigh (ft.):	<b>15.0</b>	
	Gullies:	<b>None</b>	
	Number of Gullies		
	Total Length of Gullies (ft.):		
	Average Height of Gullies		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>4</b>
4.5	Flow Regulation Type:	<b>None</b>
	Use:	
4.7	Stormwater Inputs	
	Overland Flow <b>0</b>	Road Ditch <b>1</b>
	Field Ditch <b>0</b>	Tile Drain <b>0</b>
	Other <b>0</b>	Ub Strm Wtr Pipe <b>0</b>
4.9	Beaver Dams:	<b>0</b>
	Affected length (ft.):	<b>0.0</b>
5.2	Migration Features	
	Flood Chutes:	<b>5</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>Yes</b>
5.5	Channel Alterations	
	Straightening:	<b>None</b>
	Length (ft.):	<b>0.0</b>
	Dredging:	<b>None</b>



Phase 2 - FIT - Legacy Data Report

Neshobe

SGAT Version: 4.56

Reach: M15 -B

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>0.0</b>	<b>1.3</b>
	Erosion Height (ft.):	<b>0.0</b>	<b>3.0</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>103</b>	<b>98</b>
3.3	<u>Riparian Corridor</u>	<u>Left</u>	<u>Right</u>
	Mass Failures:		
	Average Height (ft.):		
	Mass Failures:	<b>None</b>	
	Average Heigh (ft.):		
	Gullies:	<b>None</b>	
	Number of Gullies		
	Total Length of Gullies (ft.):		
	Average Height of Gullies		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>0</b>
4.5	Flow Regulation Type:	<b>None</b>
	Use:	
4.7	Stormwater Inputs	
	Overland Flow	Road Ditch
	Field Ditch	Tile Drain
	Other	Ub Strm Wtr Pipe
4.9	Beaver Dams:	<b>0</b>
	Affected length (ft.):	<b>0.0</b>
5.2	Migration Features	
	Flood Chutes:	<b>2</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>None</b>
	Length (ft.):	<b>0.0</b>
	Dredging:	<b>None</b>



Phase 2 - FIT - Legacy Data Report

Neshobe

SGAT Version: 4.56

Reach: **M13 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>226.4</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>391.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>313.4</b>	<b>49.7</b>
	Erosion Height (ft.):	<b>5.7</b>	<b>2.0</b>
	Revetment Type:	<b>Rip-Rap</b>	<b>Rip-Rap</b>
	Revetment length	<b>20.8</b>	<b>174.5</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>282</b>
3.3	<u>Riparian Corridor</u>	<u>Left</u>	<u>Right</u>
	Mass Failures:		
	Average Height (ft.):		
	Mass Failures:	<b>None</b>	
	Average Heigh (ft.):		
	Gullies:	<b>None</b>	
	Number of Gullies		
	Total Length of Gullies (ft.):		
	Average Height of Gullies		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>2</b>
4.5	Flow Regulation Type:	<b>None</b>
	Use:	
4.7	Stormwater Inputs	
	Overland Flow	Road Ditch
	Field Ditch	Tile Drain
	Other	Ub Strm Wtr Pipe
4.9	Beaver Dams:	<b>0</b>
	Affected length (ft.):	<b>0.0</b>
5.2	Migration Features	
	Flood Chutes:	<b>1</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>Yes</b>
5.5	Channel Alterations	
	Straightening:	<b>None</b>
	Length (ft.):	<b>0.0</b>
	Dredging:	<b>None</b>



Phase 2 - FIT - Legacy Data Report

Neshobe

SGAT Version: 4.56

Reach: M15 -A

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>636.4</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>11.8</b>	<b>116.1</b>
	Erosion Height (ft.):	<b>4.0</b>	<b>3.8</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>	<u>Left</u>	<u>Right</u>
	Mass Failures:		
	Average Height (ft.):		
	Mass Failures:	<b>None</b>	
	Average Heigh (ft.):		
	Gullies:	<b>None</b>	
	Number of Gullies		
	Total Length of Gullies (ft.):		
	Average Height of Gullies		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>5</b>
4.5	Flow Regulation Type:	<b>None</b>
	Use:	
4.7	Stormwater Inputs	
	Overland Flow	Road Ditch
	Field Ditch	Tile Drain
	Other	Ub Strm Wtr Pipe
4.9	Beaver Dams:	<b>0</b>
	Affected length (ft.):	<b>0.0</b>
5.2	Migration Features	
	Flood Chutes:	<b>6</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>None</b>
	Length (ft.):	<b>0.0</b>
	Dredging:	<b>None</b>



Phase 2 - FIT - Legacy Data Report

Neshobe

SGAT Version: 4.56

Reach: **M07 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>		4.4	Number of Debris Jams:	<b>0</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.5	Flow Regulation Type:	<b>None</b>
	Berm Length (ft.):	<b>782.3</b>	<b>0.0</b>		Use:	
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>	4.7	Stormwater Inputs	
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>	Overland Flow	Road Ditch	
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>	Field Ditch	Tile Drain	
	Development Length:	<b>0.0</b>	<b>0.0</b>	Other	Ub Strm Wtr Pipe	
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>	4.9	Beaver Dams:	<b>0</b>
	Erosion Length (ft.):	<b>822.1</b>	<b>598.0</b>		Affected length (ft.):	<b>0.0</b>
	Erosion Height (ft.):	<b>5.2</b>	<b>2.7</b>	5.2	Migration Features	
	Revetment Type:	<b>None</b>	<b>None</b>	Flood Chutes:	<b>1</b>	
	Revetment length	<b>0.0</b>	<b>0.0</b>	Neck Cutoffs:	<b>0</b>	
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>	Channel Avulsions:	<b>0</b>	
3.3	<u>Riparian Corridor</u>	<u>Left</u>	<u>Right</u>	Braiding:	<b>0</b>	
	Mass Failures:		<b>79.3</b>	5.3	Steep Riffles and Head Cuts	
	Average Height (ft.):		<b>40.0</b>	Steep Riffles:	<b>0</b>	
	Mass Failures:	<b>One</b>		Head Cuts:	<b>0</b>	
	Average Heigh (ft.):		<b>40.0</b>	5.4	Animal Crossings:	<b>No</b>
	Gullies:	<b>None</b>		5.5	Channel Alterations	
	Number of Gullies			Straightening:	<b>Straightening</b>	
	Total Length of Gullies (ft.):			Length (ft.):	<b>1,757.9</b>	
	Average Height of Gullies			Dredging:	<b>None</b>	



Phase 2 - FIT - Legacy Data Report

Neshobe

SGAT Version: 4.56

Reach: **M06 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>2,388.1</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>796.2</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>1,570.9</b>	<b>858.5</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>260.0</b>	<b>89.2</b>
	Erosion Height (ft.):	<b>4.7</b>	<b>6.0</b>
	Revetment Type:	<b>Multiple</b>	<b>Multiple</b>
	Revetment length	<b>705.5</b>	<b>152.7</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>1582</b>	<b>262</b>
3.3	<u>Riparian Corridor</u>	<u>Left</u>	<u>Right</u>
	Mass Failures:		
	Average Height (ft.):		
	Mass Failures:	<b>None</b>	
	Average Heigh (ft.):		
	Gullies:	<b>None</b>	
	Number of Gullies		
	Total Length of Gullies (ft.):		
	Average Height of Gullies		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>5</b>
4.5	Flow Regulation Type:	<b>None</b>
	Use:	
4.7	Stormwater Inputs	
	Overland Flow <b>0</b>	Road Ditch <b>0</b>
	Field Ditch <b>1</b>	Tile Drain <b>0</b>
	Other <b>0</b>	Ub Strm Wtr Pipe <b>0</b>
4.9	Beaver Dams:	<b>0</b>
	Affected length (ft.):	<b>0.0</b>
5.2	Migration Features	
	Flood Chutes:	<b>6</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Length (ft.):	<b>2,705.7</b>
	Dredging:	<b>None</b>



Phase 2 - FIT - Legacy Data Report

Neshobe

SGAT Version: 4.56

Reach: **M08 -C**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>0.0</b>	<b>17.7</b>
	Erosion Height (ft.):	<b>0.0</b>	<b>3.0</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>720</b>	<b>610</b>
3.3	<u>Riparian Corridor</u>	<u>Left</u>	<u>Right</u>
	Mass Failures:		
	Average Height (ft.):		
	Mass Failures:	<b>None</b>	
	Average Heigh (ft.):		
	Gullies:	<b>None</b>	
	Number of Gullies		
	Total Length of Gullies (ft.):		
	Average Height of Gullies		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>0</b>
4.5	Flow Regulation Type:	<b>None</b>
	Use:	
4.7	Stormwater Inputs	
	Overland Flow	Road Ditch
	Field Ditch	Tile Drain
	Other	Ub Strm Wtr Pipe
4.9	Beaver Dams:	<b>0</b>
	Affected length (ft.):	<b>0.0</b>
5.2	Migration Features	
	Flood Chutes:	<b>5</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>Yes</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Length (ft.):	<b>836.4</b>
	Dredging:	<b>None</b>





Phase 2 - FIT - Legacy Data Report

Neshobe

SGAT Version: 4.56

Reach: **M08 -A**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>307.7</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>176.2</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>115.2</b>	<b>91.4</b>
	Erosion Height (ft.):	<b>1.0</b>	<b>1.9</b>
	Revetment Type:	<b>None</b>	<b>Rip-Rap</b>
	Revetment length	<b>0.0</b>	<b>29.5</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>	<u>Left</u>	<u>Right</u>
	Mass Failures:		
	Average Height (ft.):		
	Mass Failures:	<b>None</b>	
	Average Heigh (ft.):		
	Gullies:	<b>None</b>	
	Number of Gullies		
	Total Length of Gullies (ft.):		
	Average Height of Gullies		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>0</b>
4.5	Flow Regulation Type:	<b>None</b>
	Use:	
4.7	Stormwater Inputs	
	Overland Flow	Road Ditch
	Field Ditch	Tile Drain
	Other	Ub Strm Wtr Pipe
4.9	Beaver Dams:	<b>0</b>
	Affected length (ft.):	<b>0.0</b>
5.2	Migration Features	
	Flood Chutes:	<b>3</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Length (ft.):	<b>441.1</b>
	Dredging:	<b>None</b>



Phase 2 - FIT - Legacy Data Report

Neshobe

SGAT Version: 4.56

Reach: M04 -0

<u>Step</u>	<u>Description</u>	<u>Value</u>	<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	None	4.4	Number of Debris Jams:	1
1.3	<u>Encroachments - Side</u>	<u>One</u>	4.5	Flow Regulation Type:	<b>Small Withdrawal</b>
	Berm Length (ft.):	0.0		Use:	<b>Other</b>
	Path Length (ft.):	1,699.2	4.7	Stormwater Inputs	
	Road Length (ft.):	974.1		Overland Flow	Road Ditch
	Railroad Lenth (ft.):	0.0		Field Ditch	Tile Drain
	Development Length:	0.0		Other	Ub Strm Wtr Pipe
3.1	<u>Erosion - Bank</u>	<u>Left</u>	4.9	Beaver Dams:	0
	Erosion Length (ft.):	587.7		Affected length (ft.):	0.0
	Erosion Height (ft.):	4.6	5.2	Migration Features	
	Revetment Type:	Rip-Rap		Flood Chutes:	0
	Revetment length	1,829.6		Neck Cutoffs:	0
3.2	<u>Buffer Less Than 25 ft.</u>	2323		Channel Avulsions:	0
3.3	<u>Riparian Corridor</u>	<u>Left</u>		Braiding:	0
	Mass Failures:		5.3	Steep Riffles and Head Cuts	
	Average Height (ft.):			Steep Riffles:	0
	Mass Failures:	None		Head Cuts:	0
	Average Heigh (ft.):		5.4	Animal Crossings:	No
	Gullies:	None	5.5	Channel Alterations	
	Number of Gullies			Straightening:	<b>Straightening</b>
	Total Length of Gullies (ft.):			Length (ft.):	2,911.4
	Average Height of Gullies			Dredging:	None



Phase 2 - FIT - Legacy Data Report

Neshobe

SGAT Version: 4.56

Reach: M14 -0

<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>
1.3	<u>Encroachments - Side</u>	<u>One</u> <u>Both</u>
	Berm Length (ft.):	<b>0.0</b> <b>0.0</b>
	Path Length (ft.):	<b>0.0</b> <b>0.0</b>
	Road Length (ft.):	<b>901.0</b> <b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b> <b>0.0</b>
	Development Length:	<b>276.5</b> <b>147.2</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u> <u>Right</u>
	Erosion Length (ft.):	<b>202.4</b> <b>243.1</b>
	Erosion Height (ft.):	<b>2.5</b> <b>2.7</b>
	Revetment Type:	<b>Rip-Rap</b> <b>Rip-Rap</b>
	Revetment length	<b>220.7</b> <b>324.2</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>306</b> <b>355</b>
3.3	<u>Riparian Corridor</u>	<u>Left</u> <u>Right</u>
	Mass Failures:	<b>102.73</b>
	Average Height (ft.):	<b>6.2</b>
	Mass Failures:	<b>Multiple</b>
	Average Heigh (ft.):	<b>6.3</b>
	Gullies:	<b>None</b>
	Number of Gullies	
	Total Length of Gullies (ft.):	
	Average Height of Gullies	

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>1</b>
4.5	Flow Regulation Type:	<b>None</b>
	Use:	
4.7	Stormwater Inputs	
	Overland Flow	Road Ditch
	Field Ditch	Tile Drain
	Other	Ub Strm Wtr Pipe
4.9	Beaver Dams:	<b>0</b>
	Affected length (ft.):	<b>0.0</b>
5.2	Migration Features	
	Flood Chutes:	<b>3</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>Yes</b>
5.5	Channel Alterations	
	Straightening:	<b>None</b>
	Length (ft.):	<b>0.0</b>
	Dredging:	<b>None</b>



Phase 2 - FIT - Legacy Data Report

Neshobe

SGAT Version: 4.56

Reach: M02 -0

<u>Step</u>	<u>Description</u>	<u>Value</u>	<u>Step</u>	<u>Description</u>	<u>Value</u>		
1.2	Alluvial Fan:	<b>None</b>	4.4	Number of Debris Jams:	<b>21</b>		
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.5	Flow Regulation Type:	<b>None</b>	
	Berm Length (ft.):	<b>312.6</b>	<b>0.0</b>		Use:		
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>	4.7	Stormwater Inputs		
	Road Length (ft.):	<b>2,990.3</b>	<b>1,095.3</b>	Overland Flow	<b>0</b>	Road Ditch	<b>0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>	Field Ditch	<b>0</b>	Tile Drain	<b>0</b>
	Development Length:	<b>3,259.9</b>	<b>639.3</b>	Other	<b>3</b>	Ub Strm Wtr Pipe	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>	4.9	Beaver Dams:	<b>0</b>	
	Erosion Length (ft.):	<b>973.6</b>	<b>1,263.1</b>		Affected length (ft.):	<b>0.0</b>	
	Erosion Height (ft.):	<b>5.4</b>	<b>5.8</b>	5.2	Migration Features		
	Revetment Type:	<b>Multiple</b>	<b>Multiple</b>	Flood Chutes:	<b>0</b>		
	Revetment length	<b>1,944.0</b>	<b>1,986.2</b>	Neck Cutoffs:	<b>0</b>		
3.2	<u>Buffer Less Than 25 ft.</u>	<b>989</b>	<b>859</b>	Channel Avulsions:	<b>0</b>		
3.3	<u>Riparian Corridor</u>	<u>Left</u>	<u>Right</u>	Braiding:	<b>0</b>		
	Mass Failures:			5.3	Steep Riffles and Head Cuts		
	Average Height (ft.):			Steep Riffles:	<b>0</b>		
	Mass Failures:	<b>None</b>		Head Cuts:	<b>0</b>		
	Average Heigh (ft.):			5.4	Animal Crossings:	<b>No</b>	
	Gullies:	<b>None</b>		5.5	Channel Alterations		
	Number of Gullies			Straightening:	<b>Straightening</b>		
	Total Length of Gullies (ft.):			Length (ft.):	<b>2,450.9</b>		
	Average Height of Gullies			Dredging:	<b>None</b>		



Phase 2 - FIT - Legacy Data Report

Neshobe

SGAT Version: 4.56

Reach: **M02 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>312.6</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>2,990.3</b>	<b>1,095.3</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>3,259.9</b>	<b>639.3</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>973.6</b>	<b>1,263.1</b>
	Erosion Height (ft.):	<b>5.4</b>	<b>5.8</b>
	Revetment Type:	<b>Multiple</b>	<b>Multiple</b>
	Revetment length	<b>1,944.0</b>	<b>1,986.2</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>989</b>	<b>859</b>
3.3	<u>Riparian Corridor</u>	<u>Left</u>	<u>Right</u>
	Mass Failures:		
	Average Height (ft.):		
	Mass Failures:	<b>None</b>	
	Average Heigh (ft.):		
	Gullies:	<b>None</b>	
	Number of Gullies		
	Total Length of Gullies (ft.):		
	Average Height of Gullies		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>21</b>
4.5	Flow Regulation Type:	<b>None</b>
	Use:	
4.7	Stormwater Inputs	
	Overland Flow <b>0</b>	Road Ditch <b>0</b>
	Field Ditch <b>0</b>	Tile Drain <b>1</b>
	Other <b>0</b>	Ub Strm Wtr Pipe <b>0</b>
4.9	Beaver Dams:	<b>0</b>
	Affected length (ft.):	<b>0.0</b>
5.2	Migration Features	
	Flood Chutes:	<b>0</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Length (ft.):	<b>2,450.9</b>
	Dredging:	<b>None</b>



Phase 2 - FIT - Legacy Data Report

Neshobe

SGAT Version: 4.56

Reach: **M02 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>312.6</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>2,990.3</b>	<b>1,095.3</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>3,259.9</b>	<b>639.3</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>973.6</b>	<b>1,263.1</b>
	Erosion Height (ft.):	<b>5.4</b>	<b>5.8</b>
	Revetment Type:	<b>Multiple</b>	<b>Multiple</b>
	Revetment length	<b>1,944.0</b>	<b>1,986.2</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>989</b>	<b>859</b>
3.3	<u>Riparian Corridor</u>	<u>Left</u>	<u>Right</u>
	Mass Failures:		
	Average Height (ft.):		
	Mass Failures:	<b>None</b>	
	Average Heigh (ft.):		
	Gullies:	<b>None</b>	
	Number of Gullies		
	Total Length of Gullies (ft.):		
	Average Height of Gullies		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>21</b>
4.5	Flow Regulation Type:	<b>None</b>
	Use:	
4.7	Stormwater Inputs	
	Overland Flow <b>0</b>	Road Ditch <b>0</b>
	Field Ditch <b>0</b>	Tile Drain <b>0</b>
	Other <b>0</b>	Ub Strm Wtr Pipe <b>2</b>
4.9	Beaver Dams:	<b>0</b>
	Affected length (ft.):	<b>0.0</b>
5.2	Migration Features	
	Flood Chutes:	<b>0</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Length (ft.):	<b>2,450.9</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 24 2024

## Phase 2 - FIT - Legacy Data Report

## Neshobe

SGAT Version: **4.56**

Reach: **M03 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>	<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>	4.4	Number of Debris Jams:	<b>2</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	4.5	Flow Regulation Type:	<b>None</b>
		<u>Both</u>		Use:	
	Berm Length (ft.):	<b>0.0</b>	4.7	Stormwater Inputs	
	Path Length (ft.):	<b>0.0</b>		Overland Flow	Road Ditch
	Road Length (ft.):	<b>2,146.9</b>		Field Ditch	Tile Drain
	Railroad Lenth (ft.):	<b>0.0</b>		Other	Ub Strm Wtr Pipe
	Development Length:	<b>1,283.5</b>	4.9	Beaver Dams:	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>		Affected length (ft.):	<b>0.0</b>
	Erosion Length (ft.):	<b>511.9</b>	5.2	Migration Features	
	Erosion Height (ft.):	<b>3.8</b>		Flood Chutes:	<b>4</b>
	Revetment Type:	<b>Rip-Rap</b>		Neck Cutoffs:	<b>0</b>
	Revetment length	<b>178.7</b>		Channel Avulsions:	<b>1</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>408</b>		Braiding:	<b>0</b>
3.3	<u>Riparian Corridor</u>	<u>Left</u>	5.3	Steep Riffles and Head Cuts	
	Mass Failures:			Steep Riffles:	<b>0</b>
	Average Height (ft.):			Head Cuts:	<b>0</b>
	Mass Failures:	<b>None</b>	5.4	Animal Crossings:	<b>No</b>
	Average Heigh (ft.):		5.5	Channel Alterations	
	Gullies:	<b>None</b>		Straightening:	<b>Straightening</b>
	Number of Gullies			Length (ft.):	<b>3,369.6</b>
	Total Length of Gullies (ft.):			Dredging:	<b>None</b>
	Average Height of Gullies				



Phase 2 - FIT - Legacy Data Report

Neshobe

SGAT Version: 4.56

Reach: **M09 -A**

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>		4.4	Number of Debris Jams:	<b>0</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.5	Flow Regulation Type:	<b>None</b>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>		Use:	
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>	4.7	Stormwater Inputs	
	Road Length (ft.):	<b>1,042.4</b>	<b>0.0</b>	Overland Flow	Road Ditch	
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>	Field Ditch	Tile Drain	
	Development Length:	<b>0.0</b>	<b>0.0</b>	Other	Ub Strm Wtr Pipe	
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>	4.9	Beaver Dams:	<b>0</b>
	Erosion Length (ft.):	<b>0.0</b>	<b>22.6</b>		Affected length (ft.):	<b>0.0</b>
	Erosion Height (ft.):	<b>0.0</b>	<b>10.0</b>	5.2	Migration Features	
	Revetment Type:	<b>None</b>	<b>Rip-Rap</b>	Flood Chutes:	<b>0</b>	
	Revetment length	<b>0.0</b>	<b>222.4</b>	Neck Cutoffs:	<b>0</b>	
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>	Channel Avulsions:	<b>0</b>	
3.3	<u>Riparian Corridor</u>	<u>Left</u>	<u>Right</u>	Braiding:	<b>0</b>	
	Mass Failures:			5.3	Steep Riffles and Head Cuts	
	Average Height (ft.):			Steep Riffles:	<b>0</b>	
	Mass Failures:	<b>None</b>		Head Cuts:	<b>0</b>	
	Average Heigh (ft.):			5.4	Animal Crossings:	<b>No</b>
	Gullies:	<b>None</b>		5.5	Channel Alterations	
	Number of Gullies			Straightening:	<b>Straightening</b>	
	Total Length of Gullies (ft.):			Length (ft.):	<b>1,268.4</b>	
	Average Height of Gullies			Dredging:	<b>None</b>	





# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 24 2024

## Phase 2 - FIT - Legacy Data Report

## Neshobe

SGAT Version: **4.56**

Reach: **M05 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>	<u>Step</u>	<u>Description</u>	<u>Value</u>		
1.2	Alluvial Fan:	<b>None</b>	4.4	Number of Debris Jams:	<b>8</b>		
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.5	Flow Regulation Type:	<b>None</b>	
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>		Use:		
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>	4.7	Stormwater Inputs		
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>	Overland Flow	<b>0</b>	Road Ditch	<b>1</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>	Field Ditch	<b>0</b>	Tile Drain	<b>0</b>
	Development Length:	<b>688.0</b>	<b>0.0</b>	Other	<b>0</b>	Ub Strm Wtr Pipe	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>	4.9	Beaver Dams:	<b>1</b>	
	Erosion Length (ft.):	<b>656.7</b>	<b>279.0</b>		Affected length (ft.):	<b>80.0</b>	
	Erosion Height (ft.):	<b>4.2</b>	<b>3.6</b>	5.2	Migration Features		
	Revetment Type:	<b>Rip-Rap</b>	<b>Rip-Rap</b>	Flood Chutes:	<b>3</b>		
	Revetment length	<b>122.3</b>	<b>678.0</b>	Neck Cutoffs:	<b>0</b>		
3.2	<u>Buffer Less Than 25 ft.</u>	<b>2360</b>	<b>2032</b>	Channel Avulsions:	<b>0</b>		
3.3	<u>Riparian Corridor</u>	<u>Left</u>	<u>Right</u>	Braiding:	<b>1</b>		
	Mass Failures:		<b>151.49</b>	5.3	Steep Riffles and Head Cuts		
	Average Height (ft.):		<b>25.0</b>	Steep Riffles:	<b>0</b>		
	Mass Failures:	<b>One</b>		Head Cuts:	<b>0</b>		
	Average Heigh (ft.):	<b>25.0</b>		5.4	Animal Crossings:	<b>No</b>	
	Gullies:	<b>None</b>		5.5	Channel Alterations		
	Number of Gullies			Straightening:	<b>Straightening</b>		
	Total Length of Gullies (ft.):			Length (ft.):	<b>526.5</b>		
	Average Height of Gullies			Dredging:	<b>None</b>		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 24 2024

## Phase 2 - FIT - Legacy Data Report

## Neshobe

SGAT Version: **4.56**

Reach: **M09 -B**

<u>Step</u>	<u>Description</u>	<u>Value</u>	<u>Step</u>	<u>Description</u>	<u>Value</u>		
1.2	Alluvial Fan:	<b>None</b>	4.4	Number of Debris Jams:	<b>0</b>		
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.5	Flow Regulation Type:	<b>None</b>	
	Berm Length (ft.):	<b>281.3</b>	<b>0.0</b>		Use:		
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>	4.7	Stormwater Inputs		
	Road Length (ft.):	<b>965.4</b>	<b>0.0</b>	Overland Flow	<b>0</b>	Road Ditch	<b>0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>	Field Ditch	<b>0</b>	Tile Drain	<b>0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>	Other	<b>1</b>	Ub Strm Wtr Pipe	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>	4.9	Beaver Dams:	<b>0</b>	
	Erosion Length (ft.):	<b>123.0</b>	<b>200.2</b>		Affected length (ft.):	<b>0.0</b>	
	Erosion Height (ft.):	<b>10.0</b>	<b>6.0</b>	5.2	Migration Features		
	Revetment Type:	<b>Rip-Rap</b>	<b>None</b>	Flood Chutes:	<b>2</b>		
	Revetment length	<b>66.7</b>	<b>0.0</b>	Neck Cutoffs:	<b>0</b>		
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>	Channel Avulsions:	<b>0</b>		
3.3	<u>Riparian Corridor</u>	<u>Left</u>	<u>Right</u>	Braiding:	<b>0</b>		
	Mass Failures:		<b>72.5</b>	5.3	Steep Riffles and Head Cuts		
	Average Height (ft.):		<b>30.0</b>	Steep Riffles:	<b>0</b>		
	Mass Failures:	<b>One</b>		Head Cuts:	<b>0</b>		
	Average Heigh (ft.):	<b>30.0</b>		5.4	Animal Crossings:	<b>No</b>	
	Gullies:	<b>None</b>		5.5	Channel Alterations		
	Number of Gullies			Straightening:	<b>Straightening</b>		
	Total Length of Gullies (ft.):			Length (ft.):	<b>1,566.4</b>		
	Average Height of Gullies			Dredging:	<b>None</b>		



Phase 2 - FIT - Legacy Data Report

Neshobe

SGAT Version: 4.56

Reach: **M01 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>
1.3	<u>Encroachments - Side</u>	<u>One</u> <u>Both</u>
	Berm Length (ft.):	<b>0.0</b> <b>0.0</b>
	Path Length (ft.):	<b>581.8</b> <b>0.0</b>
	Road Length (ft.):	<b>0.0</b> <b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b> <b>0.0</b>
	Development Length:	<b>1,845.8</b> <b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u> <u>Right</u>
	Erosion Length (ft.):	<b>1,072.4</b> <b>517.7</b>
	Erosion Height (ft.):	<b>4.2</b> <b>4.9</b>
	Revetment Type:	<b>Rip-Rap</b> <b>None</b>
	Revetment length	<b>15.4</b> <b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b> <b>0</b>
3.3	<u>Riparian Corridor</u>	<u>Left</u> <u>Right</u>
	Mass Failures:	
	Average Height (ft.):	
	Mass Failures:	<b>None</b>
	Average Heigh (ft.):	
	Gullies:	<b>None</b>
	Number of Gullies	
	Total Length of Gullies (ft.):	
	Average Height of Gullies	

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>12</b>
4.5	Flow Regulation Type:	<b>Small Withdrawal</b>
	Use:	<b>Other</b>
4.7	Stormwater Inputs	
	Overland Flow    0      Road Ditch	<b>0</b>
	Field Ditch      2      Tile Drain	<b>0</b>
	Other            0      Ub Strm Wtr Pipe	<b>0</b>
4.9	Beaver Dams:	<b>0</b>
	Affected length (ft.):	<b>0.0</b>
5.2	Migration Features	
	Flood Chutes:	<b>1</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>4</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Length (ft.):	<b>2,410.9</b>
	Dredging:	<b>None</b>



Phase 2 - FIT - Legacy Data Report

Neshobe

SGAT Version: 4.56

Reach: M01 -0

<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	None
1.3	<u>Encroachments - Side</u>	<u>One</u> <u>Both</u>
	Berm Length (ft.):	0.0      0.0
	Path Length (ft.):	581.8      0.0
	Road Length (ft.):	0.0      0.0
	Railroad Lenth (ft.):	0.0      0.0
	Development Length:	1,845.8      0.0
3.1	<u>Erosion - Bank</u>	<u>Left</u> <u>Right</u>
	Erosion Length (ft.):	1,072.4      517.7
	Erosion Height (ft.):	4.2      4.9
	Revetment Type:	Rip-Rap      None
	Revetment length	15.4      0.0
3.2	<u>Buffer Less Than 25 ft.</u>	0      0
3.3	<u>Riparian Corridor</u>	<u>Left</u> <u>Right</u>
	Mass Failures:	
	Average Height (ft.):	
	Mass Failures:	None
	Average Heigh (ft.):	
	Gullies:	None
	Number of Gullies	
	Total Length of Gullies (ft.):	
	Average Height of Gullies	

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	12
4.5	Flow Regulation Type:	Small Withdrawal
	Use:	Other
4.7	Stormwater Inputs	
	Overland Flow	0      Road Ditch      0
	Field Ditch	0      Tile Drain      0
	Other	1      Ub Strm Wtr Pipe      0
4.9	Beaver Dams:	0
	Affected length (ft.):	0.0
5.2	Migration Features	
	Flood Chutes:	1
	Neck Cutoffs:	0
	Channel Avulsions:	4
	Braiding:	0
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	0
	Head Cuts:	0
5.4	Animal Crossings:	No
5.5	Channel Alterations	
	Straightening:	Straightening
	Length (ft.):	2,410.9
	Dredging:	None



Phase 2 - FIT - Legacy Data Report

Neshobe

SGAT Version: 4.56

Reach: **M08 -B**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>68.0</b>	<b>32.5</b>
	Erosion Height (ft.):	<b>3.0</b>	<b>5.0</b>
	Revetment Type:	<b>None</b>	<b>Rip-Rap</b>
	Revetment length	<b>0.0</b>	<b>204.9</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>	<u>Left</u>	<u>Right</u>
	Mass Failures:		
	Average Height (ft.):		
	Mass Failures:	<b>None</b>	
	Average Heigh (ft.):		
	Gullies:	<b>None</b>	
	Number of Gullies		
	Total Length of Gullies (ft.):		
	Average Height of Gullies		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>0</b>
4.5	Flow Regulation Type:	<b>None</b>
	Use:	
4.7	Stormwater Inputs	
	Overland Flow	Road Ditch
	Field Ditch	Tile Drain
	Other	Ub Strm Wtr Pipe
4.9	Beaver Dams:	<b>0</b>
	Affected length (ft.):	<b>0.0</b>
5.2	Migration Features	
	Flood Chutes:	<b>1</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Length (ft.):	<b>659.2</b>
	Dredging:	<b>None</b>