



Phase 1 - FIT - Legacy Data Report

RMP Test Project

SGAT Version: 4.56

Reach: **M01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:		
5.4	Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		<b>0.000000</b>
	Bank Height:		<b>0.000</b>

Reach: **M02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:		
5.4	Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		<b>0.000000</b>
	Bank Height:		<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		<b>0.000000</b>
	Bank Height:		<b>0.000</b>

Reach: **M04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		<b>0.000000</b>
	Bank Height:		<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M05**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:		
5.4	Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		<b>None</b>
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **M06**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:		
5.4	Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		<b>0.000000</b>
	Bank Height:		<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M07**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T1.01S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		<b>0.000000</b>
	Bank Height:		<b>0.000</b>

Reach: **T2.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T8.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T8.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T8.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T8.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T8.05**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T8.06**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T8.07**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T8.08**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T8.09**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T8.S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T8.S1.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T8.S1.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T8.S1.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T8.S2.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T8.S2.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

Step                      Description Value

5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T8.S2.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

Step                      Description Value

5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T8.S3.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:		
5.4	Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T8.S3.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:		
5.4	Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T8.S3.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T8.S3.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T8.S3.05**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T8.S4.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T8.S4.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T8.S4.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M05T03.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **M05T03.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M05T03.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **M05T03.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M05T03.05**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:		
5.4	Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **M05T03.06**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:		
5.4	Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M05T03.07**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **M05T03.08**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M05T03.02S01.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **M05T03.02S01.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M05T03.02S01.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **M05T03.02S01.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

## Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M05T03.02S01.05**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **M05T03.02S01.06**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M05T03.02S01.02S01.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:		
5.4	Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **M05T03.05S01.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:		
5.4	Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M05T03.05S01.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **M05T03.05S02.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M05T03.05S02.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **M05T03.02S01.03S01.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M05T03.02S01.03S01.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **M05T03.01S01.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M05T03.01S01.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **M05T03.01S01.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts: Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
5.4	Data Armoring: Straightening Length: Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources

VT DEC

Vermont.gov  
June, 17 2026

Reach: **M05T03.01S01.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:		
3.2	Grade Control:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:		
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:		
5.4	Straightening Length:		
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		