



Phase 1 - FIT - Legacy Data Report

East Creek

SGAT Version: 4.56

Reach: **M02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>1463</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **M03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>34</b>	<b>39</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>100.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **M06**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **M07**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>780</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>200.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **M08**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>3581</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>1902.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **T7.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1191</b>	<b>233</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>3</b>	
	Total Length:	<b>280.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>497.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>140.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>142.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>1.570</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **M09**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>622</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>160.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **T9.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>738</b>	<b>266</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>200.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>43.0000</b>
			<b>0</b>
	Data Armoring:		
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>769.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>164.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>2.622</b>



# Stream Geomorphic Assessment

## Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T9.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>120.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

Step

Description Value

5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>169.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>169.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **T9.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

Step

Description Value

5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>1279.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>1279.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T8.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>170.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>1095.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **T8.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>599</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>165.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>759.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>759.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>517.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T8.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>3</b>	
	Total Length:	<b>250.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		<b>0.0000000</b>
	Bank Height:		<b>0.000</b>

Reach: **T6.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>25</b>	<b>144</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>3</b>	
	Total Length:	<b>250.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>685.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>685.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>289.0000</b>	<b>0.0000</b>
6.4	Miander Migration:		<b>Avulsion</b>
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T6.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>5009</b>	<b>5522</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>5</b>	
	Total Length:	<b>820.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **T6.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>147</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>





# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T5.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>3284</b>	<b>5032</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>4</b>	
	Total Length:	<b>580.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>31.0000</b>	<b>15.0000</b>
		<b>0</b>	<b>0</b>
	Data Armoring:		
5.4	Straightening Length:	<b>2356.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>582.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>582.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>371.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>1634.000000</b>
			<b>0</b>
	Bank Height:	<b>N.D.</b>	<b>2.650</b>

Reach: **T4.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>342</b>	<b>1379</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>300.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>74.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>2.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T4.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>144</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>200.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Flood Chute</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>123.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>10.000</b>

Reach: **T4.02S2.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:		
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		<b>0.0000000</b>
	Bank Height:		<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T4.02S2.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1329</b>	<b>1397</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>200.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>7.00000</b>
	Data Armoring:		
5.4	Straightening Length:	<b>505.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>552.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>2.179</b>

Reach: **T4.02S2.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>2315</b>	<b>2232</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>200.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>2554.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T4.02S2.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1460</b>	<b>2257</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>300.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>266.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **T4.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>652</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>180.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>356.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>3.000</b>



# Stream Geomorphic Assessment

## Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T4.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>680</b>	<b>776</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>3</b>	
	Total Length:	<b>530.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>54.0000</b>	<b>0.00000</b>
		<b>0</b>	
	Data Armoring:		
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>300.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>5.000</b>

Reach: **T4.04S2.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>609</b>	<b>2987</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>4</b>	
	Total Length:	<b>1290.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>2549.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>2549.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T4.04S2.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>906</b>	<b>716</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>100.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **T4.05**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>345.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>2.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T4.06**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>44.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>2.000</b>

Reach: **T4.07**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>30</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>160.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T4.08**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>76</b>	<b>119</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>220.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **T4.09**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>2841</b>	<b>3947</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>120.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>





# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T4.10**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1405</b>	<b>1887</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **T4.11**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1476</b>	<b>2461</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>70.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T4.12**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>3208</b>	<b>3407</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>255.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>3098.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **T4.03S2.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>6445</b>	<b>8572</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>