



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 1 - FIT - Legacy Data Report

## Lewis Creek

SGAT Version: 4.56

Reach: **T6.3S1.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>49</b>	<b>36</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>50.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>42.55000</b>
			<b>0</b>
	Data Armoring:		
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>1566.0100</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>1566.0100</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>31.2400</b>
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **T6.3S1.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>27</b>	<b>49</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T6.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>359</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>150.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>112.840</b>	<b>150.840</b>
		<b>00</b>	<b>00</b>
	Data Armoring:		
5.4	Straightening Length:	<b>1575.52002</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>199.3900</b>	<b>745.2400</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>199.3900</b>	<b>745.23999</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>156.9800</b>	<b>32.9100</b>
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>93.2099991</b>
	Bank Height:	<b>N.D.</b>	<b>2.365</b>

Reach: **T6.05**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>110</b>	<b>170</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>75.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>136.960</b>	<b>59.0400</b>
		<b>01</b>	<b>0</b>
	Data Armoring:		
5.4	Straightening Length:	<b>452.63000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>496.3900</b>	<b>312.3700</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>496.3900</b>	<b>312.37000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>376.1000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>186.1000061</b>
	Bank Height:	<b>N.D.</b>	<b>2.789</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M16S1.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>144</b>	<b>232</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>80.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>221.0200</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>221.0200</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>120.8600</b>
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **M16S1.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>238</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>638.2900</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>638.2900</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T6.5S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>13</b>	<b>27</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>60.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>256.7200</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>256.7200</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>71.9700</b>
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **T3.06**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:	<b>4197.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T3.6S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>3353</b>	<b>3353</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:	<b>2229.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>416.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T3.07**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>3285</b>	<b>3096</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>513.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T3.4S2.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>5558</b>	<b>6133</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:	<b>2722.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T3.3S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1213</b>	<b>1213</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T3.2S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>2767</b>	<b>2541</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **M13**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1173</b>	<b>1788</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>200.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>165.429</b>	<b>99.9300</b>
		<b>99</b>	<b>0</b>
	Data Armoring:		
5.4	Straightening Length:	<b>2327.87988</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>92.6000</b>	<b>88.2800</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>1604.000000</b>
			<b>0</b>
	Bank Height:	<b>N.D.</b>	<b>6.875</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M14**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>141</b>	<b>1175</b>
5.1	Flow Regulation - Type:	<b>Small Withdrawal</b>	
	Use:	<b>Other</b>	
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>300.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>47.3200</b>	<b>125.9400</b>
	Data Armoring:		
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>3002.8799</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>3002.8799</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>645.0700</b>	<b>49.7400</b>
6.4	Miander Migration:	<b>Braiding</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **M15**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>498</b>	<b>258</b>
5.1	Flow Regulation - Type:	<b>Small Withdrawal</b>	
	Use:	<b>Other</b>	
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>62.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>326.39999</b>
	Data Armoring:		
5.4	Straightening Length:	<b>4037.18994</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>769.1900</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>769.1900</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>592.7600</b>	<b>64.9800</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>5148.8798828</b>
	Bank Height:	<b>N.D.</b>	<b>3.111</b>



# Stream Geomorphic Assessment

Agency of Natural Resources

VT DEC

Vermont.gov  
June, 17 2026

Reach: **M16**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1961</b>	<b>2514</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>379.649</b>	<b>835.239</b>
		<b>99</b>	<b>99</b>
	Data Armoring:		
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>4104.870117</b>
			<b>2</b>
	Bank Height:	<b>N.D.</b>	<b>5.960</b>

Reach: **M17**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>Yes</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>2384</b>	<b>3172</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>3</b>	
	Total Length:	<b>225.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>275.359</b>	<b>645.630</b>
		<b>99</b>	<b>00</b>
	Data Armoring:		
5.4	Straightening Length:	<b>2149.61987</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>1235.6600</b>	<b>1206.5300</b>
	Berm:	<b>310.7200</b>	<b>334.8700</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>924.9400</b>	<b>871.65997</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>394.9700</b>	<b>145.3000</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>4340.819824</b>
			<b>2</b>
	Bank Height:	<b>N.D.</b>	<b>4.202</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T5.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>236</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T5.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources

VT DEC

Vermont.gov  
June, 17 2026

Reach: **T5.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T6.06**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>2779</b>	<b>2783</b>
5.1	Flow Regulation - Type:	<b>Small Run of River</b>	
	Use:	<b>Recreation</b>	
5.2	# of Bridges or Culverts:	<b>4</b>	
	Total Length:	<b>980.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>630.28998</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>5994.2598</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>5994.2598</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>1134.5300</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Braiding</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T6.6S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>60.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>17.6600</b>
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **T6.6S1.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:		
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>552</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>107.9500</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **M02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1935</b>	<b>797</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>100.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>1585.13000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>869.3000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>869.300</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>39.3100</b>
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>1270.590087</b>
			<b>9</b>
	Bank Height:	<b>N.D.</b>	<b>5.671</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>101</b>	<b>728</b>
5.1	Flow Regulation - Type:	<b>Small Withdrawal</b>	
	Use:	<b>Other</b>	
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>300.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>169.780</b>	<b>9.90000</b>
		<b>00</b>	
	Data Armoring:		
5.4	Straightening Length:	<b>829.83997</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>3653.7600</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>2119.610</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>1534.1500</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>549.1100</b>	<b>102.6900</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>745.2600098</b>
	Bank Height:	<b>N.D.</b>	<b>3.730</b>

Reach: **M04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>736</b>	<b>1324</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>992.78003</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>2438.280029</b>
			<b>3</b>
	Bank Height:	<b>N.D.</b>	<b>7.018</b>



# Stream Geomorphic Assessment

## Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M05**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Multiple</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>333</b>	<b>125</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>150.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>1058.0601</b>	<b>512.8000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>1058.0601</b>	<b>512.79999</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>414.5900</b>	<b>156.9300</b>
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>154.7399902</b>
	Bank Height:	<b>N.D.</b>	<b>4.000</b>

Reach: **M06**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>162.88000</b>
	Data Armoring:		
5.4	Straightening Length:	<b>1838.25000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>128.4700</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>3014.9599609</b>
	Bank Height:	<b>N.D.</b>	<b>4.274</b>



# Stream Geomorphic Assessment

Agency of Natural Resources

VT DEC

Vermont.gov  
June, 17 2026

Reach: **M07**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Waterfall</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>217</b>	<b>279</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>100.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>227.24001</b>
	Data Armoring:		
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>744.0300</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>744.0300</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>1541.0500</b>	<b>175.3000</b>
6.4	Miander Migration:	<b>Braiding</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>334.4100037</b>
	Bank Height:	<b>N.D.</b>	<b>2.498</b>

Reach: **M08**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>905</b>	<b>535</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>300.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>187.42999</b>	<b>82.17000</b>
	Data Armoring:		
5.4	Straightening Length:	<b>305.19000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Dredging</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>229.3100</b>	<b>1410.6899</b>
	Berm:	<b>194.2500</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>35.0600</b>	<b>1410.68994</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>323.2700</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>2455.3400879</b>
	Bank Height:	<b>N.D.</b>	<b>5.206</b>



# Stream Geomorphic Assessment

## Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M09**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Multiple</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>774</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>Small Run of River</b>	
	Use:	<b>Other</b>	
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>487.23999</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>1305.3900</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>1305.3900</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>614.9600</b>	<b>207.4300</b>
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **M10**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Multiple</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>844</b>	<b>1225</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>100.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>149.220</b>	<b>43.5600</b>
		<b>00</b>	<b>0</b>
	Data Armoring:		
5.4	Straightening Length:	<b>1787.33008</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>2381.3000</b>	<b>0.0000</b>
	Berm:	<b>321.4500</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>2059.8501</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>537.9400</b>	<b>54.0400</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>1887.739990</b>
			<b>2</b>
	Bank Height:	<b>N.D.</b>	<b>3.412</b>



# Stream Geomorphic Assessment

## Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M11**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>1574</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>1351.949951</b>
			<b>2</b>
	Bank Height:	<b>N.D.</b>	<b>7.287</b>

Reach: **T2.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Multiple</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>88.7099991</b>
	Bank Height:	<b>N.D.</b>	<b>3.673</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T2.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>3952</b>	<b>3952</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:	<b>3113.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T2.2S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>93</b>	<b>374</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:	<b>2025.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T2.2S1.1S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>2505</b>	<b>2505</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:	<b>2598.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>Low</b>	

Reach: **T2.2S1.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1560</b>	<b>1560</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:	<b>4503.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>Low</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T2.2S1.2S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>2964</b>	<b>2964</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:	<b>2535.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T2.2S1.2S1.1S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>3220</b>	<b>3220</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:	<b>3130.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources

VT DEC

Vermont.gov  
June, 17 2026

Reach: **T2.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1595</b>	<b>1595</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:	<b>1948.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Migration</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T2.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>2161</b>	<b>2161</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:	<b>750.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>246.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>Low</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources

VT DEC

Vermont.gov  
June, 17 2026

Reach: **T2.05**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1683</b>	<b>1165</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:	<b>1965.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>Medium</b>	

Reach: **T2.06**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>3086</b>	<b>3086</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:	<b>1206.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Migration</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>Low</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources

VT DEC

Vermont.gov  
June, 17 2026

Reach: **M12**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>437</b>	<b>1792</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>200.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>71.9800</b>	<b>87.7900</b>
		<b>0</b>	<b>0</b>
	Data Armoring:		
5.4	Straightening Length:	<b>775.66998</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>75.2300</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>5152.390136</b>
			<b>7</b>
	Bank Height:	<b>N.D.</b>	<b>6.971</b>

Reach: **T3.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1001</b>	<b>642</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>3</b>	
	Total Length:	<b>400.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>246.290</b>	<b>259.399</b>
		<b>01</b>	<b>99</b>
	Data Armoring:		
5.4	Straightening Length:	<b>1526.68005</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Dredging</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>1415.8000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>1415.8000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>280.7300</b>	<b>122.1700</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>2987.770019</b>
			<b>5</b>
	Bank Height:	<b>N.D.</b>	<b>4.280</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T3.1S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>6570</b>	<b>5986</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>140.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T3.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>560</b>
5.1	Flow Regulation - Type:	<b>Small Withdrawal</b>	
	Use:	<b>Other</b>	
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>654.8900</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>654.890</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Flood Chute</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>148.9700012</b>
	Bank Height:	<b>N.D.</b>	<b>4.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources

VT DEC

Vermont.gov  
June, 17 2026

Reach: **T3.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>4265</b>	<b>4265</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>4</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>176.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>Medium</b>	

Reach: **T3.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>248</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>8465.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources

VT DEC

Vermont.gov  
June, 17 2026

Reach: **T3.4S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>3543</b>	<b>3328</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:	<b>3456.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>783.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T3.4S3.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>7576</b>	<b>7386</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:	<b>3236.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>280.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>Low</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T3.05**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>930</b>	<b>348</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>3</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>119.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Migration</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>Low</b>	

Reach: **T5.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:	<b>858.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T5.05**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	
	Bank Height:		

Reach: **M18**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Waterfall</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>324</b>	<b>148</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>160.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>69.4500</b>	<b>0.00000</b>
		<b>0</b>	
	Data Armoring:		
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>1537.1801</b>	<b>42.2900</b>
	Berm:	<b>139.7700</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>1397.4100</b>	<b>42.29000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>217.3900</b>	<b>241.6400</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>193.5400085</b>
	Bank Height:	<b>N.D.</b>	<b>3.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M19**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>286</b>	<b>1150</b>
5.1	Flow Regulation - Type:	<b>Small Withdrawal</b>	
	Use:	<b>Other</b>	
5.2	# of Bridges or Culverts:	<b>3</b>	
	Total Length:	<b>502.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>841.380</b>	<b>1652.27</b>
		<b>00</b>	<b>002</b>
	Data Armoring:		
5.4	Straightening Length:	<b>6779.68994</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Gravel Mining</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>1726.8301</b>	<b>1335.0100</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>1726.8301</b>	<b>1335.01001</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>341.2400</b>	<b>72.0600</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>2770.620117</b>
			<b>2</b>
	Bank Height:	<b>N.D.</b>	<b>4.074</b>

Reach: **M20**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>602</b>	<b>360</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>100.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>206.780</b>	<b>0.00000</b>
		<b>00</b>	
	Data Armoring:		
5.4	Straightening Length:	<b>2222.02002</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>575.9200</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>402.160</b>	<b>0.000</b>
	Road:	<b>173.7600</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>73.3200</b>
6.4	Miander Migration:	<b>Flood Chute</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>466.7299805</b>
	Bank Height:	<b>N.D.</b>	<b>4.523</b>



# Stream Geomorphic Assessment

## Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M21**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>543</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>100.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>57.2600</b>	<b>186.0800</b>
		<b>0</b>	<b>00</b>
	Data Armoring:		
5.4	Straightening Length:	<b>617.85999</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>334.6700</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>334.670</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>101.5200</b>	<b>66.5300</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>1602.989990</b>
			<b>2</b>
	Bank Height:	<b>N.D.</b>	<b>4.307</b>

Reach: **M22**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>Yes</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>2113</b>	<b>2682</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>3</b>	
	Total Length:	<b>450.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>739.2500</b>	<b>259.66998</b>
		<b>00</b>	<b>98</b>
	Data Armoring:		
5.4	Straightening Length:	<b>3905.51001</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Dredging</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>1486.2500</b>	<b>0.0000</b>
	Berm:	<b>425.2000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>1061.0500</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>163.0700</b>	<b>218.8000</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>3319.820068</b>
			<b>4</b>
	Bank Height:	<b>N.D.</b>	<b>3.166</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M23**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>Yes</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1451</b>	<b>101</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>50.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>62.8400</b>	<b>0.00000</b>
		<b>0</b>	
	Data Armoring:		
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>2823.7200</b>	<b>0.0000</b>
	Berm:	<b>709.8900</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>2113.8301</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>315.8000</b>	<b>14.0100</b>
6.4	Miander Migration:	<b>Flood Chute</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>932.8599854</b>
	Bank Height:	<b>N.D.</b>	<b>3.272</b>

Reach: **M16S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>647</b>	<b>434</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>50.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>634.35999</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>455.5300</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>455.5300</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>105.0700</b>
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M16S1.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>360</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>20.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>983.1700</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>983.1700</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **M24**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **M25**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>120.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>Medium</b>	

Reach: **M26**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:		
5.4	Straightening Length:		
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:		
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T1.2S1.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>2185</b>	<b>1997</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>120.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>2988.27002</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>96.8800</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>96.8800</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>42.4600</b>
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **T7.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources

VT DEC

Vermont.gov  
June, 17 2026

Reach: **T7.1S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T7.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T6.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>499</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>300.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>57.9200</b>	<b>0.00000</b>
		<b>0</b>	
	Data Armoring:		
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>484.7000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Flood Chute</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>419.3999939</b>
	Bank Height:	<b>N.D.</b>	<b>2.910</b>

Reach: **T6.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Multiple</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

## Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T6.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>116</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>62.3900</b>	<b>0.00000</b>
		<b>0</b>	
	Data Armoring:		
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>371.6000061</b>
	Bank Height:	<b>N.D.</b>	<b>3.400</b>

Reach: **T6.3S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>718</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>10.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>1371.55005</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>742.2400</b>	<b>0.0000</b>
	Berm:	<b>742.2400</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>162.5200</b>	<b>0.0000</b>
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>566.3300171</b>
	Bank Height:	<b>N.D.</b>	<b>2.832</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T4.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>Yes</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1614</b>	<b>1741</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>4</b>	
	Total Length:	<b>550.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>288.799</b>	<b>284.790</b>
		<b>99</b>	<b>01</b>
	Data Armoring:		
5.4	Straightening Length:	<b>1344.46997</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Dredging</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>1812.4900</b>	<b>124.5100</b>
	Berm:	<b>791.3300</b>	<b>124.5100</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>1021.1600</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>527.1900</b>	<b>178.4900</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>1826.920043</b>
			<b>9</b>
	Bank Height:	<b>N.D.</b>	<b>3.063</b>

Reach: **T4.1S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1596</b>	<b>1596</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>105.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>Low</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T4.1S2.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>Low</b>	

Reach: **T4.1S3.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>440</b>	<b>801</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Migration</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T4.1S4.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>Yes</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>3196</b>	<b>3243</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T4.1S4.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources

VT DEC

Vermont.gov  
June, 17 2026

Reach: **T4.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Multiple</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>3231</b>	<b>1982</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>300.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>1043.45</b>	<b>71.2900</b>
		<b>996</b>	<b>0</b>
	Data Armoring:		
5.4	Straightening Length:	<b>2827.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Dredging</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>5732.7798</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>5732.7798</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>1144.2200</b>	<b>145.7200</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>1631.260009</b>
			<b>8</b>
	Bank Height:	<b>N.D.</b>	<b>3.083</b>

Reach: **T4.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>9764</b>	<b>9764</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:	<b>3608.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>185.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>Low</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T4.3S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1518</b>	<b>1782</b>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length: Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>137.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T4.3S3.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>118</b>	<b>383</b>
5.1	Flow Regulation - Type: Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length: Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>83.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T4.3S4.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>372</b>	<b>372</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>50.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T4.3S6.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>2477</b>	<b>2498</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>7</b>	
	Total Length:	<b>750.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>3054.35010</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>5243.1201</b>	<b>298.7300</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>5243.1201</b>	<b>298.73001</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>853.0600</b>	<b>524.6000</b>
6.4	Miander Migration:	<b>Flood Chute</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>319.2999878</b>
	Bank Height:	<b>N.D.</b>	<b>4.751</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T4.3S7.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1474</b>	<b>1387</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>190.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>Low</b>	

Reach: **T4.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>3862</b>	<b>2085</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:	<b>1516.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>462.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources

VT DEC

Vermont.gov  
June, 17 2026

Reach: **T4.05**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>Yes</b>	
3.2	Grade Control:	<b>Multiple</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1302</b>	<b>394</b>
5.1	Flow Regulation - Type:	<b>Small Store and Release</b>	
	Use:	<b>Other</b>	
5.2	# of Bridges or Culverts:	<b>4</b>	
	Total Length:	<b>500.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>345.769</b>	<b>0.00000</b>
		<b>99</b>	
	Data Armoring:		
5.4	Straightening Length:	<b>582.75000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Dredging</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>1178.9800</b>	<b>359.1500</b>
	Berm:	<b>437.1800</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>741.8000</b>	<b>359.15002</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>747.7200</b>	<b>128.9500</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>1589.400024</b>
			<b>4</b>
	Bank Height:	<b>N.D.</b>	<b>2.679</b>

Reach: **T4.5S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>352</b>	<b>352</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>Low</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T4.06**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>Low</b>	

Reach: **T4.07**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>131</b>	<b>131</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>Low</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources

VT DEC

Vermont.gov  
June, 17 2026

Reach: **T4.5S2.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T4.3S5.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T4.3S2.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>No Data</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>267</b>	<b>267</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		
	Bank Height:		

Reach: **T1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>482</b>	<b>558</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>40.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>959.8300</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>959.830</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>35.9600</b>
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T1.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>3729</b>	<b>3804</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>20.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>4082.37012</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **T1.2S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1325</b>	<b>1174</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>150.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>2811.03003</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>84.3500</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>84.3500</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>69.0100</b>	<b>56.6600</b>
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

Reach: **T1.2S1.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>706.62000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **T1.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>485</b>	<b>370</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>2783.62012</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources

VT DEC

Vermont.gov  
June, 17 2026

Reach: <b>T1.03</b>				<u>Step</u>	<u>Description</u>	<u>Value</u>
	<u>Step</u>	<u>Description</u>	<u>Value</u>	5.5	Dredging History:	<b>None</b>
3.1	Alluvial Fan:	<b>None</b>		6.1	Berms & Roads Data:	
3.2	Grade Control:	<b>None</b>			<u>One Side</u>	<u>Both Sides</u>
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
		<b>82</b>	<b>75</b>	Berm:	<b>0.0000</b>	<b>0.0000</b>
5.1	Flow Regulation - Type:	<b>None</b>		Path:	<b>0.000</b>	<b>0.000</b>
	Use:			Road:	<b>0.0000</b>	<b>0.00000</b>
5.2	# of Bridges or Culverts:	<b>1</b>		Railroad:	<b>0.0000</b>	<b>0.00</b>
	Total Length:	<b>100.000</b>		6.2	Corridor Development Data:	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>	Length:	<b>0.0000</b>	<b>40.2100</b>
		<b>0.00000</b>	<b>0.00000</b>	6.4	Miander Migration:	
	Data Armoring:	<b>None</b>			<u>Old</u>	<u>New</u>
5.4	Straightening Length:	<b>1387.02002</b>		7.2	Bank Erosion:	<b>None</b> <b>0.0000000</b>
	Straightening Data:			Bank Height:	<b>N.D.</b>	<b>0.000</b>