



Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: R36		<u>Step</u>	<u>Description</u>	<u>Value</u>
3.1	Alluvial Fan: None	5.5	Dredging History:	No Data
3.2	Grade Control: Ledge	6.1	Berms & Roads Data:	
5.2	# of Bridges or Culverts: 2		<u>One Side</u>	<u>Both Sides</u>
	Total Length: 0.000		Berms & Roads: 1465.0000	
5.3	Armoring Length <u>Left</u> <u>Right</u>	6.2	Dev. Length: 147.0000	0.0000
	Data Armoring: None		Corridor Development Data:	
5.4	Straightening Length:		<u>Old</u>	<u>New</u>
	Straightening Data: None	7.2	Bank Erosion: Low	
			Bank Height: Medium	

Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: R37		<u>Step</u>	<u>Description</u>	<u>Value</u>
3.1	Alluvial Fan: None	5.5	Dredging History:	No Data
3.2	Grade Control: Multiple	6.1	Berms & Roads Data:	
5.2	# of Bridges or Culverts: 6		<u>One Side</u>	<u>Both Sides</u>
	Total Length: 1804.0000		Berms & Roads: 3470.0000	
5.3	Armoring Length <u>Left</u> <u>Right</u>	6.2	Dev. Length: 694.0000	0.0000
	Data Armoring: No Data		Corridor Development Data:	
5.4	Straightening Length: 4054.00000		<u>Old</u>	<u>New</u>
	Straightening Data:	7.2	Bank Erosion: High	7107.500000
			Bank Height: Medium	5.090



Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov

November, 22 2024

Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: R38			<u>Step</u>	<u>Description</u>	<u>Value</u>
<u>Step</u>	<u>Description</u>	<u>Value</u>	5.5	Dredging History:	No Data
3.1	Alluvial Fan:	None	6.1	Berms & Roads Data:	
3.2	Grade Control:	None		<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:	2		Berms & Roads:	1097.0000
	Total Length:	219.000	6.2	Dev. Length:	220.0000 0.0000
5.3	Armoring Length	<u>Left</u> <u>Right</u>		Corridor Development Data:	
	Data Armoring:			<u>Old</u>	<u>New</u>
5.4	Straightening Length:	100.00000	7.2	Bank Erosion:	High 1047.5000000
	Straightening Data:			Bank Height:	Medium 5.690

Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: R39			<u>Step</u>	<u>Description</u>	<u>Value</u>
<u>Step</u>	<u>Description</u>	<u>Value</u>	5.5	Dredging History:	No Data
3.1	Alluvial Fan:	None	6.1	Berms & Roads Data:	
3.2	Grade Control:	Ledge		<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:	2		Berms & Roads:	2605.0000
	Total Length:	463.000	6.2	Dev. Length:	0.0000 579.0000
5.3	Armoring Length	<u>Left</u> <u>Right</u>		Corridor Development Data:	
	Data Armoring:			<u>Old</u>	<u>New</u>
5.4	Straightening Length:	1930.00000	7.2	Bank Erosion:	Low 585.0000000
	Straightening Data:			Bank Height:	High 6.145



Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov

November, 22 2024

Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: R40		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	No Data
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	
			<u>One Side</u>	<u>Both Sides</u>
3.2	Grade Control:		Berms & Roads:	179.0000
			Dev. Length:	90.0000
5.2	# of Bridges or Culverts:	6.2	Corridor Development Data:	
			<u>Old</u>	<u>New</u>
	Total Length:	7.2	Bank Erosion:	High
			Bank Height:	Medium
5.3	Armoring Length			630.0000000
				6.000
	Data Armoring:			
5.4	Straightening Length:			
	Straightening Data:			

Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: T2.01		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	No Data
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	
			<u>One Side</u>	<u>Both Sides</u>
3.2	Grade Control:		Berms & Roads:	100.0000
5.2	# of Bridges or Culverts:	6.2	Dev. Length:	0.0000
			Corridor Development Data:	211.0000
	Total Length:		<u>Old</u>	<u>New</u>
5.3	Armoring Length	7.2	Bank Erosion:	Low
			Bank Height:	Low
	Data Armoring:			10.0000000
5.4	Straightening Length:			3.000
	Straightening Data:			



Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov

November, 22 2024

Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: T2.02		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	No Data
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	
			<u>One Side</u>	<u>Both Sides</u>
3.2	Grade Control:		Berms & Roads:	400.0000
		6.2	Dev. Length:	339.0000
5.2	# of Bridges or Culverts:		Corridor Development Data:	
			<u>Old</u>	<u>New</u>
	Total Length:	7.2	Bank Erosion:	High
5.3	Armoring Length:		Bank Height:	Medium
				3123.5000000
	Data Armoring:			2.581
5.4	Straightening Length:			
	Straightening Data:			None

Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: T2.03		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	No Data
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	None
			<u>One Side</u>	<u>Both Sides</u>
3.2	Grade Control:		Berms & Roads:	
		6.2	Dev. Length:	0.0000
5.2	# of Bridges or Culverts:		Corridor Development Data:	
			<u>Old</u>	<u>New</u>
	Total Length:	7.2	Bank Erosion:	N.D.
5.3	Armoring Length:		Bank Height:	N.D.
	Data Armoring:			No Data
5.4	Straightening Length:			
	Straightening Data:			None



Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov

November, 22 2024

Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: R41		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	No Data
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	None
3.2	Grade Control:		<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:		Berms & Roads:	
	Total Length:	6.2	Dev. Length:	146.0000 0.0000
5.3	Armoring Length		Corridor Development Data:	
			<u>Old</u>	<u>New</u>
	Data Armoring:	7.2	Bank Erosion:	Low 15.0000000
5.4	Straightening Length:		Bank Height:	Low 4.000
	Straightening Data:			None

Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: R42		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	No Data
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	
3.2	Grade Control:		<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:		Berms & Roads:	498.0000
	Total Length:	6.2	Dev. Length:	2.000 0.0000 0.0000
5.3	Armoring Length		Corridor Development Data:	
			<u>Old</u>	<u>New</u>
	Data Armoring:	7.2	Bank Erosion:	High 435.0000000
5.4	Straightening Length:		Bank Height:	Medium 5.000
	Straightening Data:			450.00000



Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov

November, 22 2024

Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: T3.01		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	No Data
3.1	Alluvial Fan: None	6.1	Berms & Roads Data:	
3.2	Grade Control: None		<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts: 4		Berms & Roads: 383.0000	
	Total Length: 535.000	6.2	Dev. Length: 141.0000	0.0000
5.3	Armoring Length <u>Left</u> <u>Right</u>		Corridor Development Data:	
	Data Armoring:		<u>Old</u>	<u>New</u>
5.4	Straightening Length: 1275.00000	7.2	Bank Erosion: High	762.5000000
	Straightening Data:		Bank Height: Low	3.000

Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: T3.02		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	No Data
3.1	Alluvial Fan: None	6.1	Berms & Roads Data:	
3.2	Grade Control: Ledge		<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts: 1		Berms & Roads: 1125.0000	650.0000
	Total Length:	6.2	Dev. Length: 114.0000	0.0000
5.3	Armoring Length <u>Left</u> <u>Right</u>		Corridor Development Data:	
	Data Armoring:		<u>Old</u>	<u>New</u>
5.4	Straightening Length: 500.00000	7.2	Bank Erosion: High	597.0000000
	Straightening Data:		Bank Height: Low	10.064



Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov

November, 22 2024

Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: T3.03		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	No Data
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	
			<u>One Side</u>	<u>Both Sides</u>
3.2	Grade Control:		Berms & Roads:	776.0000
		6.2	Dev. Length:	78.0000
5.2	# of Bridges or Culverts:		Corridor Development Data:	0.0000
	Total Length:		<u>Old</u>	<u>New</u>
5.3	Armoring Length	7.2	Bank Erosion:	High
			Bank Height:	Low
	Data Armoring:			537.5000000
5.4	Straightening Length:			3.430
	Straightening Data:			

Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: T3.04		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	No Data
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	
			<u>One Side</u>	<u>Both Sides</u>
3.2	Grade Control:		Berms & Roads:	1057.0000
5.2	# of Bridges or Culverts:	6.2	Dev. Length:	0.0000
	Total Length:		Corridor Development Data:	226.0000
5.3	Armoring Length		<u>Old</u>	<u>New</u>
	Data Armoring:	7.2	Bank Erosion:	High
5.4	Straightening Length:		Bank Height:	Low
	Straightening Data:			1011.0000000
				2.854



Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov

November, 22 2024

Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: T3.05		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	No Data
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	None
3.2	Grade Control:		<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:		Berms & Roads:	
	Total Length:	6.2	Dev. Length:	0.0000 0.0000
5.3	Armoring Length		Corridor Development Data:	
			<u>Old</u>	<u>New</u>
	Data Armoring:	7.2	Bank Erosion:	N.D.
5.4	Straightening Length:		Bank Height:	N.D.
	Straightening Data:			

Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: R43		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	No Data
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	None
3.2	Grade Control:		<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:		Berms & Roads:	
	Total Length:	6.2	Dev. Length:	0.0000 0.0000
5.3	Armoring Length		Corridor Development Data:	
			<u>Old</u>	<u>New</u>
	Data Armoring:	7.2	Bank Erosion:	None
5.4	Straightening Length:		Bank Height:	Low
	Straightening Data:			



Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov

November, 22 2024

Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: R44		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	No Data
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	None
3.2	Grade Control:		<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:		Berms & Roads:	
	Total Length:	6.2	Dev. Length:	0.0000 0.0000
5.3	Armoring Length		Corridor Development Data:	
			<u>Old</u>	<u>New</u>
	Data Armoring:	7.2	Bank Erosion:	N.D.
5.4	Straightening Length:		Bank Height:	N.D.
	Straightening Data:			

Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: R45		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	No Data
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	None
3.2	Grade Control:		<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:		Berms & Roads:	
	Total Length:	6.2	Dev. Length:	0.0000 0.0000
5.3	Armoring Length		Corridor Development Data:	
			<u>Old</u>	<u>New</u>
	Data Armoring:	7.2	Bank Erosion:	None
5.4	Straightening Length:		Bank Height:	Low
	Straightening Data:			



Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov

November, 22 2024

Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: R46		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	No Data
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	None
3.2	Grade Control:		<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:		Berms & Roads:	
	Total Length:	6.2	Dev. Length:	0.0000 0.0000
5.3	Armoring Length		Corridor Development Data:	
			<u>Old</u>	<u>New</u>
	Data Armoring:	7.2	Bank Erosion:	N.D.
5.4	Straightening Length:		Bank Height:	N.D.
	Straightening Data:			

Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: T1.01		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	No Data
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	
3.2	Grade Control:		<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:		Berms & Roads:	162.0000
	Total Length:	6.2	Dev. Length:	162.0000 0.0000
5.3	Armoring Length		Corridor Development Data:	
			<u>Old</u>	<u>New</u>
	Data Armoring:	7.2	Bank Erosion:	Low
5.4	Straightening Length:		Bank Height:	Medium
	Straightening Data:			



Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov

November, 22 2024

Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: T1.02				<u>Step</u>	<u>Description</u>	<u>Value</u>
	<u>Step</u>	<u>Description</u>	<u>Value</u>	5.5	Dredging History:	No Data
3.1	Alluvial Fan:	None		6.1	Berms & Roads Data:	
3.2	Grade Control:	Ledge			<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:	1			Berms & Roads:	1782.0000
	Total Length:			6.2	Dev. Length:	297.0000 0.0000
5.3	Armoring Length	<u>Left</u>	<u>Right</u>		Corridor Development Data:	
	Data Armoring:	None			<u>Old</u>	<u>New</u>
5.4	Straightening Length:			7.2	Bank Erosion:	Low
	Straightening Data:	None			Bank Height:	High

Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: T1.S5.01				<u>Step</u>	<u>Description</u>	<u>Value</u>
	<u>Step</u>	<u>Description</u>	<u>Value</u>	5.5	Dredging History:	
3.1	Alluvial Fan:			6.1	Berms & Roads Data:	
3.2	Grade Control:				<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:				Berms & Roads:	
	Total Length:			6.2	Dev. Length:	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>		Corridor Development Data:	
	Data Armoring:				<u>Old</u>	<u>New</u>
5.4	Straightening Length:			7.2	Bank Erosion:	
	Straightening Data:				Bank Height:	



Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov

November, 22 2024

Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: T1.03		<u>Step</u>	<u>Description</u>	<u>Value</u>
		3.1	Alluvial Fan: None	
		3.2	Grade Control: Ledge	
		5.2	# of Bridges or Culverts: 1	
			Total Length:	
		5.3	Armoring Length	<u>Left</u> <u>Right</u>
			Data Armoring:	
		5.4	Straightening Length:	
			Straightening Data: None	
		5.5	Dredging History:	No Data
		6.1	Berms & Roads Data:	
				<u>One Side</u> <u>Both Sides</u>
			Berms & Roads: 2307.0000	
		6.2	Dev. Length: 461.0000	0.0000
			Corridor Development Data:	
				<u>Old</u> <u>New</u>
		7.2	Bank Erosion: Low	
			Bank Height: High	

Phase 1 - FIT - Legacy Data Report

Winooski - Cabot

SGAT Version: 3

Reach: T1.04		<u>Step</u>	<u>Description</u>	<u>Value</u>
		3.1	Alluvial Fan: None	
		3.2	Grade Control: No Data	
		5.2	# of Bridges or Culverts: 1	
			Total Length:	
		5.3	Armoring Length	<u>Left</u> <u>Right</u>
			Data Armoring: No Data	
		5.4	Straightening Length:	
			Straightening Data: None	
		5.5	Dredging History:	No Data
		6.1	Berms & Roads Data:	None
				<u>One Side</u> <u>Both Sides</u>
			Berms & Roads:	
		6.2	Dev. Length: 831.0000	0.0000
			Corridor Development Data:	
				<u>Old</u> <u>New</u>
		7.2	Bank Erosion: N.D.	
			Bank Height: N.D.	