



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>R36</b>				<u>Step</u>	<u>Description</u>	<u>Value</u>
	<u>Step</u>	<u>Description</u>	<u>Value</u>	5.5	Dredging History:	<b>No Data</b>
3.1		Alluvial Fan: <b>None</b>		6.1	Berms & Roads Data:	
3.2		Grade Control: <b>Ledge</b>			<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:	<b>2</b>			Berms & Roads:	<b>1465.0000</b>
	Total Length:	<b>0.000</b>		6.2	Dev. Length:	<b>147.0000</b>
5.3	Armoring Length	<u>Left</u>	<u>Right</u>		Corridor Development Data:	
	Data Armoring:	<b>None</b>			<u>Old</u>	<u>New</u>
5.4	Straightening Length:			7.2	Bank Erosion:	<b>Low</b>
	Straightening Data:	<b>None</b>			Bank Height:	<b>Medium</b>

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>R37</b>				<u>Step</u>	<u>Description</u>	<u>Value</u>
	<u>Step</u>	<u>Description</u>	<u>Value</u>	5.5	Dredging History:	<b>No Data</b>
3.1		Alluvial Fan: <b>None</b>		6.1	Berms & Roads Data:	
3.2		Grade Control: <b>Multiple</b>			<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:	<b>6</b>			Berms & Roads:	<b>3470.0000</b>
	Total Length:	<b>1804.000</b>		6.2	Dev. Length:	<b>694.0000</b>
5.3	Armoring Length	<u>Left</u>	<u>Right</u>		Corridor Development Data:	
	Data Armoring:	<b>No Data</b>			<u>Old</u>	<u>New</u>
5.4	Straightening Length:	<b>4054.00000</b>		7.2	Bank Erosion:	<b>High</b>
	Straightening Data:				Bank Height:	<b>Medium</b>
						<b>7107.500000</b>
						<b>5.090</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>R38</b>		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	<b>No Data</b>
<u>Step</u>	<u>Description</u>	<u>Value</u>		
3.1	Alluvial Fan:	<b>None</b>		
3.2	Grade Control:	<b>None</b>		
5.2	# of Bridges or Culverts:	<b>2</b>		
	Total Length:	<b>219.000</b>		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>	
	Data Armoring:			
5.4	Straightening Length:	<b>100.00000</b>		
	Straightening Data:			
		6.1	Berms & Roads Data:	
			<u>One Side</u>	<u>Both Sides</u>
			Berms & Roads:	<b>1097.0000</b>
		6.2	Dev. Length:	<b>220.0000</b>
			Corridor Development Data:	<b>0.0000</b>
			<u>Old</u>	<u>New</u>
		7.2	Bank Erosion:	<b>High</b>
			Bank Height:	<b>1047.5000000</b>
				<b>5.690</b>

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>R39</b>		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	<b>No Data</b>
<u>Step</u>	<u>Description</u>	<u>Value</u>		
3.1	Alluvial Fan:	<b>None</b>		
3.2	Grade Control:	<b>Ledge</b>		
5.2	# of Bridges or Culverts:	<b>2</b>		
	Total Length:	<b>463.000</b>		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>	
	Data Armoring:			
5.4	Straightening Length:	<b>1930.00000</b>		
	Straightening Data:			
		6.1	Berms & Roads Data:	
			<u>One Side</u>	<u>Both Sides</u>
			Berms & Roads:	<b>2605.0000</b>
		6.2	Dev. Length:	<b>0.0000</b>
			Corridor Development Data:	<b>579.0000</b>
			<u>Old</u>	<u>New</u>
		7.2	Bank Erosion:	<b>Low</b>
			Bank Height:	<b>585.0000000</b>
				<b>6.145</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>R40</b>		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	<b>No Data</b>
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	
			<u>One Side</u>	<u>Both Sides</u>
3.2	Grade Control:		Berms & Roads:	<b>179.0000</b>
		6.2	Dev. Length:	<b>90.0000</b>
5.2	# of Bridges or Culverts:		Corridor Development Data:	
			<u>Old</u>	<u>New</u>
	Total Length:	7.2	Bank Erosion:	<b>High</b>
			Bank Height:	<b>Medium</b>
5.3	Armoring Length			<b>630.0000000</b>
				<b>6.000</b>
	Data Armoring:			
5.4	Straightening Length:			
	Straightening Data:			

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>T2.01</b>		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	<b>No Data</b>
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	
			<u>One Side</u>	<u>Both Sides</u>
3.2	Grade Control:		Berms & Roads:	<b>100.0000</b>
5.2	# of Bridges or Culverts:	6.2	Dev. Length:	<b>0.0000</b>
			Corridor Development Data:	<b>211.0000</b>
	Total Length:		<u>Old</u>	<u>New</u>
5.3	Armoring Length	7.2	Bank Erosion:	<b>Low</b>
			Bank Height:	<b>Low</b>
	Data Armoring:			<b>10.0000000</b>
5.4	Straightening Length:			<b>3.000</b>
	Straightening Data:			



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>T2.02</b>		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	<b>No Data</b>
		6.1	Berms & Roads Data:	
			<u>One Side</u>	<u>Both Sides</u>
			Berms & Roads:	<b>400.0000</b>
		6.2	Dev. Length:	<b>339.0000</b> <b>0.0000</b>
			Corridor Development Data:	
			<u>Old</u>	<u>New</u>
		7.2	Bank Erosion:	<b>High</b> <b>3123.5000000</b>
			Bank Height:	<b>Medium</b> <b>2.581</b>
<u>Step</u>	<u>Description</u>	<u>Value</u>		
3.1	Alluvial Fan:	<b>None</b>		
3.2	Grade Control:	<b>Ledge</b>		
5.2	# of Bridges or Culverts:	<b>1</b>		
	Total Length:			
5.3	Armoring Length	<u>Left</u>	<u>Right</u>	
	Data Armoring:			
5.4	Straightening Length:			
	Straightening Data:	<b>None</b>		

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>T2.03</b>		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	<b>No Data</b>
		6.1	Berms & Roads Data:	<b>None</b>
			<u>One Side</u>	<u>Both Sides</u>
			Berms & Roads:	
		6.2	Dev. Length:	<b>0.0000</b> <b>0.0000</b>
			Corridor Development Data:	
			<u>Old</u>	<u>New</u>
		7.2	Bank Erosion:	<b>N.D.</b>
			Bank Height:	<b>N.D.</b>
<u>Step</u>	<u>Description</u>	<u>Value</u>		
3.1	Alluvial Fan:	<b>None</b>		
3.2	Grade Control:	<b>No Data</b>		
5.2	# of Bridges or Culverts:	<b>2</b>		
	Total Length:			
5.3	Armoring Length	<u>Left</u>	<u>Right</u>	
	Data Armoring:	<b>No Data</b>		
5.4	Straightening Length:			
	Straightening Data:	<b>None</b>		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>R41</b>		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	<b>No Data</b>
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	<b>None</b>
3.2	Grade Control:		<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:		Berms & Roads:	
	Total Length:	6.2	Dev. Length:	<b>146.0000</b> <b>0.0000</b>
5.3	Armoring Length		Corridor Development Data:	
			<u>Old</u>	<u>New</u>
	Data Armoring:	7.2	Bank Erosion:	<b>Low</b> <b>15.0000000</b>
5.4	Straightening Length:		Bank Height:	<b>Low</b> <b>4.000</b>
	Straightening Data:			<b>None</b>

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>R42</b>		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	<b>No Data</b>
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	
3.2	Grade Control:		<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:		Berms & Roads:	<b>498.0000</b>
	Total Length:	6.2	Dev. Length:	<b>2.000</b> <b>0.0000</b> <b>0.0000</b>
5.3	Armoring Length		Corridor Development Data:	
			<u>Old</u>	<u>New</u>
	Data Armoring:	7.2	Bank Erosion:	<b>High</b> <b>435.0000000</b>
5.4	Straightening Length:		Bank Height:	<b>Medium</b> <b>5.000</b>
	Straightening Data:			<b>450.00000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>T3.01</b>		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	<b>No Data</b>
3.1	Alluvial Fan: <b>None</b>	6.1	Berms & Roads Data:	
3.2	Grade Control: <b>None</b>		<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts: <b>4</b>		Berms & Roads: <b>383.0000</b>	
	Total Length: <b>535.000</b>	6.2	Dev. Length: <b>141.0000</b>	<b>0.0000</b>
5.3	Armoring Length <u>Left</u> <u>Right</u>		Corridor Development Data:	
	Data Armoring:		<u>Old</u>	<u>New</u>
5.4	Straightening Length: <b>1275.00000</b>	7.2	Bank Erosion: <b>High</b>	<b>762.5000000</b>
	Straightening Data:		Bank Height: <b>Low</b>	<b>3.000</b>

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>T3.02</b>		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	<b>No Data</b>
3.1	Alluvial Fan: <b>None</b>	6.1	Berms & Roads Data:	
3.2	Grade Control: <b>Ledge</b>		<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts: <b>1</b>		Berms & Roads: <b>1125.0000</b>	<b>650.0000</b>
	Total Length:	6.2	Dev. Length: <b>114.0000</b>	<b>0.0000</b>
5.3	Armoring Length <u>Left</u> <u>Right</u>		Corridor Development Data:	
	Data Armoring:		<u>Old</u>	<u>New</u>
5.4	Straightening Length: <b>500.00000</b>	7.2	Bank Erosion: <b>High</b>	<b>597.0000000</b>
	Straightening Data:		Bank Height: <b>Low</b>	<b>10.064</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>T3.03</b>				<u>Step</u>	<u>Description</u>	<u>Value</u>
	<u>Step</u>	<u>Description</u>	<u>Value</u>	5.5	Dredging History:	<b>No Data</b>
3.1	Alluvial Fan:	<b>None</b>		6.1	Berms & Roads Data:	
3.2	Grade Control:	<b>None</b>			<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:	<b>1</b>			Berms & Roads:	<b>776.0000</b>
	Total Length:			6.2	Dev. Length:	<b>78.0000</b> <b>0.0000</b>
5.3	Armoring Length	<u>Left</u>	<u>Right</u>		Corridor Development Data:	
	Data Armoring:				<u>Old</u>	<u>New</u>
5.4	Straightening Length:	<b>770.00000</b>		7.2	Bank Erosion:	<b>High</b> <b>537.5000000</b>
	Straightening Data:				Bank Height:	<b>Low</b> <b>3.430</b>

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>T3.04</b>				<u>Step</u>	<u>Description</u>	<u>Value</u>
	<u>Step</u>	<u>Description</u>	<u>Value</u>	5.5	Dredging History:	<b>No Data</b>
3.1	Alluvial Fan:	<b>None</b>		6.1	Berms & Roads Data:	
3.2	Grade Control:	<b>None</b>			<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:	<b>3</b>			Berms & Roads:	<b>1057.0000</b>
	Total Length:			6.2	Dev. Length:	<b>0.0000</b> <b>226.0000</b>
5.3	Armoring Length	<u>Left</u>	<u>Right</u>		Corridor Development Data:	
	Data Armoring:				<u>Old</u>	<u>New</u>
5.4	Straightening Length:	<b>735.00000</b>		7.2	Bank Erosion:	<b>High</b> <b>1011.0000000</b>
	Straightening Data:				Bank Height:	<b>Low</b> <b>2.854</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>T3.05</b>		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	<b>No Data</b>
		6.1	Berms & Roads Data:	<b>None</b>
			<u>One Side</u>	<u>Both Sides</u>
			Berms & Roads:	
		6.2	Dev. Length:	<b>0.0000</b> <b>0.0000</b>
			Corridor Development Data:	
			<u>Old</u>	<u>New</u>
		7.2	Bank Erosion:	<b>N.D.</b>
			Bank Height:	<b>N.D.</b>
<u>Step</u>	<u>Description</u>			
3.1	Alluvial Fan:			<b>None</b>
3.2	Grade Control:			<b>No Data</b>
5.2	# of Bridges or Culverts:			<b>0</b>
	Total Length:			
5.3	Armoring Length	<u>Left</u>	<u>Right</u>	
	Data Armoring:			<b>No Data</b>
5.4	Straightening Length:			
	Straightening Data:			<b>None</b>

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>R43</b>		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	<b>No Data</b>
		6.1	Berms & Roads Data:	<b>None</b>
			<u>One Side</u>	<u>Both Sides</u>
			Berms & Roads:	
		6.2	Dev. Length:	<b>0.0000</b> <b>0.0000</b>
			Corridor Development Data:	
			<u>Old</u>	<u>New</u>
		7.2	Bank Erosion:	<b>None</b>
			Bank Height:	<b>Low</b>
<u>Step</u>	<u>Description</u>			
3.1	Alluvial Fan:			<b>None</b>
3.2	Grade Control:			<b>Ledge</b>
5.2	# of Bridges or Culverts:			<b>1</b>
	Total Length:			<b>0.000</b>
5.3	Armoring Length	<u>Left</u>	<u>Right</u>	
	Data Armoring:			<b>No Data</b>
5.4	Straightening Length:			
	Straightening Data:			<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>R44</b>		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	<b>No Data</b>
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	<b>None</b>
3.2	Grade Control:		<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:		Berms & Roads:	
	Total Length:	6.2	Dev. Length:	<b>0.0000</b> <b>0.0000</b>
5.3	Armoring Length		Corridor Development Data:	
			<u>Old</u>	<u>New</u>
	Data Armoring:	7.2	Bank Erosion:	<b>N.D.</b>
5.4	Straightening Length:		Bank Height:	<b>N.D.</b>
	Straightening Data:			

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>R45</b>		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	<b>No Data</b>
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	<b>None</b>
3.2	Grade Control:		<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:		Berms & Roads:	
	Total Length:	6.2	Dev. Length:	<b>0.0000</b> <b>0.0000</b>
5.3	Armoring Length		Corridor Development Data:	
			<u>Old</u>	<u>New</u>
	Data Armoring:	7.2	Bank Erosion:	<b>None</b>
5.4	Straightening Length:		Bank Height:	<b>Low</b>
	Straightening Data:			



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>R46</b>		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	<b>No Data</b>
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	<b>None</b>
3.2	Grade Control:		<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:		Berms & Roads:	
	Total Length:	6.2	Dev. Length:	<b>0.0000</b> <b>0.0000</b>
5.3	Armoring Length		Corridor Development Data:	
			<u>Old</u>	<u>New</u>
	Data Armoring:	7.2	Bank Erosion:	<b>N.D.</b>
5.4	Straightening Length:		Bank Height:	<b>N.D.</b>
	Straightening Data:			

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>T1.01</b>		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	<b>No Data</b>
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	
3.2	Grade Control:		<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:		Berms & Roads:	<b>162.0000</b>
	Total Length:	6.2	Dev. Length:	<b>162.0000</b> <b>0.0000</b>
5.3	Armoring Length		Corridor Development Data:	
			<u>Old</u>	<u>New</u>
	Data Armoring:	7.2	Bank Erosion:	<b>Low</b>
5.4	Straightening Length:		Bank Height:	<b>Medium</b>
	Straightening Data:			



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>T1.02</b>				<u>Step</u>	<u>Description</u>	<u>Value</u>
	<u>Step</u>	<u>Description</u>	<u>Value</u>	5.5	Dredging History:	<b>No Data</b>
3.1	Alluvial Fan:	<b>None</b>		6.1	Berms & Roads Data:	
3.2	Grade Control:	<b>Ledge</b>			<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:	<b>1</b>			Berms & Roads:	<b>1782.0000</b>
	Total Length:			6.2	Dev. Length:	<b>297.0000</b> <b>0.0000</b>
5.3	Armoring Length	<u>Left</u>	<u>Right</u>		Corridor Development Data:	
	Data Armoring:	<b>None</b>			<u>Old</u>	<u>New</u>
5.4	Straightening Length:			7.2	Bank Erosion:	<b>Low</b>
	Straightening Data:	<b>None</b>			Bank Height:	<b>High</b>

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>T1.S5.01</b>				<u>Step</u>	<u>Description</u>	<u>Value</u>
	<u>Step</u>	<u>Description</u>	<u>Value</u>	5.5	Dredging History:	
3.1	Alluvial Fan:			6.1	Berms & Roads Data:	
3.2	Grade Control:				<u>One Side</u>	<u>Both Sides</u>
5.2	# of Bridges or Culverts:				Berms & Roads:	
	Total Length:			6.2	Dev. Length:	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>		Corridor Development Data:	
	Data Armoring:				<u>Old</u>	<u>New</u>
5.4	Straightening Length:			7.2	Bank Erosion:	
	Straightening Data:				Bank Height:	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>T1.03</b>		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	<b>No Data</b>
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	
			<u>One Side</u>	<u>Both Sides</u>
3.2	Grade Control:		Berms & Roads:	<b>2307.0000</b>
			Dev. Length:	<b>461.0000</b>
5.2	# of Bridges or Culverts:	6.2	Corridor Development Data:	<b>0.0000</b>
	Total Length:		<u>Old</u>	<u>New</u>
5.3	Armoring Length	7.2	Bank Erosion:	<b>Low</b>
			Bank Height:	<b>High</b>
	Data Armoring:			
5.4	Straightening Length:			
	Straightening Data:			<b>None</b>

## Phase 1 - FIT - Legacy Data Report

## Winooski - Cabot

SGAT Version: 3

Reach: <b>T1.04</b>		<u>Step</u>	<u>Description</u>	<u>Value</u>
		5.5	Dredging History:	<b>No Data</b>
3.1	Alluvial Fan:	6.1	Berms & Roads Data:	<b>None</b>
			<u>One Side</u>	<u>Both Sides</u>
3.2	Grade Control:		Berms & Roads:	
			Dev. Length:	<b>831.0000</b>
5.2	# of Bridges or Culverts:	6.2	Corridor Development Data:	<b>0.0000</b>
	Total Length:		<u>Old</u>	<u>New</u>
5.3	Armoring Length	7.2	Bank Erosion:	<b>N.D.</b>
			Bank Height:	<b>N.D.</b>
	Data Armoring:			<b>No Data</b>
5.4	Straightening Length:			
	Straightening Data:			<b>None</b>