



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

## Phase 1 - FIT - Legacy Data Report

## Browns River

SGAT Version: **4.56**

Reach: **M01**

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>		5.5	Dredging History:	<b>None</b>	
3.2	Grade Control:	<b>None</b>		6.1	Berms & Roads Data:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>			<u>One Side</u>	<u>Both Sides</u>
		<b>203</b>	<b>309</b>	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>	
5.1	Flow Regulation - Type:	<b>None</b>		Berm:	<b>0.0000</b>	<b>0.0000</b>	
	Use:			Path:	<b>0.000</b>	<b>0.000</b>	
5.2	# of Bridges or Culverts:	<b>1</b>		Road:	<b>0.0000</b>	<b>0.00000</b>	
	Total Length:	<b>375.000</b>		Railroad:	<b>0.0000</b>	<b>0.00</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>	6.2	Corridor Development Data:		
		<b>87.6900</b>	<b>54.1900</b>	Length:	<b>0.0000</b>	<b>0.0000</b>	
		<b>0</b>	<b>0</b>	6.4	Miander Migration:	<b>Flood Chute</b>	
	Data Armoring:					<u>Old</u>	<u>New</u>
5.4	Straightening Length:	<b>3210.89014</b>		7.2	Bank Erosion:	<b>None</b>	<b>3357.370117</b>
						<b>2</b>	
	Straightening Data:			Bank Height:	<b>N.D.</b>	<b>4.864</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **M02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1199</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>475.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>62.7200</b>	<b>56.5600</b>
		<b>0</b>	<b>0</b>
	Data Armoring:		
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>443.7500</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>1746.699951</b>
			<b>2</b>
	Bank Height:	<b>N.D.</b>	<b>7.291</b>

Reach: **M03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>956</b>	<b>1386</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>232.170</b>
			<b>01</b>
	Data Armoring:		
5.4	Straightening Length:	<b>1924.82996</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Braiding</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>996.5999756</b>
	Bank Height:	<b>N.D.</b>	<b>3.850</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **M04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Multiple</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>2014</b>	<b>2058</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>58.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>87.4500</b>	<b>389.1900</b>
		<b>0</b>	<b>00</b>
	Data Armoring:		
5.4	Straightening Length:	<b>2720.62988</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>1317.2000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>1317.2000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>935.1000</b>	<b>364.1500</b>
6.4	Miander Migration:	<b>Braiding</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>404.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>3.746</b>

Reach: **M05**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1070</b>	<b>3744</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>38.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>121.3300</b>	<b>0.000000</b>
		<b>00</b>	
	Data Armoring:		
5.4	Straightening Length:	<b>1071.62000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>879.5200</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>879.5200</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>662.4900</b>	<b>333.0300</b>
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>2281.800048</b>
	Bank Height:	<b>N.D.</b>	<b>6.968</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T2.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>69</b>	<b>350</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>2000.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>31.3700</b>	<b>28.1400</b>
		<b>0</b>	<b>0</b>
	Data Armoring:		
5.4	Straightening Length:	<b>505.77002</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>644.9100</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>644.9100</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Flood Chute</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>244.5999908</b>
	Bank Height:	<b>N.D.</b>	<b>2.761</b>

Reach: **T2.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>537</b>	<b>1075</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>627.200</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.D.</b>	
	Bank Height:	<b>N.D.</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T2.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>2643</b>	<b>2496</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>440.550</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>29.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>N.D.</b>	

Reach: **T2.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1360</b>	<b>906</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>680.100</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>22.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>N.D.</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T2.05**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1881</b>	<b>1881</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>3</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>47.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.D.</b>	
	Bank Height:	<b>N.D.</b>	

Reach: **M06**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>2255</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>657.78003</b>
	Data Armoring:		
5.4	Straightening Length:	<b>4072.70996</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>3143.5500488</b>
	Bank Height:	<b>N.D.</b>	<b>7.373</b>



# Stream Geomorphic Assessment

## Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **M07**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>8788</b>	<b>5908</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>3</b>	
	Total Length:	<b>755.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>346.100</b>	<b>310.989</b>
		<b>01</b>	<b>99</b>
	Data Armoring:		
5.4	Straightening Length:	<b>8597.08008</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>310.3000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Flood Chute</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>16853.90039</b>
			<b>06</b>
	Bank Height:	<b>N.D.</b>	<b>6.000</b>

Reach: **M08**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>9093</b>	<b>7678</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>3</b>	
	Total Length:	<b>675.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>800.530</b>	<b>569.130</b>
		<b>03</b>	<b>00</b>
	Data Armoring:		
5.4	Straightening Length:	<b>2891.56006</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>2223.1001</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>2223.10010</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>700.5200</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>9789.790039</b>
			<b>1</b>
	Bank Height:	<b>N.D.</b>	<b>5.991</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **M09**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>10395</b>	<b>10395</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>4</b>	
	Total Length:	<b>2310.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:		
5.4	Straightening Length:	<b>10395.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>3.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	<b>550.000000</b>
	Bank Height:	<b>Medium</b>	<b>1.909</b>

Reach: **M10**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>6214</b>	<b>4971</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>3</b>	
	Total Length:	<b>2485.800</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:		
5.4	Straightening Length:	<b>1500.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	<b>1650.000000</b>
			<b>0</b>
	Bank Height:	<b>Medium</b>	<b>7.000</b>





# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **M11**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>2054</b>	<b>2465</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>1232.700</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:		
5.4	Straightening Length:	<b>1250.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Gravel Mining</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>821.0000</b>	
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Migration</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	<b>80.0000000</b>
	Bank Height:	<b>Medium</b>	<b>6.500</b>

Reach: **M12**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>Yes</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>2158</b>	<b>2878</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>719.600</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:		
5.4	Straightening Length:	<b>670.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Gravel Mining</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>647.0000</b>	
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>21.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	<b>475.0000000</b>
	Bank Height:	<b>High</b>	<b>3.368</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **M13**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Multiple</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>582</b>	<b>183</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>55.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>226.190</b>	<b>173.230</b>
		<b>00</b>	<b>00</b>
	Data Armoring:		
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>853.3700</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>853.3700</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>284.2400</b>	<b>421.4900</b>
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>292.3699951</b>
	Bank Height:	<b>N.D.</b>	<b>6.417</b>

Reach: **T4.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>2028</b>	<b>1899</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>280.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>742.179</b>	<b>667.289</b>
		<b>99</b>	<b>98</b>
	Data Armoring:		
5.4	Straightening Length:	<b>604.21002</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Gravel Mining</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>653.0800</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>1698.439941</b>
			<b>4</b>
	Bank Height:	<b>N.D.</b>	<b>4.133</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T4.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>Yes</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1549</b>	<b>2723</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>4</b>	
	Total Length:	<b>740.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>56.2600</b>	<b>1080.92004</b>
	Data Armoring:		
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Gravel Mining</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>4477.4199</b>	<b>0.0000</b>
	Berm:	<b>1162.2700</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>3315.1499</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>754.5000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>1369.6400146</b>
	Bank Height:	<b>N.D.</b>	<b>4.803</b>

Reach: **T4.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>4531</b>	<b>1893</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>4</b>	
	Total Length:	<b>625.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>92.2700</b>	<b>348.85999</b>
	Data Armoring:		
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Gravel Mining</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>1596.5699</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>1596.5699</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>316.5000000</b>
	Bank Height:	<b>N.D.</b>	<b>4.101</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T4.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>1203.0000</b>	
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.D.</b>	
	Bank Height:	<b>N.D.</b>	

Reach: **T4.05**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.D.</b>	
	Bank Height:	<b>N.D.</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T4.06**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.D.</b>	
	Bank Height:	<b>N.D.</b>	

Reach: **M14**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Multiple</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1703</b>	<b>862</b>
5.1	Flow Regulation - Type:	<b>Small Run of River</b>	
	Use:	<b>Other</b>	
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>245.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>98.4000</b>	<b>301.4500</b>
		<b>0</b>	<b>01</b>
	Data Armoring:		
5.4	Straightening Length:	<b>2166.79004</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>335.8000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>335.8000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>1460.1000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Flood Chute</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>91.3000031</b>
	Bank Height:	<b>N.D.</b>	<b>6.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **M15**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>6181</b>	<b>3532</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>618.170</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:		
5.4	Straightening Length:	<b>5298.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Gravel Mining</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>1324.0000</b>	
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>176.0000</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	<b>825.0000000</b>
	Bank Height:	<b>Medium</b>	<b>0.000</b>

Reach: **M16**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>656</b>	<b>1650</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>68.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>2542.18</b>	<b>1641.87</b>
		<b>994</b>	<b>000</b>
5.4	Straightening Length:	<b>4642.43018</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Gravel Mining</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>1390.7100</b>	<b>0.0000</b>
	Berm:	<b>813.8100</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>576.9000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>1186.6400</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>316.5599976</b>
	Bank Height:	<b>N.D.</b>	<b>4.623</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **M17**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>844</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>270.240</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:		
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Gravel Mining</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>253.0000</b>	
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>199.0000</b>
6.4	Miander Migration:	<b>Migration</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	<b>100.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **T6.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>Yes</b>	
3.2	Grade Control:	<b>Waterfall</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>386</b>	<b>1107</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>3</b>	
	Total Length:	<b>350.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>69.8500</b>	<b>103.5500</b>
	Data Armoring:	<b>0</b>	<b>00</b>
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>817.8700</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>817.8700</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>202.6100</b>	<b>650.8200</b>
6.4	Miander Migration:	<b>Flood Chute</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>757.9500122</b>
	Bank Height:	<b>N.D.</b>	<b>4.121</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T6.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>606.600</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>606.0000</b>	
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>60.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>N.D.</b>	

Reach: **T6.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>909</b>	<b>909</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>None</b>	
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.D.</b>	
	Bank Height:	<b>N.D.</b>	





# Stream Geomorphic Assessment

## Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **M18**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1673</b>	<b>239</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>956.400</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:		
5.4	Straightening Length:	<b>1195.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>298.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Migration</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>High</b>	<b>807.500000</b>
	Bank Height:	<b>Medium</b>	

Reach: **T8.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>156</b>	<b>424</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>100.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>0.00000</b>	<b>114.04000</b>
5.4	Straightening Length:	<b>443.63000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>822.7800</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>822.7800</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>168.7400</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Flood Chute</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>60.4199982</b>
	Bank Height:	<b>N.D.</b>	<b>3.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T8.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>279</b>	<b>559</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>1678.500</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>1678.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>1007.0000</b>	
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>N.D.</b>	

Reach: **T8.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>62.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.D.</b>	
	Bank Height:	<b>N.D.</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T8.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.D.</b>	
	Bank Height:	<b>N.D.</b>	

Reach: **M19**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>883</b>	<b>204</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>75.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>159.850</b>	<b>27.1800</b>
		<b>01</b>	<b>0</b>
	Data Armoring:		
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>89.4000</b>	<b>178.2900</b>
6.4	Miander Migration:	<b>Flood Chute</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>98.1900024</b>
	Bank Height:	<b>N.D.</b>	<b>6.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **M20**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>734</b>	<b>871</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>18.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>698.65002</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>426.1400</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>426.1400</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>584.1600</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Flood Chute</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>46.0999985</b>
	Bank Height:	<b>N.D.</b>	<b>4.000</b>

Reach: **T9.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>154</b>	<b>1060</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>20.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>60.3700</b>	<b>0.00000</b>
		<b>0</b>	
	Data Armoring:		
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>208.2300</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Flood Chute</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T9.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:		
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>N.D.</b>	

Reach: **T9.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>185</b>	<b>370</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>N.D.</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T9.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1191</b>	<b>1191</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>119.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.D.</b>	
	Bank Height:	<b>N.D.</b>	

Reach: **M21**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>77.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	
	Bank Height:	<b>N.D.</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T7.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>357</b>	<b>766</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>3</b>	
	Total Length:	<b>44.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>240.1600</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>240.1600</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>236.7400</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>463.7999878</b>
	Bank Height:	<b>N.D.</b>	<b>3.853</b>

Reach: **T7.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>294</b>	<b>294</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>29.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	
	Bank Height:	<b>N.D.</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T7.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:		
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.D.</b>	
	Bank Height:	<b>N.D.</b>	

Reach: **T5.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>6692</b>	<b>3668</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>4</b>	
	Total Length:	<b>700.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>451.329</b>	<b>139.270</b>
		<b>99</b>	<b>00</b>
	Data Armoring:		
5.4	Straightening Length:	<b>2632.85010</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>629.1801</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>629.1801</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>374.6200</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>4664.339843</b>
			<b>8</b>
	Bank Height:	<b>N.D.</b>	<b>4.726</b>





# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T5.S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>320.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>566.970</b>	<b>350.570</b>
		<b>03</b>	<b>01</b>
	Data Armoring:		
5.4	Straightening Length:	<b>919.71002</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>690.2100</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>690.2100</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>805.2300</b>	<b>0.0000</b>
6.4	Miander Migration:		
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **T5.S1.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1094</b>	<b>364</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:		
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>36.0000</b>
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.D.</b>	
	Bank Height:	<b>N.D.</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T5.S1.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>593</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:		
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.D.</b>	
	Bank Height:	<b>Low</b>	

Reach: **T5.S1.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>357</b>	<b>714</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:		
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.D.</b>	
	Bank Height:	<b>N.D.</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T5.S1.05**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>247</b>	<b>494</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:		
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.D.</b>	
	Bank Height:	<b>N.D.</b>	

Reach: **T5.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>2699</b>	<b>1705</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:		
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>14.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.D.</b>	
	Bank Height:	<b>N.D.</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T5.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>2283</b>	<b>2435</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:		
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>15.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.D.</b>	
	Bank Height:	<b>N.D.</b>	

Reach: **T5.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>386</b>	<b>3476</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:		
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.D.</b>	
	Bank Height:	<b>N.D.</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T5.05**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1943</b>	<b>1943</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:		
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>13.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.D.</b>	
	Bank Height:	<b>N.D.</b>	

Reach: **T5.06**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>566</b>	<b>2832</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:		
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>56.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.D.</b>	
	Bank Height:	<b>N.D.</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T3.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1383</b>	<b>1899</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>100.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Avulsion</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>818.6400146</b>
	Bank Height:	<b>N.D.</b>	<b>3.161</b>

Reach: **T3.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1205</b>	<b>4820</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>602.500</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>60.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	
	Bank Height:	<b>N.D.</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T3.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1467</b>	<b>1677</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>1048.500</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:		
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>1048.0000</b>	
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>20.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>N.D.</b>	

Reach: **T3.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1653</b>	<b>2067</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>206.700</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>Low</b>	
	Bank Height:	<b>N.D.</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T3.05**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.D.</b>	
	Bank Height:	<b>N.D.</b>	

Reach: **T3.06**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.D.</b>	
	Bank Height:	<b>Low</b>	





# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Waterfall</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1756</b>	<b>2939</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>60.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>112.960</b>	<b>13.0100</b>
		<b>00</b>	<b>0</b>
	Data Armoring:		
5.4	Straightening Length:	<b>2448.46997</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Dredging</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>970.4200</b>	<b>0.0000</b>
	Berm:	<b>85.5300</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>884.8900</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>146.9100</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>860.7899780</b>
	Bank Height:	<b>N.D.</b>	<b>4.190</b>

Reach: **T1.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Multiple</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>3676</b>	<b>7463</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>4</b>	
	Total Length:	<b>169.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>311.149</b>	<b>219.000</b>
		<b>99</b>	<b>00</b>
	Data Armoring:		
5.4	Straightening Length:	<b>5301.89990</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>1708.150024</b>
			<b>4</b>
	Bank Height:	<b>N.D.</b>	<b>3.687</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T1.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>7289</b>	<b>3644</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>728.900</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>36.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	
	Bank Height:	<b>N.D.</b>	

Reach: **T1.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1175</b>	<b>1511</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>251.850</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>8.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.D.</b>	
	Bank Height:	<b>N.D.</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 22 2024

Reach: **T1.05**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1899</b>	<b>2136</b>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>N.D.</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.D.</b>	
	Bank Height:	<b>N.D.</b>	