



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 30 2024

## Phase 1 - FIT - Legacy Data Report

## Leach Stream

SGAT Version: **4.56**

Reach: **M01**

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>		5.5	Dredging History:	<b>Not Evaluated</b>	
3.2	Grade Control:	<b>None</b>		6.1	Berms & Roads Data:		
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>			<u>One Side</u>	<u>Both Sides</u>
		<b>1786</b>	<b>0</b>		Berms & Roads:	<b>1776.7200</b>	<b>0.0000</b>
5.1	Flow Regulation - Type:	<b>None</b>			Berm:	<b>476.3800</b>	<b>0.0000</b>
	Use:				Path:	<b>0.000</b>	<b>0.000</b>
5.2	# of Bridges or Culverts:	<b>2</b>			Road:	<b>1300.3400</b>	<b>0.00000</b>
	Total Length:	<b>75.000</b>			Railroad:	<b>0.0000</b>	<b>0.00</b>
5.3	Armoring Length	<u>Left</u>	<u>Right</u>	6.2	Corridor Development Data:		
		<b>42.6900</b>	<b>82.1600</b>		Length:	<b>546.7800</b>	<b>0.0000</b>
		<b>0</b>	<b>0</b>	6.4	Miander Migration:	<b>No Data</b>	
	Data Armoring:					<u>Old</u>	<u>New</u>
5.4	Straightening Length:	<b>2954.44995</b>		7.2	Bank Erosion:	<b>None</b>	<b>329.3699951</b>
	Straightening Data:				Bank Height:	<b>N.D.</b>	<b>7.650</b>



# Stream Geomorphic Assessment

Agency of Natural Resources

VT DEC

Vermont.gov  
June, 30 2024

Reach: **M02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>3617</b>	<b>8114</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>3</b>	
	Total Length:	<b>655.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>560.27002</b>
	Data Armoring:		
5.4	Straightening Length:	<b>4360.24023</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Not Evaluated</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>1340.1500</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>1059.3499756</b>
	Bank Height:	<b>N.D.</b>	<b>10.355</b>

Reach: **M03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>1228</b>	<b>631</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>1823.69995</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 30 2024

Reach: **M05**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Dam</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>30.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>269.780</b>	<b>0.00000</b>
	Data Armoring:		
5.4	Straightening Length:	<b>1511.00000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Not Evaluated</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>520.1800</b>	<b>371.4600</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>520.1800</b>	<b>371.45999</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>171.0300</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Not Evaluated</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **M07**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>519</b>	<b>469</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>318.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>1591.22998</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Not Evaluated</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>223.5000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>223.5000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>375.8600</b>	<b>125.6300</b>
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 30 2024

Reach: **M08**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>114</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>20.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>250.590</b>	<b>0.00000</b>
		<b>00</b>	
	Data Armoring:		
5.4	Straightening Length:	<b>3028.39990</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Not Evaluated</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>2264.7800</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>2264.7800</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **M09**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>15.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>376.84000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Not Evaluated</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>376.7500</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources

VT DEC

Vermont.gov  
June, 30 2024

Reach: **M09S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>93</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>832.060</b>	<b>0.00000</b>
		<b>00</b>	
	Data Armoring:		
5.4	Straightening Length:	<b>830.15997</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>906.5100</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>906.5100</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **M09S1.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>152</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>120.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>1400.8600</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>1400.8600</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>460.5200</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 30 2024

Reach: **M10**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>20.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>240.61000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Not Evaluated</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **M10S1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:		
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		<b>0.0000000</b>
	Bank Height:		<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 30 2024

Reach: **M10S1.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>172</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>70.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>160.17000</b>
	Data Armoring:		
5.4	Straightening Length:	<b>319.31000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>338.0700</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>338.0700</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **M11**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>35.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 30 2024

Reach: **M13**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>20.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>283.2300</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **M14**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
5.1	Flow Regulation - Type:		
	Use:		
5.2	# of Bridges or Culverts:		
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>No Data</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>No Data</b>	
6.1	Berms & Roads Data:		
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:		
	Length:		
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:		<b>0.0000000</b>
	Bank Height:		<b>0.000</b>





# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 30 2024

Reach: **T2.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>240.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>241.1100</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **T2.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>85.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>206.9500</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 30 2024

Reach: **T1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>2565</b>	<b>1852</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>3</b>	
	Total Length:	<b>406.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>2590.14014</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>1106.4900</b>	<b>0.0000</b>
	Berm:	<b>253.5100</b>	<b>0.0000</b>
	Path:	<b>350.250</b>	<b>0.000</b>
	Road:	<b>502.7300</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>452.4100</b>	<b>735.0800</b>
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **T1.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>1172.8101</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>1172.8101</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>None</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>