



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T1.06 -A**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>1,035.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>83.2</b>	<b>66.5</b>
	Erosion Height (ft.):	<b>1.6</b>	<b>2.4</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):		
	Gullies:	<b>None</b>	
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>0</b>
4.7	Stormwater Inputs	
4.9	Beaver Dams:	<b>1</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>1</b>
	Neck Cutoffs:	<b>2</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>None</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T4.06 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>98.6</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>27.2</b>	<b>0.0</b>
	Erosion Height (ft.):	<b>1.0</b>	<b>0.0</b>
	Revetment Type:	<b>Rip-Rap</b>	<b>Rip-Rap</b>
	Revetment length:	<b>100.8</b>	<b>329.2</b>
3.2	<u>Buffer Less Than 25 ft.</u>		
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	
	Gullies:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>1</b>
4.7	Stormwater Inputs	<b>0</b>
4.9	Beaver Dams:	<b>0</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>4</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>1</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>None</b>
	Dredging:	<b>None</b>



Phase 2 - FIT - Legacy Data Report

Laplatte

SGAT Version: 4.53

Reach: **M13S3.01 -A**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>175.7</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>818.1</b>	<b>649.0</b>
	Erosion Height (ft.):	<b>3.0</b>	<b>2.9</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):		
	Gullies:	<b>None</b>	
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>3</b>
4.7	Stormwater Inputs	
4.9	Beaver Dams:	<b>3</b>
	Affected length:	<b>260</b>
5.2	Migration Features	
	Flood Chutes:	<b>5</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>1</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **M12S5.01 -E**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>373.5</b>	<b>238.3</b>
	Erosion Height (ft.):	<b>2.2</b>	<b>2.0</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):		
	Gullies:	<b>None</b>	
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>1</b>
4.7	Stormwater Inputs	
4.9	Beaver Dams:	<b>0</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>3</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>1</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>Yes</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T5.01 -D**

<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>
1.3	<u>Encroachments - Side</u>	<u>One</u> <u>Both</u>
	Berm Length (ft.):	<b>1,119.3</b> <b>196.0</b>
	Path Length (ft.):	<b>0.0</b> <b>0.0</b>
	Road Length (ft.):	<b>301.8</b> <b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b> <b>0.0</b>
	Development Length:	<b>397.9</b> <b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u> <u>Right</u>
	Erosion Length (ft.):	<b>1,393.6</b> <b>699.2</b>
	Erosion Height (ft.):	<b>3.6</b> <b>3.5</b>
	Revetment Type:	<b>Rip-Rap</b> <b>None</b>
	Revetment length:	<b>120.0</b> <b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	
3.3	<u>Riparian Corridor</u>	
	Mass Failures:	<b>None</b>
	Average Height (ft.):	<b>0.0</b>
	Gullies:	<b>None</b>
	Average Height (ft.):	<b>0.0</b>

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>0</b>
4.7	Stormwater Inputs	<b>1</b>
4.9	Beaver Dams:	<b>0</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>0</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>2</b>
5.4	Animal Crossings:	<b>Yes</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



Phase 2 - FIT - Legacy Data Report

Laplatte

SGAT Version: 4.53

Reach: T4.02 -0

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>		4.4	Number of Debris Jams:	<b>0</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.7	Stormwater Inputs	<b>0</b>
	Berm Length (ft.):	<b>0.0</b>	<b>359.1</b>	4.9	Beaver Dams:	<b>0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>		Affected length:	<b>0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>	5.2	Migration Features	
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>		Flood Chutes:	<b>4</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>		Neck Cutoffs:	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>		Channel Avulsions:	<b>0</b>
	Erosion Length (ft.):	<b>297.0</b>	<b>367.8</b>		Braiding:	<b>2</b>
	Erosion Height (ft.):	<b>2.1</b>	<b>2.5</b>	5.3	Steep Riffles and Head Cuts	
	Revetment Type:	<b>None</b>	<b>None</b>		Steep Riffles:	<b>1</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>		Head Cuts:	<b>0</b>
3.2	<u>Buffer Less Than 25 ft.</u>			5.4	Animal Crossings:	<b>No</b>
3.3	<u>Riparian Corridor</u>			5.5	Channel Alterations	
	Mass Failures:	<b>None</b>			Straightening:	<b>Straightening</b>
	Average Height (ft.):	<b>0.0</b>			Dredging:	
	Gullies:	<b>None</b>				
	Average Height (ft.):	<b>0.0</b>				



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **M04 -A**

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>		4.4	Number of Debris Jams:	<b>1</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.7	Stormwater Inputs	<b>0</b>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>	4.9	Beaver Dams:	<b>1</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>		Affected length:	<b>0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>	5.2	Migration Features	
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>		Flood Chutes:	<b>0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>		Neck Cutoffs:	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>		Channel Avulsions:	<b>0</b>
	Erosion Length (ft.):	<b>584.2</b>	<b>265.3</b>		Braiding:	<b>0</b>
	Erosion Height (ft.):	<b>6.6</b>	<b>6.2</b>	5.3	Steep Riffles and Head Cuts	
	Revetment Type:	<b>None</b>	<b>None</b>		Steep Riffles:	<b>0</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>		Head Cuts:	<b>0</b>
3.2	<u>Buffer Less Than 25 ft.</u>			5.4	Animal Crossings:	<b>No</b>
3.3	<u>Riparian Corridor</u>			5.5	Channel Alterations	
	Mass Failures:	<b>None</b>			Straightening:	<b>None</b>
	Average Height (ft.):				Dredging:	<b>None</b>
	Gullies:	<b>None</b>				
	Average Height (ft.):					



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **M11 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>		4.4	Number of Debris Jams:	<b>1</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.7	Stormwater Inputs	<b>0</b>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>	4.9	Beaver Dams:	<b>5</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>		Affected length:	<b>100</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>	5.2	Migration Features	
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>		Flood Chutes:	<b>2</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>		Neck Cutoffs:	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>		Channel Avulsions:	<b>0</b>
	Erosion Length (ft.):	<b>1,023.0</b>	<b>427.9</b>		Braiding:	<b>0</b>
	Erosion Height (ft.):	<b>4.1</b>	<b>4.1</b>	5.3	Steep Riffles and Head Cuts	
	Revetment Type:	<b>None</b>	<b>None</b>		Steep Riffles:	<b>0</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>		Head Cuts:	<b>0</b>
3.2	<u>Buffer Less Than 25 ft.</u>			5.4	Animal Crossings:	<b>Yes</b>
3.3	<u>Riparian Corridor</u>			5.5	Channel Alterations	
	Mass Failures:	<b>None</b>			Straightening:	<b>None</b>
	Average Height (ft.):				Dredging:	<b>None</b>
	Gullies:	<b>Multiple</b>				
	Average Height (ft.):	<b>20.0</b>				



Phase 2 - FIT - Legacy Data Report

Laplatte

SGAT Version: 4.53

Reach: T5.01 -E

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:		
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	0.0	0.0
	Path Length (ft.):	0.0	0.0
	Road Length (ft.):	0.0	0.0
	Railroad Lenth (ft.):	0.0	0.0
	Development Length:	0.0	0.0
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	0.0	0.0
	Erosion Height (ft.):	0.0	0.0
	Revetment Type:	None	None
	Revetment length:	0.0	0.0
3.2	<u>Buffer Less Than 25 ft.</u>		
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	None	
	Average Height (ft.):	0.0	
	Gullies:	None	
	Average Height (ft.):	0.0	

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	0
4.7	Stormwater Inputs	1
4.9	Beaver Dams:	0
	Affected length:	0
5.2	Migration Features	
	Flood Chutes:	0
	Neck Cutoffs:	0
	Channel Avulsions:	0
	Braiding:	0
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	0
	Head Cuts:	0
5.4	Animal Crossings:	No
5.5	Channel Alterations	
	Straightening:	None
	Dredging:	None



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T1.06 -B**

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>		4.4	Number of Debris Jams:	<b>4</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.7	Stormwater Inputs	
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>	4.9	Beaver Dams:	<b>0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>		Affected length:	<b>0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>	5.2	Migration Features	
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>		Flood Chutes:	<b>0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>		Neck Cutoffs:	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>		Channel Avulsions:	<b>0</b>
	Erosion Length (ft.):	<b>181.0</b>	<b>0.0</b>		Braiding:	<b>0</b>
	Erosion Height (ft.):	<b>2.0</b>	<b>0.0</b>	5.3	Steep Riffles and Head Cuts	
	Revetment Type:	<b>None</b>	<b>None</b>		Steep Riffles:	<b>0</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>		Head Cuts:	<b>0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>	5.4	Animal Crossings:	<b>No</b>
3.3	<u>Riparian Corridor</u>			5.5	Channel Alterations	
	Mass Failures:	<b>None</b>			Straightening:	<b>None</b>
	Average Height (ft.):				Dredging:	<b>None</b>
	Gullies:	<b>None</b>				
	Average Height (ft.):					



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T5.01 -A**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>318.3</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>96.1</b>	<b>0.0</b>
	Erosion Height (ft.):	<b>2.0</b>	<b>0.0</b>
	Revetment Type:	<b>Rip-Rap</b>	<b>Rip-Rap</b>
	Revetment length:	<b>195.8</b>	<b>194.1</b>
3.2	<u>Buffer Less Than 25 ft.</u>		
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	
	Gullies:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>0</b>
4.7	Stormwater Inputs	<b>0</b>
4.9	Beaver Dams:	<b>0</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>4</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>Yes</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T5.01 -B**

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>		4.4	Number of Debris Jams:	<b>0</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.7	Stormwater Inputs	<b>0</b>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>	4.9	Beaver Dams:	<b>0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>		Affected length:	<b>0</b>
	Road Length (ft.):	<b>59.7</b>	<b>0.0</b>	5.2	Migration Features	
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>		Flood Chutes:	<b>0</b>
	Development Length:	<b>71.5</b>	<b>0.0</b>		Neck Cutoffs:	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>		Channel Avulsions:	<b>1</b>
	Erosion Length (ft.):	<b>204.3</b>	<b>58.1</b>		Braiding:	<b>0</b>
	Erosion Height (ft.):	<b>2.0</b>	<b>2.0</b>	5.3	Steep Riffles and Head Cuts	
	Revetment Type:	<b>None</b>	<b>None</b>		Steep Riffles:	<b>0</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>		Head Cuts:	<b>0</b>
3.2	<u>Buffer Less Than 25 ft.</u>			5.4	Animal Crossings:	<b>No</b>
3.3	<u>Riparian Corridor</u>			5.5	Channel Alterations	
	Mass Failures:	<b>None</b>			Straightening:	<b>None</b>
	Average Height (ft.):	<b>0.0</b>			Dredging:	<b>None</b>
	Gullies:	<b>None</b>				
	Average Height (ft.):	<b>0.0</b>				



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T4.04 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>207.2</b>	<b>59.2</b>
	Erosion Height (ft.):	<b>2.2</b>	<b>3.0</b>
	Revetment Type:	<b>Rip-Rap</b>	<b>Rip-Rap</b>
	Revetment length:	<b>571.3</b>	<b>613.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>		
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	
	Gullies:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>7</b>
4.7	Stormwater Inputs	<b>1</b>
4.9	Beaver Dams:	<b>0</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>2</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>2</b>
	Braiding:	<b>3</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>None</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **M03 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>	<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>	4.4	Number of Debris Jams:	<b>0</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	4.7	Stormwater Inputs	<b>0</b>
	Berm Length (ft.):	<b>0.0</b>	4.9	Beaver Dams:	<b>0</b>
	Path Length (ft.):	<b>0.0</b>		Affected length:	<b>0</b>
	Road Length (ft.):	<b>1,045.3</b>	5.2	Migration Features	
	Railroad Lenth (ft.):	<b>0.0</b>		Flood Chutes:	<b>0</b>
	Development Length:	<b>105.3</b>		Neck Cutoffs:	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>		Channel Avulsions:	<b>0</b>
	Erosion Length (ft.):	<b>170.3</b>		Braiding:	<b>0</b>
	Erosion Height (ft.):	<b>5.0</b>	5.3	Steep Riffles and Head Cuts	
	Revetment Type:	<b>None</b>		Steep Riffles:	<b>0</b>
	Revetment length:	<b>0.0</b>		Head Cuts:	<b>0</b>
3.2	<u>Buffer Less Than 25 ft.</u>		5.4	Animal Crossings:	<b>No</b>
3.3	<u>Riparian Corridor</u>		5.5	Channel Alterations	
	Mass Failures:	<b>None</b>		Straightening:	<b>None</b>
	Average Height (ft.):			Dredging:	<b>None</b>
	Gullies:	<b>None</b>			
	Average Height (ft.):				



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T1.07 -A**

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>		4.4	Number of Debris Jams:	<b>2</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.7	Stormwater Inputs	
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>	4.9	Beaver Dams:	<b>0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>		Affected length:	<b>0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>	5.2	Migration Features	
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>		Flood Chutes:	<b>2</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>		Neck Cutoffs:	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>		Channel Avulsions:	<b>0</b>
	Erosion Length (ft.):	<b>165.7</b>	<b>26.4</b>		Braiding:	<b>0</b>
	Erosion Height (ft.):	<b>1.7</b>	<b>2.0</b>	5.3	Steep Riffles and Head Cuts	
	Revetment Type:	<b>None</b>	<b>None</b>		Steep Riffles:	<b>0</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>		Head Cuts:	<b>0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>	5.4	Animal Crossings:	<b>No</b>
3.3	<u>Riparian Corridor</u>			5.5	Channel Alterations	
	Mass Failures:	<b>None</b>			Straightening:	<b>None</b>
	Average Height (ft.):				Dredging:	<b>None</b>
	Gullies:	<b>One</b>				
	Average Height (ft.):	<b>5.0</b>				



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T2.01 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>		4.4	Number of Debris Jams:	<b>0</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.7	Stormwater Inputs	
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>	4.9	Beaver Dams:	<b>2</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>		Affected length:	<b>1900</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>	5.2	Migration Features	
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>		Flood Chutes:	<b>4</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>		Neck Cutoffs:	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>		Channel Avulsions:	<b>0</b>
	Erosion Length (ft.):	<b>1,473.3</b>	<b>1,391.8</b>		Braiding:	<b>0</b>
	Erosion Height (ft.):	<b>4.1</b>	<b>4.1</b>	5.3	Steep Riffles and Head Cuts	
	Revetment Type:	<b>Rip-Rap</b>	<b>Rip-Rap</b>		Steep Riffles:	<b>0</b>
	Revetment length:	<b>52.5</b>	<b>113.6</b>		Head Cuts:	<b>0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>	5.4	Animal Crossings:	<b>No</b>
3.3	<u>Riparian Corridor</u>			5.5	Channel Alterations	
	Mass Failures:	<b>Multiple</b>			Straightening:	<b>None</b>
	Average Height (ft.):	<b>12.5</b>			Dredging:	<b>None</b>
	Gullies:	<b>None</b>				
	Average Height (ft.):					



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T2.02 -B**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>215.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>412.0</b>	<b>324.6</b>
	Erosion Height (ft.):	<b>3.4</b>	<b>3.7</b>
	Revetment Type:	<b>None</b>	<b>Rip-Rap</b>
	Revetment length:	<b>0.0</b>	<b>28.3</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>Multiple</b>	
	Average Height (ft.):	<b>12.7</b>	
	Gullies:	<b>None</b>	
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>1</b>
4.7	Stormwater Inputs	
4.9	Beaver Dams:	<b>0</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>5</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>2</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>Yes</b>
5.5	Channel Alterations	
	Straightening:	<b>None</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T1.07 -B**

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>		4.4	Number of Debris Jams:	<b>0</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.7	Stormwater Inputs	
	Berm Length (ft.):	<b>0.0</b>	<b>20.0</b>	4.9	Beaver Dams:	<b>0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>		Affected length:	<b>0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>	5.2	Migration Features	
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>		Flood Chutes:	<b>0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>		Neck Cutoffs:	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>		Channel Avulsions:	<b>0</b>
	Erosion Length (ft.):	<b>61.6</b>	<b>0.0</b>		Braiding:	<b>0</b>
	Erosion Height (ft.):	<b>3.0</b>	<b>0.0</b>	5.3	Steep Riffles and Head Cuts	
	Revetment Type:	<b>None</b>	<b>None</b>		Steep Riffles:	<b>0</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>		Head Cuts:	<b>0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>	5.4	Animal Crossings:	<b>Yes</b>
3.3	<u>Riparian Corridor</u>			5.5	Channel Alterations	
	Mass Failures:	<b>None</b>			Straightening:	<b>None</b>
	Average Height (ft.):				Dredging:	<b>None</b>
	Gullies:	<b>None</b>				
	Average Height (ft.):					



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T1.02 -B**

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>		4.4	Number of Debris Jams:	<b>7</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.7	Stormwater Inputs	
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>	4.9	Beaver Dams:	<b>0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>		Affected length:	<b>0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>	5.2	Migration Features	
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>		Flood Chutes:	<b>0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>		Neck Cutoffs:	<b>2</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>		Channel Avulsions:	<b>0</b>
	Erosion Length (ft.):	<b>267.7</b>	<b>47.9</b>		Braiding:	<b>0</b>
	Erosion Height (ft.):	<b>4.0</b>	<b>3.0</b>	5.3	Steep Riffles and Head Cuts	
	Revetment Type:	<b>None</b>	<b>None</b>		Steep Riffles:	<b>0</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>		Head Cuts:	<b>0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>	5.4	Animal Crossings:	<b>No</b>
3.3	<u>Riparian Corridor</u>			5.5	Channel Alterations	
	Mass Failures:	<b>None</b>			Straightening:	<b>None</b>
	Average Height (ft.):				Dredging:	<b>None</b>
	Gullies:	<b>None</b>				
	Average Height (ft.):					



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T1.03 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>1,212.2</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>459.6</b>	<b>746.6</b>
	Erosion Height (ft.):	<b>3.6</b>	<b>3.9</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):		
	Gullies:	<b>None</b>	
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>8</b>
4.7	Stormwater Inputs	<b>3</b>
4.9	Beaver Dams:	<b>3</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>8</b>
	Neck Cutoffs:	<b>1</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T1.03 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>1,212.2</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>459.6</b>	<b>746.6</b>
	Erosion Height (ft.):	<b>3.6</b>	<b>3.9</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):		
	Gullies:	<b>None</b>	
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>8</b>
4.7	Stormwater Inputs	<b>3</b>
4.9	Beaver Dams:	<b>3</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>8</b>
	Neck Cutoffs:	<b>1</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



Phase 2 - FIT - Legacy Data Report

Laplatte

SGAT Version: 4.53

Reach: T1.03 -0

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>1,212.2</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>459.6</b>	<b>746.6</b>
	Erosion Height (ft.):	<b>3.6</b>	<b>3.9</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):		
	Gullies:	<b>None</b>	
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>8</b>
4.7	Stormwater Inputs	<b>3</b>
4.9	Beaver Dams:	<b>3</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>8</b>
	Neck Cutoffs:	<b>1</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



Phase 2 - FIT - Legacy Data Report

Laplatte

SGAT Version: 4.53

Reach: T1.03 -0

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>1,212.2</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>459.6</b>	<b>746.6</b>
	Erosion Height (ft.):	<b>3.6</b>	<b>3.9</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):		
	Gullies:	<b>None</b>	
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>8</b>
4.7	Stormwater Inputs	<b>3</b>
4.9	Beaver Dams:	<b>3</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>8</b>
	Neck Cutoffs:	<b>1</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T1.03 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>1,212.2</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>459.6</b>	<b>746.6</b>
	Erosion Height (ft.):	<b>3.6</b>	<b>3.9</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):		
	Gullies:	<b>None</b>	
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>8</b>
4.7	Stormwater Inputs	<b>3</b>
4.9	Beaver Dams:	<b>3</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>8</b>
	Neck Cutoffs:	<b>1</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



Phase 2 - FIT - Legacy Data Report

Laplatte

SGAT Version: 4.53

Reach: **M18 -B**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>163.8</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>109.7</b>	<b>41.8</b>
	Erosion Height (ft.):	<b>2.3</b>	<b>2.0</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>		
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>One</b>	
	Average Height (ft.):	<b>12.0</b>	
	Gullies:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>2</b>
4.7	Stormwater Inputs	<b>1</b>
4.9	Beaver Dams:	<b>0</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>3</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>2</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>None</b>
	Dredging:	<b>None</b>



Phase 2 - FIT - Legacy Data Report

Laplatte

SGAT Version: 4.53

Reach: T4.03 -0

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>188.0</b>	<b>71.8</b>
	Erosion Height (ft.):	<b>2.3</b>	<b>2.7</b>
	Revetment Type:	<b>None</b>	<b>Rip-Rap</b>
	Revetment length:	<b>0.0</b>	<b>32.4</b>
3.2	<u>Buffer Less Than 25 ft.</u>		
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>One</b>	
	Average Height (ft.):	<b>10.0</b>	
	Gullies:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>5</b>
4.7	Stormwater Inputs	<b>1</b>
4.9	Beaver Dams:	<b>0</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>2</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>2</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **M12S5.01 -F**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>3.1</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Erosion Height (ft.):	<b>0.0</b>	<b>0.0</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):		
	Gullies:	<b>None</b>	
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>0</b>
4.7	Stormwater Inputs	
4.9	Beaver Dams:	<b>0</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>0</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



Phase 2 - FIT - Legacy Data Report

Laplatte

SGAT Version: 4.53

Reach: **M06S2.01 -B**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Erosion Height (ft.):	<b>0.0</b>	<b>0.0</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):		
	Gullies:	<b>None</b>	
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>0</b>
4.7	Stormwater Inputs	
4.9	Beaver Dams:	<b>0</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>0</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T2.02 -A**

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>		4.4	Number of Debris Jams:	<b>2</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.7	Stormwater Inputs	
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>	4.9	Beaver Dams:	<b>0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>		Affected length:	<b>0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>	5.2	Migration Features	
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>		Flood Chutes:	<b>2</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>		Neck Cutoffs:	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>		Channel Avulsions:	<b>1</b>
	Erosion Length (ft.):	<b>308.3</b>	<b>389.9</b>		Braiding:	<b>0</b>
	Erosion Height (ft.):	<b>3.2</b>	<b>3.3</b>	5.3	Steep Riffles and Head Cuts	
	Revetment Type:	<b>None</b>	<b>None</b>		Steep Riffles:	<b>0</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>		Head Cuts:	<b>0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>	5.4	Animal Crossings:	<b>No</b>
3.3	<u>Riparian Corridor</u>			5.5	Channel Alterations	
	Mass Failures:	<b>None</b>			Straightening:	<b>None</b>
	Average Height (ft.):				Dredging:	<b>None</b>
	Gullies:	<b>None</b>				
	Average Height (ft.):					



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T1.04 -A**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>94.7</b>	<b>0.0</b>
	Erosion Height (ft.):	<b>4.8</b>	<b>0.0</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):		
	Gullies:	<b>None</b>	
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>0</b>
4.7	Stormwater Inputs	<b>0</b>
4.9	Beaver Dams:	<b>3</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>0</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>None</b>
	Dredging:	<b>None</b>



Phase 2 - FIT - Legacy Data Report

Laplatte

SGAT Version: 4.53

Reach: **M13S3.01 -B**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>119.4</b>	<b>240.9</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Erosion Height (ft.):	<b>0.0</b>	<b>0.0</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):		
	Gullies:	<b>None</b>	
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>0</b>
4.7	Stormwater Inputs	
4.9	Beaver Dams:	<b>0</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>0</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **M12S5.01 -A**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>623.5</b>	<b>650.2</b>
	Erosion Height (ft.):	<b>2.8</b>	<b>2.4</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):		
	Gullies:	<b>None</b>	
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>0</b>
4.7	Stormwater Inputs	
4.9	Beaver Dams:	<b>1</b>
	Affected length:	<b>60</b>
5.2	Migration Features	
	Flood Chutes:	<b>4</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **M14 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>		4.4	Number of Debris Jams:	<b>0</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.7	Stormwater Inputs	<b>0</b>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>	4.9	Beaver Dams:	<b>0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>		Affected length:	<b>0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>	5.2	Migration Features	
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>		Flood Chutes:	<b>0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>		Neck Cutoffs:	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>		Channel Avulsions:	<b>0</b>
	Erosion Length (ft.):	<b>372.4</b>	<b>330.6</b>		Braiding:	<b>0</b>
	Erosion Height (ft.):	<b>4.5</b>	<b>4.0</b>	5.3	Steep Riffles and Head Cuts	
	Revetment Type:	<b>None</b>	<b>None</b>		Steep Riffles:	<b>0</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>		Head Cuts:	<b>0</b>
3.2	<u>Buffer Less Than 25 ft.</u>			5.4	Animal Crossings:	<b>Yes</b>
3.3	<u>Riparian Corridor</u>			5.5	Channel Alterations	
	Mass Failures:	<b>None</b>			Straightening:	<b>None</b>
	Average Height (ft.):	<b>0.0</b>			Dredging:	<b>None</b>
	Gullies:	<b>None</b>				
	Average Height (ft.):	<b>0.0</b>				



Phase 2 - FIT - Legacy Data Report

Laplatte

SGAT Version: 4.53

Reach: **M15 -A**

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>		4.4	Number of Debris Jams:	<b>0</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.7	Stormwater Inputs	<b>0</b>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>	4.9	Beaver Dams:	<b>0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>		Affected length:	<b>0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>	5.2	Migration Features	
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>		Flood Chutes:	<b>0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>		Neck Cutoffs:	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>		Channel Avulsions:	<b>0</b>
	Erosion Length (ft.):	<b>822.7</b>	<b>666.3</b>		Braiding:	<b>0</b>
	Erosion Height (ft.):	<b>4.6</b>	<b>4.3</b>	5.3	Steep Riffles and Head Cuts	
	Revetment Type:	<b>None</b>	<b>None</b>		Steep Riffles:	<b>0</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>		Head Cuts:	<b>0</b>
3.2	<u>Buffer Less Than 25 ft.</u>			5.4	Animal Crossings:	<b>No</b>
3.3	<u>Riparian Corridor</u>			5.5	Channel Alterations	
	Mass Failures:	<b>None</b>			Straightening:	<b>None</b>
	Average Height (ft.):	<b>0.0</b>			Dredging:	<b>None</b>
	Gullies:	<b>None</b>				
	Average Height (ft.):	<b>0.0</b>				



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **M06 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>	<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>	4.4	Number of Debris Jams:	<b>1</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	4.7	Stormwater Inputs	<b>2</b>
	Berm Length (ft.):	<b>0.0</b>	4.9	Beaver Dams:	<b>0</b>
	Path Length (ft.):	<b>0.0</b>		Affected length:	<b>0</b>
	Road Length (ft.):	<b>509.3</b>	5.2	Migration Features	
	Railroad Lenth (ft.):	<b>0.0</b>		Flood Chutes:	<b>2</b>
	Development Length:	<b>418.1</b>		Neck Cutoffs:	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>		Channel Avulsions:	<b>0</b>
	Erosion Length (ft.):	<b>3,156.1</b>		Braiding:	<b>1</b>
	Erosion Height (ft.):	<b>5.7</b>	5.3	Steep Riffles and Head Cuts	
	Revetment Type:	<b>None</b>		Steep Riffles:	<b>3</b>
	Revetment length:	<b>0.0</b>		Head Cuts:	<b>0</b>
3.2	<u>Buffer Less Than 25 ft.</u>		5.4	Animal Crossings:	<b>Yes</b>
3.3	<u>Riparian Corridor</u>		5.5	Channel Alterations	
	Mass Failures:	<b>Multiple</b>		Straightening:	<b>Straightening</b>
	Average Height (ft.):	<b>19.0</b>		Dredging:	<b>None</b>
	Gullies:	<b>None</b>			
	Average Height (ft.):				



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **M09 -A**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>277.6</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>249.6</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>1,455.2</b>	<b>837.4</b>
	Erosion Height (ft.):	<b>3.5</b>	<b>3.0</b>
	Revetment Type:	<b>Rip-Rap</b>	<b>Rip-Rap</b>
	Revetment length:	<b>511.1</b>	<b>65.2</b>
3.2	<u>Buffer Less Than 25 ft.</u>		
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>One</b>	
	Average Height (ft.):	<b>30.0</b>	
	Gullies:	<b>One</b>	
	Average Height (ft.):	<b>0.0</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>0</b>
4.7	Stormwater Inputs	<b>0</b>
4.9	Beaver Dams:	<b>0</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>9</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>1</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>None</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T1.08 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>1,007.7</b>	<b>0.0</b>
	Road Length (ft.):	<b>347.2</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>1,093.7</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Erosion Height (ft.):	<b>0.0</b>	<b>0.0</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>6502</b>	<b>3982</b>
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):		
	Gullies:	<b>None</b>	
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>1</b>
4.7	Stormwater Inputs	
4.9	Beaver Dams:	<b>0</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>0</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T2.03 -A**

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>		4.4	Number of Debris Jams:	<b>0</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.7	Stormwater Inputs	
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>	4.9	Beaver Dams:	<b>0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>		Affected length:	<b>0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>	5.2	Migration Features	
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>		Flood Chutes:	<b>0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>		Neck Cutoffs:	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>		Channel Avulsions:	<b>0</b>
	Erosion Length (ft.):	<b>56.4</b>	<b>73.1</b>		Braiding:	<b>0</b>
	Erosion Height (ft.):	<b>4.0</b>	<b>2.0</b>	5.3	Steep Riffles and Head Cuts	
	Revetment Type:	<b>None</b>	<b>None</b>		Steep Riffles:	<b>0</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>		Head Cuts:	<b>0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>	5.4	Animal Crossings:	<b>No</b>
3.3	<u>Riparian Corridor</u>			5.5	Channel Alterations	
	Mass Failures:	<b>None</b>			Straightening:	<b>None</b>
	Average Height (ft.):				Dredging:	<b>None</b>
	Gullies:	<b>None</b>				
	Average Height (ft.):					



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **M12S5.01 -C**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>200.4</b>	<b>247.4</b>
	Erosion Height (ft.):	<b>3.0</b>	<b>3.0</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):		
	Gullies:	<b>None</b>	
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>2</b>
4.7	Stormwater Inputs	
4.9	Beaver Dams:	<b>0</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>2</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T3.01 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>		4.4	Number of Debris Jams:	<b>0</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.7	Stormwater Inputs	<b>1</b>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>	4.9	Beaver Dams:	<b>0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>		Affected length:	<b>0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>	5.2	Migration Features	
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>		Flood Chutes:	<b>2</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>		Neck Cutoffs:	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>		Channel Avulsions:	<b>0</b>
	Erosion Length (ft.):	<b>127.5</b>	<b>118.5</b>		Braiding:	<b>1</b>
	Erosion Height (ft.):	<b>2.0</b>	<b>2.0</b>	5.3	Steep Riffles and Head Cuts	
	Revetment Type:	<b>None</b>	<b>None</b>		Steep Riffles:	<b>0</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>		Head Cuts:	<b>0</b>
3.2	<u>Buffer Less Than 25 ft.</u>			5.4	Animal Crossings:	<b>Yes</b>
3.3	<u>Riparian Corridor</u>			5.5	Channel Alterations	
	Mass Failures:	<b>None</b>			Straightening:	<b>Straightening</b>
	Average Height (ft.):	<b>0.0</b>			Dredging:	<b>None</b>
	Gullies:	<b>None</b>				
	Average Height (ft.):	<b>0.0</b>				



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **M17 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>1,067.6</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>1,139.2</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>269.6</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>840.6</b>	<b>853.1</b>
	Erosion Height (ft.):	<b>2.5</b>	<b>2.7</b>
	Revetment Type:	<b>None</b>	<b>Rip-Rap</b>
	Revetment length:	<b>0.0</b>	<b>33.6</b>
3.2	<u>Buffer Less Than 25 ft.</u>		
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	
	Gullies:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>6</b>
4.7	Stormwater Inputs	<b>2</b>
4.9	Beaver Dams:	<b>1</b>
	Affected length:	<b>200</b>
5.2	Migration Features	
	Flood Chutes:	<b>1</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>Yes</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>Dredging</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T1.05 -C**

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>		4.4	Number of Debris Jams:	<b>0</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.7	Stormwater Inputs	
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>	4.9	Beaver Dams:	<b>3</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>		Affected length:	<b>165</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>	5.2	Migration Features	
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>		Flood Chutes:	<b>4</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>		Neck Cutoffs:	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>		Channel Avulsions:	<b>0</b>
	Erosion Length (ft.):	<b>93.8</b>	<b>119.9</b>		Braiding:	<b>0</b>
	Erosion Height (ft.):	<b>2.6</b>	<b>2.0</b>	5.3	Steep Riffles and Head Cuts	
	Revetment Type:	<b>None</b>	<b>None</b>		Steep Riffles:	<b>0</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>		Head Cuts:	<b>0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>	5.4	Animal Crossings:	<b>Yes</b>
3.3	<u>Riparian Corridor</u>			5.5	Channel Alterations	
	Mass Failures:	<b>None</b>			Straightening:	<b>None</b>
	Average Height (ft.):				Dredging:	<b>None</b>
	Gullies:	<b>None</b>				
	Average Height (ft.):					



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **M06S2.01 -A**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>475.6</b>	<b>793.2</b>
	Erosion Height (ft.):	<b>2.8</b>	<b>2.7</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):		
	Gullies:	<b>None</b>	
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>1</b>
4.7	Stormwater Inputs	
4.9	Beaver Dams:	<b>0</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>6</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T1.04 -B**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>928.5</b>	<b>413.1</b>
	Erosion Height (ft.):	<b>3.3</b>	<b>2.8</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>One</b>	
	Average Height (ft.):	<b>20.0</b>	
	Gullies:	<b>None</b>	
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>2</b>
4.7	Stormwater Inputs	<b>0</b>
4.9	Beaver Dams:	<b>0</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>8</b>
	Neck Cutoffs:	<b>1</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>1</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T1.05 -A**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>1,225.3</b>	<b>683.4</b>
	Erosion Height (ft.):	<b>3.0</b>	<b>3.1</b>
	Revetment Type:	<b>Rip-Rap</b>	<b>Multiple</b>
	Revetment length:	<b>98.0</b>	<b>314.3</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>Multiple</b>	
	Average Height (ft.):	<b>19.0</b>	
	Gullies:	<b>None</b>	
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>1</b>
4.7	Stormwater Inputs	<b>0</b>
4.9	Beaver Dams:	<b>0</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>6</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>2</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>2</b>
	Head Cuts:	<b>1</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T5.01 -C**

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>		4.4	Number of Debris Jams:	<b>0</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.7	Stormwater Inputs	<b>0</b>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>	4.9	Beaver Dams:	<b>0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>		Affected length:	<b>0</b>
	Road Length (ft.):	<b>283.2</b>	<b>0.0</b>	5.2	Migration Features	
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>		Flood Chutes:	<b>0</b>
	Development Length:	<b>40.7</b>	<b>0.0</b>		Neck Cutoffs:	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>		Channel Avulsions:	<b>0</b>
	Erosion Length (ft.):	<b>0.0</b>	<b>0.0</b>		Braiding:	<b>0</b>
	Erosion Height (ft.):	<b>0.0</b>	<b>0.0</b>	5.3	Steep Riffles and Head Cuts	
	Revetment Type:	<b>None</b>	<b>None</b>		Steep Riffles:	<b>0</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>		Head Cuts:	<b>0</b>
3.2	<u>Buffer Less Than 25 ft.</u>			5.4	Animal Crossings:	<b>No</b>
3.3	<u>Riparian Corridor</u>			5.5	Channel Alterations	
	Mass Failures:	<b>None</b>			Straightening:	<b>None</b>
	Average Height (ft.):	<b>0.0</b>			Dredging:	<b>None</b>
	Gullies:	<b>None</b>				
	Average Height (ft.):	<b>0.0</b>				



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **M15S2.01 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>61.0</b>	<b>61.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>277.5</b>	<b>271.4</b>
	Erosion Height (ft.):	<b>3.1</b>	<b>2.5</b>
	Revetment Type:	<b>Rip-Rap</b>	<b>None</b>
	Revetment length:	<b>181.1</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>		
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	
	Gullies:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>5</b>
4.7	Stormwater Inputs	<b>2</b>
4.9	Beaver Dams:	<b>3</b>
	Affected length:	<b>1135</b>
5.2	Migration Features	
	Flood Chutes:	<b>2</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>1</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



Phase 2 - FIT - Legacy Data Report

Laplatte

SGAT Version: 4.53

Reach: **M16 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>3,509.2</b>	<b>766.7</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>807.3</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>1,168.1</b>	<b>1,118.4</b>
	Erosion Height (ft.):	<b>2.1</b>	<b>2.1</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>		
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	
	Gullies:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>9</b>
4.7	Stormwater Inputs	<b>7</b>
4.9	Beaver Dams:	<b>3</b>
	Affected length:	<b>2050</b>
5.2	Migration Features	
	Flood Chutes:	<b>0</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>Dredging</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T4.01 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>825.6</b>	<b>1,479.8</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>0.0</b>	<b>114.8</b>
	Erosion Height (ft.):	<b>0.0</b>	<b>4.0</b>
	Revetment Type:	<b>Rip-Rap</b>	<b>Rip-Rap</b>
	Revetment length:	<b>699.4</b>	<b>147.6</b>
3.2	<u>Buffer Less Than 25 ft.</u>		
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	
	Gullies:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>0</b>
4.7	Stormwater Inputs	<b>2</b>
4.9	Beaver Dams:	<b>0</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>0</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **M18 -A**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>65.7</b>	<b>93.2</b>
	Erosion Height (ft.):	<b>2.0</b>	<b>2.0</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>		
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	
	Gullies:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>4</b>
4.7	Stormwater Inputs	<b>0</b>
4.9	Beaver Dams:	<b>3</b>
	Affected length:	<b>1000</b>
5.2	Migration Features	
	Flood Chutes:	<b>4</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>3</b>
	Braiding:	<b>1</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>1</b>
5.4	Animal Crossings:	<b>Yes</b>
5.5	Channel Alterations	
	Straightening:	<b>None</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T2.03 -B**

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>		4.4	Number of Debris Jams:	<b>0</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.7	Stormwater Inputs	
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>	4.9	Beaver Dams:	<b>5</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>		Affected length:	<b>0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>	5.2	Migration Features	
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>		Flood Chutes:	<b>0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>		Neck Cutoffs:	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>		Channel Avulsions:	<b>0</b>
	Erosion Length (ft.):	<b>47.5</b>	<b>0.0</b>		Braiding:	<b>0</b>
	Erosion Height (ft.):	<b>4.0</b>	<b>0.0</b>	5.3	Steep Riffles and Head Cuts	
	Revetment Type:	<b>None</b>	<b>None</b>		Steep Riffles:	<b>0</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>		Head Cuts:	<b>0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>	5.4	Animal Crossings:	<b>No</b>
3.3	<u>Riparian Corridor</u>			5.5	Channel Alterations	
	Mass Failures:	<b>None</b>			Straightening:	<b>None</b>
	Average Height (ft.):				Dredging:	<b>None</b>
	Gullies:	<b>None</b>				
	Average Height (ft.):					



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **M12S5.01 -D**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Erosion Height (ft.):	<b>0.0</b>	<b>0.0</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):		
	Gullies:	<b>None</b>	
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>0</b>
4.7	Stormwater Inputs	
4.9	Beaver Dams:	<b>1</b>
	Affected length:	<b>2900</b>
5.2	Migration Features	
	Flood Chutes:	<b>0</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



Phase 2 - FIT - Legacy Data Report

Laplatte

SGAT Version: 4.53

Reach: M12 -0

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>477.3</b>	<b>647.4</b>
	Erosion Height (ft.):	<b>2.0</b>	<b>2.0</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>		
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	
	Gullies:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>2</b>
4.7	Stormwater Inputs	<b>0</b>
4.9	Beaver Dams:	<b>4</b>
	Affected length:	<b>3060</b>
5.2	Migration Features	
	Flood Chutes:	<b>1</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>None</b>
	Dredging:	<b>None</b>



Phase 2 - FIT - Legacy Data Report

Laplatte

SGAT Version: 4.53

Reach: T1.02 -A

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:		
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):		
	Path Length (ft.):		
	Road Length (ft.):		
	Railroad Lenth (ft.):		
	Development Length:		
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):		
	Erosion Height (ft.):		
	Revetment Type:		
	Revetment length:		
3.2	<u>Buffer Less Than 25 ft.</u>		
3.3	<u>Riparian Corridor</u>		
	Mass Failures:		
	Average Height (ft.):		
	Gullies:		
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	
4.7	Stormwater Inputs	
4.9	Beaver Dams:	
	Affected length:	
5.2	Migration Features	
	Flood Chutes:	
	Neck Cutoffs:	
	Channel Avulsions:	
	Braiding:	
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	
	Head Cuts:	
5.4	Animal Crossings:	
5.5	Channel Alterations	
	Straightening:	
	Dredging:	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **M04 -B**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>112.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>209.6</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>587.4</b>	<b>652.5</b>
	Erosion Height (ft.):	<b>7.0</b>	<b>6.7</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>		
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>Multiple</b>	
	Average Height (ft.):	<b>12.0</b>	
	Gullies:	<b>None</b>	
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>0</b>
4.7	Stormwater Inputs	<b>0</b>
4.9	Beaver Dams:	<b>0</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>0</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>None</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **M09 -B**

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>		4.4	Number of Debris Jams:	<b>0</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.7	Stormwater Inputs	<b>0</b>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>	4.9	Beaver Dams:	<b>0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>		Affected length:	<b>0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>	5.2	Migration Features	
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>		Flood Chutes:	<b>2</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>		Neck Cutoffs:	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>		Channel Avulsions:	<b>0</b>
	Erosion Length (ft.):	<b>280.2</b>	<b>807.0</b>		Braiding:	<b>0</b>
	Erosion Height (ft.):	<b>5.1</b>	<b>4.1</b>	5.3	Steep Riffles and Head Cuts	
	Revetment Type:	<b>None</b>	<b>None</b>		Steep Riffles:	<b>0</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>		Head Cuts:	<b>0</b>
3.2	<u>Buffer Less Than 25 ft.</u>			5.4	Animal Crossings:	<b>No</b>
3.3	<u>Riparian Corridor</u>			5.5	Channel Alterations	
	Mass Failures:	<b>None</b>			Straightening:	<b>None</b>
	Average Height (ft.):				Dredging:	<b>None</b>
	Gullies:	<b>None</b>				
	Average Height (ft.):					



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **M12S5.01 -G**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>702.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>368.3</b>	<b>348.7</b>
	Erosion Height (ft.):	<b>2.3</b>	<b>2.2</b>
	Revetment Type:	<b>Rip-Rap</b>	<b>None</b>
	Revetment length:	<b>15.5</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>Multiple</b>	
	Average Height (ft.):	<b>4.7</b>	
	Gullies:	<b>One</b>	
	Average Height (ft.):	<b>5.0</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>2</b>
4.7	Stormwater Inputs	
4.9	Beaver Dams:	<b>0</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>0</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **M10 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>		4.4	Number of Debris Jams:	<b>0</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.7	Stormwater Inputs	<b>0</b>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>	4.9	Beaver Dams:	<b>0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>		Affected length:	<b>0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>	5.2	Migration Features	
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>		Flood Chutes:	<b>10</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>		Neck Cutoffs:	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>		Channel Avulsions:	<b>0</b>
	Erosion Length (ft.):	<b>1,397.2</b>	<b>1,463.3</b>		Braiding:	<b>1</b>
	Erosion Height (ft.):	<b>4.4</b>	<b>4.6</b>	5.3	Steep Riffles and Head Cuts	
	Revetment Type:	<b>Other</b>	<b>Multiple</b>		Steep Riffles:	<b>3</b>
	Revetment length:	<b>304.9</b>	<b>823.5</b>		Head Cuts:	<b>0</b>
3.2	<u>Buffer Less Than 25 ft.</u>			5.4	Animal Crossings:	<b>No</b>
3.3	<u>Riparian Corridor</u>			5.5	Channel Alterations	
	Mass Failures:	<b>Multiple</b>			Straightening:	<b>Straightening</b>
	Average Height (ft.):	<b>25.0</b>			Dredging:	<b>None</b>
	Gullies:	<b>One</b>				
	Average Height (ft.):	<b>40.0</b>				



Phase 2 - FIT - Legacy Data Report

Laplatte

SGAT Version: 4.53

Reach: T1.05 -B

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>214.0</b>	<b>304.4</b>
	Erosion Height (ft.):	<b>4.0</b>	<b>3.0</b>
	Revetment Type:	<b>None</b>	<b>Rip-Rap</b>
	Revetment length:	<b>0.0</b>	<b>369.5</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>Multiple</b>	
	Average Height (ft.):	<b>15.0</b>	
	Gullies:	<b>One</b>	
	Average Height (ft.):	<b>15.0</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>0</b>
4.7	Stormwater Inputs	<b>2</b>
4.9	Beaver Dams:	<b>5</b>
	Affected length:	<b>390</b>
5.2	Migration Features	
	Flood Chutes:	<b>5</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>1</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>Yes</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **M12S5.01 -B**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Erosion Height (ft.):	<b>0.0</b>	<b>0.0</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>	<b>0</b>	<b>0</b>
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):		
	Gullies:	<b>None</b>	
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>0</b>
4.7	Stormwater Inputs	
4.9	Beaver Dams:	<b>2</b>
	Affected length:	<b>1000</b>
5.2	Migration Features	
	Flood Chutes:	<b>2</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **T3.02 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>		<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>		4.4	Number of Debris Jams:	<b>0</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>	4.7	Stormwater Inputs	<b>0</b>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>	4.9	Beaver Dams:	<b>4</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>		Affected length:	<b>2250</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>	5.2	Migration Features	
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>		Flood Chutes:	<b>1</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>		Neck Cutoffs:	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>		Channel Avulsions:	<b>2</b>
	Erosion Length (ft.):	<b>0.0</b>	<b>47.9</b>		Braiding:	<b>1</b>
	Erosion Height (ft.):	<b>0.0</b>	<b>3.0</b>	5.3	Steep Riffles and Head Cuts	
	Revetment Type:	<b>None</b>	<b>None</b>		Steep Riffles:	<b>0</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>		Head Cuts:	<b>0</b>
3.2	<u>Buffer Less Than 25 ft.</u>			5.4	Animal Crossings:	<b>No</b>
3.3	<u>Riparian Corridor</u>			5.5	Channel Alterations	
	Mass Failures:	<b>None</b>			Straightening:	<b>None</b>
	Average Height (ft.):	<b>0.0</b>			Dredging:	<b>None</b>
	Gullies:	<b>None</b>				
	Average Height (ft.):	<b>0.0</b>				



Phase 2 - FIT - Legacy Data Report

Laplatte

SGAT Version: 4.53

Reach: M13 -0

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>2,033.5</b>	<b>2,012.7</b>
	Erosion Height (ft.):	<b>3.2</b>	<b>2.7</b>
	Revetment Type:	<b>Other</b>	<b>None</b>
	Revetment length:	<b>504.6</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>		
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	
	Gullies:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>2</b>
4.7	Stormwater Inputs	<b>0</b>
4.9	Beaver Dams:	<b>0</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>1</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>None</b>
	Dredging:	<b>None</b>



Phase 2 - FIT - Legacy Data Report

Laplatte

SGAT Version: 4.53

Reach: **M15 -B**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>1,068.7</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>111.0</b>	<b>427.8</b>
	Erosion Height (ft.):	<b>4.1</b>	<b>5.0</b>
	Revetment Type:	<b>None</b>	<b>None</b>
	Revetment length:	<b>0.0</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>		
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	
	Gullies:	<b>None</b>	
	Average Height (ft.):	<b>0.0</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>7</b>
4.7	Stormwater Inputs	<b>0</b>
4.9	Beaver Dams:	<b>3</b>
	Affected length:	<b>700</b>
5.2	Migration Features	
	Flood Chutes:	<b>2</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>1</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>Dredging</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **M07 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>	<u>Step</u>	<u>Description</u>	<u>Value</u>
1.2	Alluvial Fan:	<b>None</b>	4.4	Number of Debris Jams:	<b>0</b>
1.3	<u>Encroachments - Side</u>	<u>One</u>	4.7	Stormwater Inputs	<b>0</b>
	Berm Length (ft.):	<b>0.0</b>	4.9	Beaver Dams:	<b>0</b>
	Path Length (ft.):	<b>0.0</b>		Affected length:	<b>0</b>
	Road Length (ft.):	<b>0.0</b>	5.2	Migration Features	
	Railroad Lenth (ft.):	<b>0.0</b>		Flood Chutes:	<b>1</b>
	Development Length:	<b>0.0</b>		Neck Cutoffs:	<b>0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>		Channel Avulsions:	<b>0</b>
	Erosion Length (ft.):	<b>75.8</b>		Braiding:	<b>0</b>
	Erosion Height (ft.):	<b>3.0</b>	5.3	Steep Riffles and Head Cuts	
	Revetment Type:	<b>None</b>		Steep Riffles:	<b>0</b>
	Revetment length:	<b>0.0</b>		Head Cuts:	<b>0</b>
3.2	<u>Buffer Less Than 25 ft.</u>		5.4	Animal Crossings:	<b>No</b>
3.3	<u>Riparian Corridor</u>		5.5	Channel Alterations	
	Mass Failures:	<b>One</b>		Straightening:	<b>None</b>
	Average Height (ft.):	<b>20.0</b>		Dredging:	<b>None</b>
	Gullies:	<b>None</b>			
	Average Height (ft.):				



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
June, 17 2026

## Phase 2 - FIT - Legacy Data Report

## Laplatte

SGAT Version: **4.53**

Reach: **M08 -0**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
1.2	Alluvial Fan:	<b>None</b>	
1.3	<u>Encroachments - Side</u>	<u>One</u>	<u>Both</u>
	Berm Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Path Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Road Length (ft.):	<b>0.0</b>	<b>0.0</b>
	Railroad Lenth (ft.):	<b>0.0</b>	<b>0.0</b>
	Development Length:	<b>0.0</b>	<b>0.0</b>
3.1	<u>Erosion - Bank</u>	<u>Left</u>	<u>Right</u>
	Erosion Length (ft.):	<b>759.8</b>	<b>684.6</b>
	Erosion Height (ft.):	<b>5.9</b>	<b>4.4</b>
	Revetment Type:	<b>Rip-Rap</b>	<b>None</b>
	Revetment length:	<b>96.7</b>	<b>0.0</b>
3.2	<u>Buffer Less Than 25 ft.</u>		
3.3	<u>Riparian Corridor</u>		
	Mass Failures:	<b>One</b>	
	Average Height (ft.):	<b>12.0</b>	
	Gullies:	<b>None</b>	
	Average Height (ft.):		

<u>Step</u>	<u>Description</u>	<u>Value</u>
4.4	Number of Debris Jams:	<b>0</b>
4.7	Stormwater Inputs	<b>0</b>
4.9	Beaver Dams:	<b>0</b>
	Affected length:	<b>0</b>
5.2	Migration Features	
	Flood Chutes:	<b>1</b>
	Neck Cutoffs:	<b>0</b>
	Channel Avulsions:	<b>0</b>
	Braiding:	<b>0</b>
5.3	Steep Riffles and Head Cuts	
	Steep Riffles:	<b>0</b>
	Head Cuts:	<b>0</b>
5.4	Animal Crossings:	<b>No</b>
5.5	Channel Alterations	
	Straightening:	<b>Straightening</b>
	Dredging:	<b>None</b>