



Phase 1 - FIT - Legacy Data Report

Otter Creek - Cold River

SGAT Version: 4.56

Reach: **M01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>Yes</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>3209</b>	<b>1849</b>
5.1	Flow Regulation - Type:	<b>Small Withdrawal</b>	
	Use:	<b>Other</b>	
5.2	# of Bridges or Culverts:	<b>4</b>	
	Total Length:	<b>2770.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>1011.91</b>	<b>448.220</b>
		<b>998</b>	<b>00</b>
	Data Armoring:		
5.4	Straightening Length:	<b>6217.97998</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Multiple</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>3906.6802</b>	<b>1475.9301</b>
	Berm:	<b>2906.1602</b>	<b>1475.9301</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>1000.5200</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>1616.2400</b>	<b>1967.5100</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>5134.479980</b>
			<b>5</b>
	Bank Height:	<b>N.D.</b>	<b>7.174</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 26 2024

Reach: **M02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>150.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>36.0600</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>36.0600</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>473.1900</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Migration</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>0.0000000</b>
	Bank Height:	<b>N.D.</b>	<b>0.000</b>

Reach: **M03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Ledge</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>810</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>206.340</b>	<b>0.00000</b>
		<b>00</b>	
	Data Armoring:		
5.4	Straightening Length:	<b>1770.21997</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>1051.8600</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>1051.8600</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>1591.7100</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Flood Chute</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>3826.909912</b>
			<b>1</b>
	Bank Height:	<b>N.D.</b>	<b>5.332</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 26 2024

Reach: **M04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:	<b>None</b>	
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Flood Chute</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>1086.920043</b>
			<b>9</b>
	Bank Height:	<b>N.D.</b>	<b>4.074</b>

Reach: **M05**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>450.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>0.0000</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>0.0000</b>	<b>94.4800</b>
6.4	Miander Migration:	<b>Flood Chute</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>2328.520019</b>
			<b>5</b>
	Bank Height:	<b>N.D.</b>	<b>4.645</b>



# Stream Geomorphic Assessment

## Agency of Natural Resources



Vermont.gov  
November, 26 2024

Reach: **M06**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>2471</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>762.320</b>	<b>0.00000</b>
		<b>01</b>	
	Data Armoring:		
5.4	Straightening Length:	<b>2281.19995</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Dredging</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>5170.2798</b>	<b>0.0000</b>
	Berm:	<b>294.2000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>4876.0801</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>2213.7800</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Flood Chute</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>3752.790039</b>
			<b>1</b>
	Bank Height:	<b>N.D.</b>	<b>4.681</b>

Reach: **M07**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>2049</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>415.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>2530.20</b>	<b>557.479</b>
		<b>996</b>	<b>98</b>
	Data Armoring:		
5.4	Straightening Length:	<b>5373.83008</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Dredging</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>8052.7700</b>	<b>375.3700</b>
	Berm:	<b>1866.0900</b>	<b>375.3700</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>6186.6797</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>3574.1201</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Migration</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>1520.010009</b>
			<b>8</b>
	Bank Height:	<b>N.D.</b>	<b>5.845</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 26 2024

Reach: **M08**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>350</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>300.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>83.8800</b>	<b>172.6499</b>
	Data Armoring:		
5.4	Straightening Length:	<b>909.53003</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Dredging</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>1523.4600</b>	<b>0.0000</b>
	Berm:	<b>78.5900</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>1444.8700</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>432.8800</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Flood Chute</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>2182.109863</b>
			<b>3</b>
	Bank Height:	<b>N.D.</b>	<b>3.898</b>

Reach: **M09**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>383</b>	<b>503</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>100.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>225.67999</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>59.3100</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>59.3100</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:	<b>None</b>	
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>575.9000244</b>
	Bank Height:	<b>N.D.</b>	<b>3.148</b>



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 26 2024

Reach: **M10**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Multiple</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>604</b>	<b>1906</b>
5.1	Flow Regulation - Type:	<b>Small Run of River</b>	
	Use:	<b>Recreation</b>	
5.2	# of Bridges or Culverts:	<b>5</b>	
	Total Length:	<b>560.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>409.179</b>	<b>1078.01001</b>
	Data Armoring:		
5.4	Straightening Length:	<b>2898.42993</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>None</b>	
6.1	Berms & Roads Data:	<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>2790.1401</b>	<b>0.0000</b>
	Berm:	<b>0.0000</b>	<b>0.0000</b>
	Path:	<b>0.000</b>	<b>0.000</b>
	Road:	<b>2790.1401</b>	<b>0.00000</b>
	Railroad:	<b>0.0000</b>	<b>0.00</b>
6.2	Corridor Development Data:		
	Length:	<b>679.4100</b>	<b>693.8900</b>
6.4	Miander Migration:	<b>Flood Chute</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>None</b>	<b>383.6900024</b>
	Bank Height:	<b>N.D.</b>	<b>2.941</b>

Reach: **T2.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Not Evaluated</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>0</b>	
	Total Length:	<b>0.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>1650.42004</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Not Evaluated</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:	<b>None</b>	
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Migration</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.E.</b>	
	Bank Height:	<b>N.D.</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 26 2024

Reach: **T2-s1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Not Evaluated</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>157.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>240.92999</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Not Evaluated</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:	<b>None</b>	
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Migration</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.E.</b>	
	Bank Height:	<b>N.D.</b>	

Reach: **T2-s1.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Not Evaluated</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:		
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Not Evaluated</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:	<b>None</b>	
	Length:		
6.4	Miander Migration:	<b>Migration</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.E.</b>	
	Bank Height:		



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 26 2024

Reach: **T2-s1.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Not Evaluated</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>39.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Not Evaluated</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:	<b>None</b>	
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.E.</b>	
	Bank Height:	<b>N.D.</b>	

Reach: **T2.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Not Evaluated</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>195.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Not Evaluated</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:	<b>None</b>	
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Migration</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.E.</b>	
	Bank Height:	<b>N.D.</b>	





# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 26 2024

Reach: **T2.03**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Not Evaluated</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>107.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Not Evaluated</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:	<b>None</b>	
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Multiple</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.E.</b>	
	Bank Height:	<b>N.D.</b>	

Reach: **T2.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Not Evaluated</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>78.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Not Evaluated</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:	<b>None</b>	
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Migration</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.E.</b>	
	Bank Height:	<b>N.D.</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 26 2024

Reach: **T1.01**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Not Evaluated</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>1</b>	
	Total Length:	<b>90.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>473.42999</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Not Evaluated</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:	<b>None</b>	
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Migration</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.E.</b>	
	Bank Height:	<b>N.D.</b>	

Reach: **T1.02**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>None</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>270.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>816.50000</b>	
	Straightening Data:		

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Not Evaluated</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:	<b>None</b>	
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>Migration</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.E.</b>	
	Bank Height:	<b>N.D.</b>	



# Stream Geomorphic Assessment

Agency of Natural Resources



Vermont.gov  
November, 26 2024

Reach: **T1.04**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>Yes</b>	
3.2	Grade Control:	<b>Not Evaluated</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:	<b>2</b>	
	Total Length:	<b>165.000</b>	
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
		<b>0.00000</b>	<b>0.00000</b>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:	<b>0.00000</b>	
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Not Evaluated</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:	<b>0.0000</b>	<b>0.0000</b>
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:	<b>None</b>	
	Length:	<b>0.0000</b>	<b>0.0000</b>
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.E.</b>	
	Bank Height:	<b>N.D.</b>	

Reach: **T1.05**

<u>Step</u>	<u>Description</u>	<u>Value</u>	
3.1	Alluvial Fan:	<b>None</b>	
3.2	Grade Control:	<b>Not Evaluated</b>	
4.3	Buffer Less Than 25 ft	<u>Left</u>	<u>Right</u>
		<b>0</b>	<b>0</b>
5.1	Flow Regulation - Type:	<b>None</b>	
	Use:		
5.2	# of Bridges or Culverts:		
	Total Length:		
5.3	Armoring Length	<u>Left</u>	<u>Right</u>
	Data Armoring:	<b>None</b>	
5.4	Straightening Length:		
	Straightening Data:	<b>None</b>	

<u>Step</u>	<u>Description</u>	<u>Value</u>	
5.5	Dredging History:	<b>Not Evaluated</b>	
6.1	Berms & Roads Data:	<b>None</b>	
		<u>One Side</u>	<u>Both Sides</u>
	Berms & Roads:		
	Berm:		
	Path:		
	Road:		
	Railroad:		
6.2	Corridor Development Data:	<b>None</b>	
	Length:		
6.4	Miander Migration:	<b>No Data</b>	
		<u>Old</u>	<u>New</u>
7.2	Bank Erosion:	<b>N.E.</b>	
	Bank Height:		