

Permit Number 5651-9015
Project ID Number BR07-0076

VERMONT DEPARTMENT OF ENVIRONMENTAL CONSERVATION
AUTHORIZATION TO DISCHARGE UNDER
GENERAL PERMIT 3-9015

A determination has been made that the applicant:

Eleanor Gilbert Trust
199 Laurel Hill Drive
South Burlington, VT 05403

meets the criteria necessary for inclusion under General Permit 3-9015. Here after the named applicant shall be referred to as the permittee. Subject to the conditions of General Permit No. 3-9015, the permittee is authorized to discharge stormwater from the Gilbert Residential Subdivision located on Diggins Road in Hyde Park, Vermont to an unnamed tributary to Green River Reservoir.

Manner of Discharge:

S/N 001: Stormwater runoff from access road, driveways, and rooftops via sheet flow and overland flow to grass and stone lined channels to dry detention basin #1 before discharging via a controlled outlet structure to an unnamed tributary of Green River Reservoir.

S/N 002: Stormwater runoff from access road, driveways, and rooftops via sheet flow and overland flow to grass and stone lined channels to dry detention basins #2 and #3 before discharging via a controlled outlet structure to an unnamed tributary of Green River Reservoir.

NOTE: This project utilizes the Environmentally Sensitive Rural Development (ESRD) Credit 3.6 (2002 Vermont Stormwater Management Manual).

Design: This project shall be constructed and operated in accordance with the site plans and details designed by Watershed Consulting Associates, LLC and Navigator Environmental Services (Sheet 1 dated 1/3/2008; Sheet 2 dated 1/3/2008; Sheet 3 dated 1/3/2008; Sheet 4 dated 1/3/2008; Sheet 5 dated 1/3/2008 and all supporting information).

By reference, the above noted plans are made part of this authorization.

Compliance with General Permit 3-9015 and this Authorization

The permittee shall comply with this authorization and all the terms and conditions of General Permit 3-9015, including the payment of annual operating fees to the Department. A billing statement for such fees will be sent to the permittee each year. The first year's statement is enclosed. Any permit non-compliance, including a failure to pay the annual operating fee, constitutes a violation of 10 V.S.A. Chapter 47 and may be grounds for an enforcement action or revocation of this authorization to discharge.

Transferability

This authorization to discharge is not transferable to any person except in compliance with Part VI.D. of General Permit 3-9015. A copy of General Permit 3-9015 is available from the Department via the internet at

http://www.vtwaterquality.org/Stormwater/sw_3-9015-finalpermit.pdf

Changes to Permitted Development

In accordance with Part V.G. of General Permit 3-9015, the permittee shall notify the Department of any planned development or facility expansions or changes that may result in new or increased stormwater discharges. The Department shall determine the appropriateness of continued inclusion under General Permit 3-9015 by the modified development or facility.

Semi-Annual Inspection and Report

The stormwater collection, treatment and control system authorized herein shall be properly operated and maintained and shall be inspected at least twice per year, once in the spring after snowmelt and once in the fall prior to snow fall. The inspection shall evaluate the operation and maintenance and condition of the stormwater collection, treatment and control system. The permittee shall prepare a semiannual inspection report on a form available from the Department. The permittee shall, by November 1st and June 1st of each year, submit an inspection report to the Department.

Restatement of Compliance

An initial statement of compliance, signed by a designer, must be submitted to the Department no later than 6 months following completion of construction of the stormwater management system. Then, every 3 years, the permittee shall submit to the Department a written statement signed by a designer that the stormwater collection, treatment and control system authorized herein is properly operating and maintained. The first re-statement of compliance is due April 10, 2011. Failure to submit a designer's restatement of compliance shall constitute a violation of General Permit 3-9015 and may result in the revocation of this authorization to discharge.

Filing of this Authorization with Local Land Records

In accordance with Part VI.N. of General Permit 3-9015, the permittee shall file a copy of this authorization to discharge in the land records within seven (7) days of its issuance and a copy of the recording shall be provided to the Department within fourteen (14) days of the permittee's receipt of a copy of the recording from the local land records.

Rights to Appeal to the Environmental Court

Pursuant to 10 V.S.A. Chapter 220, any appeal of this decision must be filed with the clerk of the Environmental Court within 30 days of the date of the decision. The appellant must attach to the Notice of Appeal the entry fee of \$225.00, payable to the state of Vermont. The Notice of Appeal must specify the parties taking the appeal and the statutory provision under which each party claims party status; must designate the act or decision appealed from; must name the Environmental Court; and must be signed by the appellant or their attorney. In addition, the appeal must give the address or location and description of the property, project or facility with which the appeal is concerned and


the name of the applicant or any permit involved in the appeal. The appellant must also serve a copy of the Notice of Appeal in accordance with Rule 5(b)(4)(B) of the Vermont Rules for Environmental Court Proceedings. For further information, see the Vermont Rules for Environmental Court Proceedings, available on line at www.vermontjudiciary.org. The address for the Environmental Court is 2418 Airport Road, Suite 1, Barre, VT 05641 (Tel. # 802-828-1660).

Effective Date and Expiration Date of this Authorization

This authorization to discharge shall become effective on April 10, 2008 and shall continue until April 10, 2018. The permittee shall reapply for coverage at least sixty (60) days prior to April 10, 2018.

Dated at Waterbury, VT this 10th day of April, 2008.

Laura Q. Pelsoi, Commissioner
Department of Environmental Conservation

By 
Padraic Monks, Interim Section Chief
Stormwater Management Section