

Permit Number 6263-9010
Project ID Number BR09-0371

VERMONT DEPARTMENT OF ENVIRONMENTAL CONSERVATION
AUTHORIZATION TO DISCHARGE UNDER
GENERAL PERMIT 3-9010

A determination has been made that the applicant:

Vermont Agency of Transportation
c/o Maintenance and Operations Bureau
1 National Life Drive
Montpelier, VT 05633-5001

Impervious Area: 1.36 acres

meets the criteria necessary for inclusion under General Permit 3-9010. Hereinafter the named applicant shall be referred to as the permittee. Subject to the conditions of General Permit No. 3-9010, the permittee is authorized to discharge stormwater from Hyde Park HES 030-2(23) Roundabout located at CT Route 15, VT Route 100, T.H #5 in Hyde Park, Vermont to unnamed tributary of the Lamoille River as previously described in General Permit No. 6263-INDS:

Manner of Discharge:

S/N 001: Stormwater runoff from roadways, driveways, and vegetated areas via dry swales to a catch basin system via a closed drainage system, in combination with grass channels and sheet flow discharging to an unnamed tributary of the Lamoille River.

The *Stormwater Procedure for Public Linear Transportation Projects* was utilized to meet applicable treatment standards for this project as follows: 20% Water Quality Volume provided for expansion (0.21 acres) and redevelopment (1.15 acres) areas within the total project limits through treatment in dry swales, catch basins, and grass channels located in drainage area S/N 001.

Compliance with General Permit 3-9010 and this Authorization

The permittee shall comply with this authorization and all the terms and conditions of General Permit 3-9010, including the payment of annual operating fees to the Department. A billing statement for such fees will be sent to the permittee each year. The first year's statement is enclosed. Any permit non-compliance, including a failure to pay the annual operating fee, constitutes a violation of 10 V.S.A. Chapter 47 and may be grounds for an enforcement action or revocation of this authorization to discharge.

Transferability

This authorization to discharge is not transferable to any person except in compliance with Part VI.D. of General Permit 3-9010. A copy of General Permit 3-9010 is available

from the Department via the internet at

http://www.vtwaterquality.org/stormwater/htm/sw_3-9010.htm

Changes to Permitted Development

In accordance with Part V.G. of General Permit 3-9010, the permittee shall notify the Department of any planned development or facility expansions or changes that may result in new or increased stormwater discharges. The Department shall determine the appropriateness of continued inclusion under General Permit 3-9010 by the modified development or facility.

Annual Inspection and Report

The stormwater collection, treatment and control system shall be properly operated. The permittee shall submit an annual inspection report on the operation, maintenance and condition of the stormwater collection, treatment and control system. The inspection report shall be submitted regardless of whether the project has been constructed. The inspection shall be conducted between the conclusion of spring snow melt and June 15th of each year and the inspection report shall be submitted to the Secretary by July 15th of each year, or by July 30th if performed by a utility or municipality pursuant to a duly adopted stormwater management ordinance. The inspection report shall note all problem areas and all measures taken to correct any problems and to prevent future problems.

Restatement of Compliance

Every 3 years, the permittee shall submit to the Department a written statement signed by a designer that the stormwater collection, treatment and control system authorized herein is properly operating and maintained. The first re-statement of compliance is due July 15, 2018. Failure to submit a designer's restatement of compliance shall constitute a violation of General Permit 3-9010 and may result in the revocation of this authorization to discharge. Forms for completing this requirement are available on the Stormwater Management Program's website.

Renewable Energy Projects – Right to Appeal to Public Service Board:

If this decision relates to a renewable energy plant for which a certificate of public good is required under 30 V.S.A. §248, any appeal of this decision must be filed with the Vermont Public Service Board pursuant to 10 V.S.A. §8506. This section does not apply to a facility that is subject to 10 V.S.A. §1004 (dams before the Federal Energy Regulatory Commission), 10 V.S.A. §1006 (certification of hydroelectric projects) or 10 V.S.A. Chapter 43 (dams). Any appeal under this section must be filed with the clerk of the Public Service Board within 30 days of the date of this decision. For further information, see the Public Service Board website at <http://psb.vermont.gov> or call (802) 828-2358. The address for the Public Service Board is 112 State Street Montpelier, Vermont 05620-2701.

All Other Projects - Right to Appeal to the Environmental Court

Pursuant to 10 V.S.A. Chapter 220, any appeal of this decision must be filed with the clerk of the Environmental Court within 30 days of the date of the decision. The appellant must attach to the Notice of Appeal the entry fee of \$250.00, payable to the state of Vermont. The Notice of Appeal must specify the parties taking the appeal and


the statutory provision under which each party claims party status; must designate the act or decision appealed from; must name the Environmental Court; and must be signed by the appellant or their attorney. In addition, the appeal must give the address or location and description of the property, project or facility with which the appeal is concerned and the name of the applicant or any permit involved in the appeal. The appellant must also serve a copy of the Notice of Appeal in accordance with Rule 5(b)(4)(B) of the Vermont Rules for Environmental Court Proceedings. For further information, see the Vermont Rules for Environmental Court Proceedings, available on line at www.vermontjudiciary.org. The address for the Environmental Court is 32 Cherry Street, 2nd Floor Suite 303 Burlington, Vermont 05401 (Tel. # 802-951-1740).

Effective Date and Expiration Date of this Authorization

This authorization to discharge shall become effective on January 26, 2015 and shall continue until January 16, 2025. The permittee shall reapply for coverage at least sixty (60) days prior to January 16, 2025.

Dated this 26th day of January, 2015.

David K. Mears, Commissioner
Department of Environmental Conservation

By 

Padraic Monks, Stormwater Program Manager
Stormwater Management Program