

Table
Groundwater Summary Table
ENERGIZER Bennington Facility
Bennington, Vermont

	Location ID	ERM-11S	ERM-11S	ERM-12	ERM-12	ERM-13	ERM-13	ERM-16	ERM-16
	Sample Date	13-Sep-22	04-Oct-23	12-Sep-22	04-Oct-23	12-Sep-22	04-Oct-23	14-Sep-22	04-Oct-23
Analyte	Sample Type	N	N	N	N	N	N	N	N
	Depth	-	-	-	-	-	-	-	18.5 ft
Method SW8260C	Unit								
1,1,1-Trichloroethane	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1,2,2-Tetrachloroethane	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1,2-Trichloroethane	µg/L	< 1.0	< 1.0	< 2.0	2.5	< 1.0	< 1.0	< 1.0	< 1.0
1,1-Dichloroethane	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1-Dichloroethene	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2,4-Trichlorobenzene	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dibromo-3-chloropropane	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dichlorobenzene	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dichloroethane	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dichloropropane	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,3-Dichlorobenzene	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,4-Dichlorobenzene	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
2-Butanone (Methyl ethyl ketone)	µg/L	< 10	< 10	< 20	< 10	< 10	< 10	< 10	< 10
2-Hexanone	µg/L	< 5.0	< 5.0	< 10	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
4-Methyl-2-pentanone	µg/L	< 5.0	< 5.0	< 10 *-	< 5.0	< 5.0	< 5.0	< 5.0 *-	< 5.0
Acetone	µg/L	< 10	< 10	< 20	< 10	< 10	< 10	< 10	< 10
Benzene	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Bromodichloromethane	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Bromoform	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Bromomethane	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Carbon disulfide	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Carbon tetrachloride	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Chlorobenzene	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Chloroethane	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Chloroform	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	0.43 J	0.63 J	0.47 J	0.46 J
Chloromethane	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
cis-1,2-Dichloroethene	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
cis-1,3-Dichloropropene	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Cyclohexane	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Dibromochloromethane	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Dichlorodifluoromethane (Freon 12)	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Ethylbenzene	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Ethylene dibromide	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Isopropylbenzene (Cumene)	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Methyl acetate	µg/L	< 2.5	< 2.5	< 5.0 *-	< 2.5	< 2.5	< 2.5	< 2.5 *-	< 2.5
Methyl tert-butyl ether	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Methylcyclohexane	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Methylene chloride	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Styrene	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Tetrachloroethene	µg/L	< 1.0	< 1.0	93	100	< 1.0	< 1.0	15	17
Toluene	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
trans-1,2-Dichloroethene	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
trans-1,3-Dichloropropene	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Trichloroethene	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Trichlorofluoromethane (Freon 11)	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Vinyl chloride	µg/L	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Xylene, Total	µg/L	< 2.0	< 2.0	< 4.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0

Notes:

< = Compound not detected at concentrations above the laboratory reporting detection limit. The laboratory reporting detection limit is shown.
FD = Field Duplicate Sample
N = Normal Environmental Sample
µg/L = micrograms per liter
ft = feet

Qualifiers - Organic:

J = The analyte was positively identified; associated numerical value is the approximate concentration of the analyte in the sample.

Table
Groundwater Summary Table
ENERGIZER Bennington Facility
Bennington, Vermont

	Location ID	ERM-16	ERM-8	ERM-8	MW-102	MW-102	MW-103	MW-103	MW-103
	Sample Date	04-Oct-23	14-Sep-22	04-Oct-23	13-Sep-22	03-Oct-23	13-Sep-22	03-Oct-23	03-Oct-23
	Sample Type	FD	N	N	N	N	N	N	N
Analyte	Depth	18.5 ft	-	17.5 ft	10 - 15 ft	10 - 15 ft	8 - 13 ft	8 - 13 ft	13 - 18 ft
Method SW8260C	Unit								
1,1,1-Trichloroethane	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1,2,2-Tetrachloroethane	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1,2-Trichloroethane	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1-Dichloroethane	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1-Dichloroethene	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2,4-Trichlorobenzene	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dibromo-3-chloropropane	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dichlorobenzene	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dichloroethane	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dichloropropane	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,3-Dichlorobenzene	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,4-Dichlorobenzene	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
2-Butanone (Methyl ethyl ketone)	µg/L	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10
2-Hexanone	µg/L	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
4-Methyl-2-pentanone	µg/L	< 5.0	< 5.0 *-	< 5.0	< 5.0 *-	< 5.0	< 5.0 *-	< 5.0	< 5.0
Acetone	µg/L	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10
Benzene	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Bromodichloromethane	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Bromoform	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Bromomethane	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Carbon disulfide	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Carbon tetrachloride	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Chlorobenzene	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Chloroethane	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Chloroform	µg/L	0.47 J	< 1.0	< 1.0	< 1.0	< 1.0	0.75 J	1.0	1.0
Chloromethane	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
cis-1,2-Dichloroethene	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
cis-1,3-Dichloropropene	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Cyclohexane	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Dibromochloromethane	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Dichlorodifluoromethane (Freon 12)	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Ethylbenzene	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Ethylene dibromide	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Isopropylbenzene (Cumene)	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Methyl acetate	µg/L	< 2.5	< 2.5 *-	< 2.5	< 2.5 *-	< 2.5	< 2.5 *-	< 2.5	< 2.5
Methyl tert-butyl ether	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Methylcyclohexane	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Methylene chloride	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Styrene	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Tetrachloroethene	µg/L	18	< 1.0	0.72 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Toluene	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
trans-1,2-Dichloroethene	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
trans-1,3-Dichloropropene	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Trichloroethene	µg/L	< 1.0	0.82 J	0.89 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Trichlorofluoromethane (Freon 11)	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Vinyl chloride	µg/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Xylene, Total	µg/L	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0

Notes:

< = Compound not detected at concentrations above the laboratory reporting detection limit. The laboratory reporting detection limit is shown.
FD = Field Duplicate Sample
N = Normal Environmental Sample
µg/L = micrograms per liter
ft = feet

Qualifiers - Organic:

J = The analyte was positively identified; associated numerical value is the approximate concentration of the analyte in the sample.

Table
Groundwater Summary Table
ENERGIZER Bennington Facility
Bennington, Vermont

Analyte	Location ID	MW-104	MW-104	MW-104	Waste Sample
	Sample Date	13-Sep-22	03-Oct-23	03-Oct-23	04-Oct-23
	Sample Type	N	N	N	N
	Depth Unit	5 - 10 ft	5 - 10 ft	10 - 15 ft	-
Method SW8260C					
1,1,1-Trichloroethane	µg/L	< 1.0	< 1.0	< 1.0	
1,1,2,2-Tetrachloroethane	µg/L	< 1.0	< 1.0	< 1.0	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	µg/L	< 1.0	< 1.0	< 1.0	
1,1,2-Trichloroethane	µg/L	< 1.0	< 1.0	< 1.0	
1,1-Dichloroethane	µg/L	< 1.0	< 1.0	< 1.0	
1,1-Dichloroethene	µg/L	< 1.0	< 1.0	< 1.0	
1,2,4-Trichlorobenzene	µg/L	< 1.0	< 1.0	< 1.0	
1,2-Dibromo-3-chloropropane	µg/L	< 1.0	< 1.0	< 1.0	
1,2-Dichlorobenzene	µg/L	< 1.0	< 1.0	< 1.0	
1,2-Dichloroethane	µg/L	< 1.0	< 1.0	< 1.0	
1,2-Dichloropropane	µg/L	< 1.0	< 1.0	< 1.0	
1,3-Dichlorobenzene	µg/L	< 1.0	< 1.0	< 1.0	
1,4-Dichlorobenzene	µg/L	< 1.0	< 1.0	< 1.0	
2-Butanone (Methyl ethyl ketone)	µg/L	< 10	< 10	< 10	
2-Hexanone	µg/L	< 5.0	< 5.0	< 5.0	
4-Methyl-2-pentanone	µg/L	< 5.0 *-	< 5.0	< 5.0	
Acetone	µg/L	< 10	< 10	< 10	
Benzene	µg/L	< 1.0	< 1.0	< 1.0	
Bromodichloromethane	µg/L	< 1.0	< 1.0	< 1.0	
Bromoform	µg/L	< 1.0	< 1.0	< 1.0	
Bromomethane	µg/L	< 1.0	< 1.0	< 1.0	
Carbon disulfide	µg/L	< 1.0	< 1.0	< 1.0	
Carbon tetrachloride	µg/L	< 1.0	< 1.0	< 1.0	
Chlorobenzene	µg/L	< 1.0	< 1.0	< 1.0	
Chloroethane	µg/L	< 1.0	< 1.0	< 1.0	
Chloroform	µg/L	1.3	2.2	2.4	
Chloromethane	µg/L	< 1.0	< 1.0	< 1.0	
cis-1,2-Dichloroethene	µg/L	< 1.0	< 1.0	< 1.0	
cis-1,3-Dichloropropene	µg/L	< 1.0	< 1.0	< 1.0	
Cyclohexane	µg/L	< 1.0	< 1.0	< 1.0	
Dibromochloromethane	µg/L	< 1.0	< 1.0	< 1.0	
Dichlorodifluoromethane (Freon 12)	µg/L	< 1.0	< 1.0	< 1.0	
Ethylbenzene	µg/L	< 1.0	< 1.0	< 1.0	
Ethylene dibromide	µg/L	< 1.0	< 1.0	< 1.0	
Isopropylbenzene (Cumene)	µg/L	< 1.0	< 1.0	< 1.0	
Methyl acetate	µg/L	< 2.5 *-	< 2.5	< 2.5	
Methyl tert-butyl ether	µg/L	< 1.0	< 1.0	< 1.0	
Methylcyclohexane	µg/L	< 1.0	< 1.0	< 1.0	
Methylene chloride	µg/L	< 1.0	< 1.0	< 1.0	
Styrene	µg/L	< 1.0	< 1.0	< 1.0	
Tetrachloroethene	µg/L	< 1.0	< 1.0	< 1.0	
Toluene	µg/L	< 1.0	< 1.0	< 1.0	
trans-1,2-Dichloroethene	µg/L	< 1.0	< 1.0	< 1.0	
trans-1,3-Dichloropropene	µg/L	< 1.0	< 1.0	< 1.0	
Trichloroethene	µg/L	< 1.0	< 1.0	< 1.0	
Trichlorofluoromethane (Freon 11)	µg/L	< 1.0	< 1.0	< 1.0	
Vinyl chloride	µg/L	< 1.0	< 1.0	< 1.0	
Xylene, Total	µg/L	< 2.0	< 2.0	< 2.0	

Notes:

< = Compound not detected at concentrations above the laboratory reporting detection limit. The laboratory reporting detection limit is shown.
 FD = Field Duplicate Sample
 N = Normal Environmental Sample
 µg/L = micrograms per liter
 ft = feet

Qualifiers - Organic:

J = The analyte was positively identified; associated numerical value is the approximate concentration of the analyte in the sample.