

January 13, 2026

Kristi Herzer
Vermont Department of Environmental Conservation
Waste Management & Prevention Division
Brownfields Response Program
National Life Campus
1 National Life Drive
Montpelier, VT 05602

Re: Well Decommissioning
Energizer Facility
Bennington, Vermont
Parratt-Wolff Project No. 25106A

Dear Ms. Herzer:

Parratt-Wolff, Inc. recently completed well decommissioning activities at the Energizer Facility located at 401 Gage Street in Bennington, Vermont (the “Site”). The Site is identified under Number 2006-3509 by the Vermont Department of Environmental Conservation (VTDEC). Work was completed under the direction of Environmental Resources Management, Inc. (“ERM”). ERM submitted a Well Abandonment Work Plan on behalf of Energizer Holdings, Inc. (“Energizer”) to VTDEC on April 18, 2025.

The wells that were abandoned included air sparge, soil vapor extraction, groundwater monitoring wells, temperature monitoring locations, and steam injection wells. There were one hundred and forty-four (144) wells that were decommissioned during this project. Table 1 provides a summary of the wells that were abandoned, including construction diameter and depth. Figures 1a-1e illustrate the locations of the wells that were abandoned, categorized by well type for clarity. A photographic log and daily field reports are attached.

All well abandonment activities were conducted in accordance with VTDEC’s Water Supply Rule Sections 12.2.5 and 12.3.18. The work was completed by a two-person crew overseen by ERM personnel. The field work was completed between October 27 and November 7, 2025.

Prior to abandoning the wells, ERM and Parratt-Wolff personnel conducted a site reconnaissance to identify potential obstacles with abandoning the wells and to verify access to well locations.

Any infrastructure within the wells was removed from the well prior to abandonment. Infrastructure encountered included recovery pumps, riser piping, and electrical wiring. Electrical conduit pipe was left in place.

Wells with a diameter of 1 to 1.25 inches with groundwater present were decommissioned by placing slow-release bentonite pellets into the well. Wells with a diameter greater than 1.25 inches were abandoned using bentonite grout slurry, applied via tremie pipe from the bottom to the top of the well. The wells were observed for settling after 24 hours following abandonment and additional grout was added, if necessary.

Protective well covers at wells located on residential properties were removed completely and the surface was restored by placing topsoil. At locations in roadways and sidewalks the lids of the protective well covers were removed and the road boxes were filled with concrete slightly below the surface and the existing lids were placed back on top. At locations on the Energizer property the lids of the protective well covers were removed and the road boxes were filled with concrete.

Investigation-derived wastes (IDW) generated included abandoned well materials consisting of concrete, steel, and PVC. IDW disposal will be coordinated by ERM using a certified waste disposal contractor according to site procedures. General refuse including items such as personal protective equipment (PPE) and other non-contaminated refuse was disposed of in on-site dumpsters.

Respectfully,



Sean Pepling
Project Manager



Josh Ellingworth
Operations Manager
VT License 165.0000053

TABLE 1 - DECOMMISSIONED WELL LIST

ENERGIZER FACILITY

BENNINGTON, VERMONT

Well Identification	Well Diameter (inches)	Total Well Depth (feet bgl)	Date Decommissioned	Decommission Method
AS-1	1	15	10/28/25	Pellets
AS-2	1	15	10/29/25	Pellets
AS-3	1	15	10/29/25	Pellets
AS-4	1	15	10/28/25	Pellets
AS-6	1	15	10/28/25	Pellets
AS-7	1	13	10/28/25	Pellets
AS-8	1	13.5	10/28/25	Pellets
AS-10	1	14	10/28/25	Pellets
AS-11	1	15	10/28/25	Pellets
AS-12	1	15	10/28/25	Pellets
AS-13	1	15	10/28/25	Pellets
AS-14	1	15	10/28/25	Pellets
AS-15	1	15	10/29/25	Pellets
AS-16	1	15	10/29/25	Pellets
AS-17	1	15	10/29/25	Pellets
AS-18	1	15	10/29/25	Pellets
AS-19	1	14	10/29/25	Pellets
AS-20	1	14	10/29/25	Pellets
AS-21	1	16	10/29/25	Pellets
AS-22	1	17	10/29/25	Pellets
AS-23	1	16	10/29/25	Pellets
AS-24	1	15	10/29/25	Pellets
AS-25	1	14.5	10/30/25	Pellets
AS-26	1	15	10/30/25	Pellets
AS-27	1	15	10/30/25	Pellets
AS-28	1	15	10/30/25	Pellets
AS-29	1	15	10/30/25	Pellets
AS-30	1	17	10/30/25	Pellets
AS-31	1	20	10/30/25	Pellets
AS-32	1	16	10/30/25	Pellets
AS-33	1	16	10/30/25	Pellets
AS-34	1.5	18	10/30/25	Grout
AS-35	1.5	18	10/30/25	Grout
AS-36	1.5	18	10/30/25	Grout
AS-37	1	15	10/30/25	Pellets
AS-38	1	15	10/30/25	Pellets
AS-39	1	15	10/30/25	Pellets
AS-40	1	15	10/30/25	Pellets
AS-41	1	15.5	10/30/25	Pellets
AS-42	1	16	10/30/25	Pellets
AS-43	1	16	10/30/25	Pellets
AS-44	1	15	10/30/25	Pellets
AS-45	1	15	10/30/25	Pellets
AS-56	1.5	16	11/4/25	Grout

TABLE 1 - DECOMMISSIONED WELL LIST

ENERGIZER FACILITY

BENNINGTON, VERMONT

Well Identification	Well Diameter (inches)	Total Well Depth (feet bgl)	Date Decommissioned	Decommission Method
AS-57	1.5	16	11/4/25	Grout
AS-59	1.5	16	11/4/25	Grout
AS-61	1.5	16	11/4/25	Grout
AS-64	1.5	16	11/4/25	Grout
AS-69	1.5	15	10/31/25	Grout
AS-70	1.5	15	10/31/25	Grout
AS-74	1.5	15	10/31/25	Grout
AS-75	1.5	15	10/31/25	Grout
ASG-6	3	8	10/28/25	Grout
ASG-11	3	6.3	11/5/25	Grout
ASG-15	3	7.3	11/3/25	Grout
ASG-16	3	7.5	11/5/25	Grout
ASG-17	3	6.5	11/5/25	Grout
ASG-18	3	6	11/5/25	Grout
ASG-20	3	5	11/5/25	Grout
ASG-21	3	4.5	11/5/25	Grout
ASG-23	3	9	11/3/25	Grout
ASG-27	3	9.5	11/3/25	Grout
ASG-28	4	4	11/5/25	Grout
ASG-29	4	6.5	11/3/25	Grout
ASG-30	4	4.5	11/3/25	Grout
ASG-31	4	5	11/3/25	Grout
ASG-32	6	5	11/5/25	Grout
ERM-2*	1.25	13	10/29/25	Pellets
ERM-2*	1.25	22	10/29/25	Pellets
ERM-2*	1.25	50	10/29/25	Pellets
ERM-2*	1.25	82	10/29/25	Pellets
ERM-5S	1.25	10	10/30/25	Pellets
ERM-5MA	1.25	18	10/30/25	Pellets
ERM-5MB	1.25	45	10/30/25	Pellets
ERM-5D	1.25	65	10/30/25	Pellets
ERM-6	2	20	10/28/25	Grout
ERM-7	2	20	10/29/25	Grout
ERM-20	2	15	11/5/25	Grout
EW-1	4	25	11/4/25	Grout
EW-2	4	25	10/28/25	Grout
EW-3	4	24	11/4/25	Grout
EW-4	4	24	11/3/25	Grout
EW-5	4	24	11/3/25	Grout
EW-13	1.5	18	10/28/25	Grout
IW-56	1.5	16	11/4/25	Grout
IW-57	1.5	16	11/4/25	Grout
IW-59	1.5	16	11/4/25	Grout
IW-61	1.5	16	11/4/25	Grout

TABLE 1 - DECOMMISSIONED WELL LIST

ENERGIZER FACILITY

BENNINGTON, VERMONT

Well Identification	Well Diameter (inches)	Total Well Depth (feet bgl)	Date Decommissioned	Decommission Method
IW-64	1.5	16	11/4/25	Grout
IW-69	1.5	15	10/31/25	Grout
IW-70	1.5	15	10/31/25	Grout
IW-74	1.5	15	10/31/25	Grout
IW-75	1.5	15	10/31/25	Grout
MW-101	2	14.5	11/5/25	Grout
SIW-8	4	24	10/31/25	Grout
SIW-9	4	24	11/3/25	Grout
SIW-10	4	24	11/3/25	Grout
SIW-11	4	24	11/3/25	Grout
SIW-12	4	24	11/3/25	Grout
SIW-13	4	24	11/3/25	Grout
SIW-14	4	25	10/28/25	Grout
SIW-15	4	24	10/28/25	Grout
SIW-16	4	23	10/28/25	Grout
SIW-17	4	25	10/28/25	Grout
SIW-18	4	25	10/28/25	Grout
SIW-19	4	25	10/28/25	Grout
SIW-20	4	25	10/28/25	Grout
SIW-21	4	23	11/4/25	Grout
SVE-1	4	6	10/28/25	Grout
SVE-2	4	6	10/29/25	Grout
SVE-3	4	6	10/28/25	Grout
SVE-4	4	6	10/28/25	Grout
SVE-5	4	6	10/28/25	Grout
SVE-6	4	5	10/29/25	Grout
SVE-7	4	6	10/29/25	Grout
SVE-8	4	6	10/29/25	Grout
SVE-9	4	8	10/29/25	Grout
SVE-10	4	7	10/29/25	Grout
SVE-11	4	6.5	10/30/25	Grout
SVE-12	4	8	10/30/25	Grout
SVE-13	4	9	10/30/25	Grout
SVE-14	4	6	10/30/25	Grout
SVE-15	4	6	10/30/25	Grout
SVE-17	4	6	10/30/25	Grout
SVE-18	4	5	10/30/25	Grout
SVE-20	4	6	10/28/25	Grout
SVE-21	4	6	10/28/25	Grout
SVE-22	4	6	10/28/25	Grout
SVE-23	4	6	10/28/25	Grout
SVE-30	4	5	10/29/25	Grout
SVE-31	4	5	10/31/25	Grout
SVE-32	4	5	10/31/25	Grout

TABLE 1 - DECOMMISSIONED WELL LIST

ENERGIZER FACILITY

BENNINGTON, VERMONT

Well Identification	Well Diameter (inches)	Total Well Depth (feet bgl)	Date Decommissioned	Decommission Method
TMP-1	4	25	11/4/25	Grout
TMP-2	4	25	10/28/25	Grout
TMP-11	4	25	10/28/25	Grout
TMP-12	4	25	10/28/25	Grout
TMP-13	1.25	15	11/3/25	Pellets
TMP-56	1.5	16	11/4/25	Pellets
TMP-57	1.5	16	11/4/25	Pellets
TMP-59	1.5	16	11/4/25	Pellets
TMP-61	1.5	16	11/4/25	Pellets
TMP-64	1.5	16	11/4/25	Pellets
WELLS NOT LOCATED				
AS-46	1.5	16	ND	NA
AS-53	1.5	16	ND	NA
AS-54	1.5	16	ND	NA
AS-55	1.5	16	ND	NA
AS-60	1.5	16	ND	NA
AS-62	1.5	17	ND	NA
AS-63	1.5	15	ND	NA
AS-66	1.25	16	ND	NA
ASG-7	3	8	ND	NA
ASG-8	3	8	ND	NA
ASG-9	3	8	ND	NA
ASG-13	3	7.8	ND	NA
ASG-33	6	5	ND	NA
ERM-9S	1.25	15	ND	NA
ERM-9M	1.25	22	ND	NA
ERM-10	2	20	ND	NA
ERM-11D	1.25	45	ND	NA
ERM-14	2	20	ND	NA
ERM-15	2	20	ND	NA
ERM-17	2	20	ND	NA
EW-14	2.0	23	ND	NA
IW-14	2	16	ND	NA
IW-46	1.5	16	ND	NA
IW-53	1.5	16	ND	NA
IW-54	1.5	16	ND	NA
IW-55	1.5	16	ND	NA
IW-60	1.5	16	ND	NA
IW-62	1.5	17	ND	NA
IW-63	1.5	15	ND	NA
IW-66	1.25	16	ND	NA
SVE-16	4	8	ND	NA
SVE-19	4	5.5	ND	NA
SVE-25	4	5	ND	NA

TABLE 1 - DECOMMISSIONED WELL LIST

ENERGIZER FACILITY

BENNINGTON, VERMONT

Well Identification	Well Diameter (inches)	Total Well Depth (feet bgl)	Date Decommissioned	Decommission Method
SVE-26	4	5	ND	NA
SVE-27	4	5	ND	NA
TMP-46	1.5	16	ND	NA
TMP-53	1.5	16	ND	NA
KNOWN PLUGGED/DESTROYED/UNABLE TO ACCESS				
AS-5	1	15	No evidence of well. GPRS confirmed	
AS-9	1	15	No evidence of well. GPRS confirmed	
AS-71	1	17	In roadway / paved over	
ASG-1	3	5	No evidence of well. GPRS confirmed	
ASG-2	3	5	No evidence of well. GPRS confirmed	
ASG-3	3	3.9	No evidence of well. GPRS confirmed	
ASG-10	3	6.3	No evidence of well. GPRS confirmed	
ASG-12	3	6.4	No evidence of well. GPRS confirmed	
ASG-14	3	8	No evidence of well. Paved over.	
ASG-19	3	7.5	No access agreement	
ASG-22	3	4.5	No access agreement	
ASG-24	3	9.5	In roadway / paved over	
ASG-25	3	9.5	No evidence of well. GPRS confirmed	
ASG-26	3	9	No evidence of well. GPRS confirmed	
ERM-1			Previously decommissioned	
ERM-4			Previously decommissioned	
ERM-18	2	20	Unlocated/Previously decommissioned	
ERM-19	6	20	No access agreement	
ERM-3M			Previously decommissioned	
ERM-3S			Previously decommissioned	
IW-71	1	17	In roadway / paved over	
SGW-1			Previously decommissioned	
SGW-2			Previously decommissioned	
SGW-3			Previously decommissioned	
SGW-4			Previously decommissioned	
SGW-5			Previously decommissioned	
SGW-7			Previously decommissioned	
SVE-24	4	5	Previously decommissioned	
SVE-28	4	8	No evidence of well	
SVE-29	4	8	Likely sealed over w/ epoxy floor	



Figure 1a:
Proposed Plugging Locations
Energizer Holding, Inc.
Bennington, Vermont





Legend

- Soil Vapor Extract Location
- Approximate Basement
- Site Property Boundary

NOTES:

1. 36 physical locations
2. 38 individual boreholes
3. Aerial Imagery: ESRI World Imagery




Figure 1c:
Proposed Plugging Locations
Energizer Holding, Inc.
Bennington, Vermont








Figure 1e:
Proposed Plugging Locations
Energizer Holding, Inc.
Bennington, Vermont



Legend

- Existing Well Proposed for Long-Term Monitoring
- Elevation Contours
- Site Property Boundaries
- Tax Parcels
- 50536100 Tax Parcel ID

NOTES:

1. Aerial Imagery: ESRI World Imagery Reproduced under license in ArcGIS Pro 3.4.2
2. Data collected from Vermont Agency of Natural Resources and USGS

Z

0 25 50 100 150 200
Feet

Figure 2: Long-Term Monitoring Well Locations
Energizer Holding, Inc.
Bennington, Vermont

Daily Field Report
Energizer Holdings, Inc
Bennington, VT

Date: 10/27/2025
Prepared By (ERM Personnel): Ben Crummins
Weather: High of 49F, Partly Cloudy

Personnel On-Site	On-site Time	Off-Site Time	Elapsed On-Site Time	Work Conducted	Downtime Start	Downtime End	Total Downtime	Reason for Downtime
ERM: Ben Crummins	8:30	14:30	6:00	Oversight				
GPRS: Joseph Sozio	9:10	10:45	1:35	GPR Scan of res locations				
PWI: Lee Penrod Jordan Perkins	11:35	14:25	2:50	Opening wells in alleyway				
	11:35	14:25	2:50	Opening wells in alleyway				

Summary Of The Day:	GPRS scanned residential locations for utilities at 403, 405, and 411 Gage St. No contact able to be made with 407 and 409 Gage St, who still have not returned signed access agreement. PWI conducted site walk, staged equipment, and opened wells along alleyway behind residential areas.		
Site Safety Observation For Day:	Teams Involved	Description Of Observation	Solution/Remedy Of Observation
	ERM & GPRS	Traffic down Gage St can be fast, often over posted speed limit	Take extra precaution when on street. Have a spotter available whenever pulling out. Utilize sidewalk when on foot as much as possible.

Site Safety Tailgate Meeting Summary	Teams Involved	Today's Tasks	Summary of Meeting
	ERM & GPRS / ERM & PWI	GPRS: Scan residential property locations PWI: Conduct site walk and begin opening wells	Discussed traffic mitigation strategies, importance of locking vehicles when out of eyesight of them, and which properties we have a signed access agreement to / which we do not.

On-Site IDW						
Type	Storage	Number of Storage Types	Label Type	Location Generated From	Remarks	Associated ID Numbers
Water Purged	Drum	0	Pending Analysis	Groundwater Wells	N/A	N/A
Total Full Drums	55 Gal	0				

Field Notes For Day: 08:30 - Ben Crummins (BC) onsite. Call Zachary Reynolds (ZR) of ERM to discuss scope of day. Prep paper work.
09:10 - GPRS onsite. Hold H&S Tailgate Meeting. Discuss traffic mitigation strategies and residential access agreements.
09:15 - Mob to 403 Gage St. Meet with Betsy Kennedy. Start Scanning.
09:20 - Knock on door of 405 Gage St, no answer. Call Arlene and leave a message. Scan locations at 405 Gage St.
09:50 - Finish Utility Locate at 403 and 405. Speak to resident at 411. Wells are likely buried, scan surrounding area with metal detector and get 2 strong signals (picture taken). Utilities in the area marked.
10:15 - GPRS takes pictures and outlines scanned areas in white
10:45 - GPRS offsite. BC begins waiting for PWI & updating DFR
11:35 - PWI onsite. Conduct H&S Tailgate, discuss the same items
11:50 - Meet Art (site contact). Art gives ERM keys to the indoors / gate areas of the site, conducts site walk with ERM & PWI.
12:30 - PWI stages equipment indoors
12:35 - ERM & PWI conduct site walk
13:00 - ERM & PWI begin opening wells along alleyway behind residential properties & adjacent areas to get a head start on tomorrow
14:25 - ERM & PWI offsite. PWI to go to Home Depot to see if they can deliver 50 bags of concrete needed to the site.

Daily Field Report
Energizer Holdings, Inc
Bennington, VT

Date: 10/28/2025

Prepared By (ERM Personnel): Ben Crummens

Weather: High of 53F, Clear

Personnel On-Site	On-site Time	Off-Site Time	Elapsed On-Site Time	Work Conducted	Downtime Start	Downtime End	Total Downtime	Reason for Downtime
ERM: Ben Crummens	7:00	15:45	8:45	Oversight	7:15	8:15	1:00	PWI needed equipment from home depot
PWI: Lee Penrod	7:00	15:45	8:45	Abandoning wells in alleyway				
Jordan Perkins	7:00	15:45	8:45	Abandoning wells in alleyway				

Summary Of The Day: PWI obtained materials from Home Depot, began abandoning wells in the alleyway.

Site Safety Observation For Day:	Teams Involved	Description Of Observation	Solution/Remedy Of Observation
	ERM & PWI	Very cold this morning, below freezing temps	Watch for ice, layer up, hydrate properly, and take breaks as needed in the warmth
Site Safety Tailgate Meeting Summary	Teams Involved	Today's Tasks	Summary of Meeting
	ERM & PWI	Begin abandoning locations in the alleyway. Time permitting, move to other wells in the vicinity.	Discussed how we could potentially open the larger wells with seized bolts. PWI to discuss with their boss. Made plan for abandoning other locations today in the meantime. Ensured team knows not to open any large garage doors of the building to avoid impacting air sampling

Field Notes For Day: 07:00 - ERM & PWI onsite. Conduct H&S meeting. Discuss plan for getting a large impact drill to get seized bolts open, PWI to discuss with boss. PWI informs BC they forgot some items at Home Depot and depart, to return to the muster point afterwards.

07:15 - BC downtime. Catch up on notes & DFR. Order HAZ WASTE labels.

08:15 - PWI back onsite. Prep for mob

08:20 - Mob to alleyway and begin abandoning. PWI says they will bring additional impact drills to open trouble wells next week.

11:00 - BC meets with Art (site contact) to discuss where to put drums & obtain water for grout mixing.

12:00 - Home Depot Delivery of concrete bags

12:15 - Continue abandoning locations in the alleyway

13:00 - Break for lunch

13:30 - Continue abandoning locations in the alleyway

15:30 - Breakdown

15:45 - All offsite

Daily Field Report
Energizer Holdings, Inc
Bennington, VT

Date: 10/29/2025

Prepared By (ERM Personnel): Ben Crummens

Weather: High of 52F, Partly Cloudy

Personnel On-Site	On-site Time	Off-Site Time	Elapsed On-Site Time	Work Conducted	Downtime Start	Downtime End	Total Downtime	Reason for Downtime
ERM: Ben Crummens	7:00	16:15	9:15	Oversight				
PWI: Lee Penrod Jordan Perkins	7:00	16:15	9:15	Abandoning wells outside facility Abandoning wells outside facility				

Summary Of The Day: PWI obtained materials from Home Depot, began abandoning wells in the alleyway.

Site Safety Observation For Day:	Teams Involved	Description Of Observation	Solution/Remedy Of Observation
	ERM & PWI	Air monitoring crew still onsite.	We will still avoid using indoor facilities/opening large garage doors.
Site Safety Tailgate Meeting Summary	Teams Involved	Today's Tasks	Summary of Meeting
	ERM & PWI	Continue abandoning locations outside the facility.	Discussed rain later in the week, plan to start indoor locations tomorrow. Ensured team knows not to open any large garage doors of the building to avoid impacting air sampling

Field Notes For Day: 07:00 - ERM & PWI onsite. Conduct H&S meeting.

07:15 - Mob to alleyway. Begin concreting roadboxes / grouting other nearby locations
09:55 - Lee Penrod offsite to Home Depot to get another wheelbarrow
10:45 - Lee Penrod back onsite.
12:15 - Break for lunch
1:00 - Continue abandoning wells. Now in alleyway by 403 Gage St
3:30 - finish up alleyway near 403 gage st, pack up for day
4:15 - all offsite.

Daily Field Report
Energizer Holdings, Inc
Bennington, VT

Date: 10/30/2025

Prepared By (ERM Personnel): Ben Crummens

Weather: High of 52F, Partly Cloudy

Personnel On-Site	On-site Time	Off-Site Time	Elapsed On-Site Time	Work Conducted	Downtime Start	Downtime End	Total Downtime	Reason for Downtime
ERM: Ben Crummens	7:00	16:00	9:00	Oversight				
PWI: Lee Penrod Jordan Perkins	7:00	16:00	9:00	Abandoning wells outside facility Abandoning wells outside facility				

Summary Of The Day: PWI continued abandoning wells in the alleyway.

Site Safety Observation For Day:	Teams Involved	Description Of Observation	Solution/Remedy Of Observation
	ERM & PWI	SSC procedures are delaying residential properties	Move to other locations in the meantime
Site Safety Tailgate Meeting Summary	Teams Involved	Today's Tasks	Summary of Meeting
	ERM & PWI	Continue abandoning locations outside the facility.	Rainy today. Take care for slips trips and falls, watch the road with extra care.

Field Notes For Day: 07:00 - ERM & PWI onsite. Conduct H&S meeting.

07:15 - Wait for sunrise & rain to stop

08:00 - mob to street by 403 to begin abandonment

11:45 - PWI offsite for lunch

13:00 - Mystery well cluster of 4 2inch just north of SVE-14 identified. Crew will hold off on abandonment for now.

16:00 - All offsite

Daily Field Report
Energizer Holdings, Inc
Bennington, VT

Date: 10/31/2025

Prepared By (ERM Personnel): Ben Crummens

Weather: High of 52F, Partly Cloudy

Personnel On-Site	On-site Time	Off-Site Time	Elapsed On-Site Time	Work Conducted	Downtime Start	Downtime End	Total Downtime	Reason for Downtime
ERM: Ben Crummens	7:00		#####	Oversight				
PWI: Lee Penrod Jordan Perkins	7:00		#####	Abandoning wells inside facility				Abandoning wells inside facility

Summary Of The Day: PWI continued abandoning wells. Demob early accounting for 3 hour drive home for both crews.

Site Safety Observation For Day:	Teams Involved	Description Of Observation	Solution/Remedy Of Observation
	ERM & PWI	Very rainy this morning	Work on inside locations, be careful of slips/trips/falls
Site Safety Tailgate Meeting Summary	Teams Involved	Today's Tasks	Summary of Meeting
	ERM & PWI	Continue abandoning locations inside the facility.	Rainy today. Take care for slips trips and falls, watch the road with extra care.

Field Notes For Day: 07:00 - ERM & PWI onsite. Conduct H&S meeting.
07:15 - Load up what is needed for indoor locations
07:30 - Begin abandoning indoor locations
11:15 - PWI offsite
12:00 - BC offsite.

Daily Field Report
Energizer Holdings, Inc
Bennington, VT

Date: 11/3/2025

Prepared By (ERM Personnel): Scotty Carvalho

Weather: High of 59F, Partly Cloudy

Personnel On-Site	On-site Time	Off-Site Time	Elapsed On-Site Time	Work Conducted	Downtime Start	Downtime End	Total Downtime	Reason for Downtime
ERM: Scotty Carvalho	9:30	16:00	6:30	Oversight				
PWI: Jordan Perkins	11:00	16:00	5:00	Abandoning wells				
Hayden Harold	11:00	16:00	5:00	Abandoning wells				

Summary Of The Day:	PWI continued abandoning wells.		
Site Safety Observation For Day:	Teams Involved	Description Of Observation	
	ERM & PWI	Pinch points and hand saftey	
Site Safety Tailgate Meeting Summary	Teams Involved	Today's Tasks	
	ERM & PWI	Site Walk / Continue abandoning locations	

Field Notes For Day: 9:30- ERM Conduct site walk

11015 ERM & PWI onsite. H&S Tailgate.

11:30 Load up what is needed for Alley and ASG locations on sidewalk

12:45 SMC Site walk with ART

13:00 Back inside

15:35 Cleaning up for the day

16:00 Off Site

Daily Field Report
Energizer Holdings, Inc
Bennington, VT

Date: 11/4/2025

Prepared By (ERM Personnel): Scotty Carvalho

Weather: High of 54F, Partly Cloudy

Personnel On-Site	On-site Time	Off-Site Time	Elapsed On-Site Time	Work Conducted	Downtime Start	Downtime End	Total Downtime	Reason for Downtime
ERM: Scotty Carvalho	7:00	15:00	8:00	Oversight				
PWI: Jordan Perkins	7:00	15:00	8:00	Abandoning wells				
Hayden Harold	7:00	15:00	8:00	Abandoning wells				
Lee Penrod		15:00	8:00	Abandoning wells				

Summary Of The Day: PWI continued abandoning wells.

Site Safety Observation For Day:	Teams Involved	Description Of Observation	Solution/Remedy Of Observation
	ERM & PWI	Ergonomic while lifting materials	Use proper lifting methods along with team lifting. Use of wheelbarrow and dolly
Site Safety Tailgate Meeting Summary	Teams Involved	Today's Tasks	Summary of Meeting
	ERM & PWI	Continue abandoning locations	Ergonomic while lifting materials, Scope and Direction for the day

Field Notes For Day: 7:00- ERM Conduct site walk

7:05 ERM & PWI onsite. H&S Tailgate.

7:15 Load up what is needed for Inside and Alley

11:25 SMC takes Metal detector for sweep of missing locations

14:35 Cleaning up for the day

15:00 Off Site

Daily Field Report
Energizer Holdings, Inc
Bennington, VT

Date: 11/5/2025

Prepared By (ERM Personnel): Scotty Carvalho

Weather: High of 54F, Cloudy

Personnel On-Site	On-site Time	Off-Site Time	Elapsed On-Site Time	Work Conducted	Downtime Start	Downtime End	Total Downtime	Reason for Downtime
ERM: Scotty Carvalho	7:00	15:00	8:00	Oversight				
PWI: Jordan Perkins	7:00	15:00	8:00	Abandoning wells				
Hayden Harold	7:00	15:00	8:00	Abandoning wells				
Lee Penrod	7:00	15:00	8:00	Abandoning wells				

Summary Of The Day: PWI continued abandoning wells.

Site Safety Observation For Day:

Teams Involved	Description Of Observation	Solution/Remedy Of Observation
ERM & PWI	Working in Roadway Traffic Control and Safety	Traffic control measures, Traffic Cones, High Viz.

Site Safety Tailgate Meeting Summary

Teams Involved	Today's Tasks	Summary of Meeting
ERM & PWI	Continue abandoning locations	Working in Roadway Traffic Control and Safety, Scope and Direction for the day

Field Notes For Day: 7:00- ERM Conduct site walk

7:05 ERM & PWI onsite. H&S Tailgate.

7:15 Load up what is needed for MW-101, unknown location and roadway wells

8:00 Bennington PD arrive for street detail.

8:30 SSC Waiver call

10:40 Street locations completed.

11:00 In residential backyards.

14:00 Cleaning up

15:00 Off Site

Energizer Well Abandonment



Photo 1



Photo 2



Photo 3




Photo 4



Photo 5




Photo 6



Photo 7



Photo 8



Photo 9



Photo 10



Photo 11



Photo 12



Photo 13




Photo 14



Photo 15



Photo 16



Photo 17



Photo 18




Photo 19



Photo 20



Photo 21



Photo 22



Photo 23



Photo 24



Photo 25



Photo 26



Photo 27



Photo 28




Photo 29



Photo 30



Photo 31



Photo 32



Photo 33



Photo 34



Photo 35



Photo 36



Photo 37



Photo 38




Photo 39



Photo 40



Photo 41




Photo 42



Photo 43



Photo 44



Photo 45



Photo 46



Photo 47



Photo 48



Photo 49



Photo 50



Photo 51



Photo 52



Photo 53



Photo 54



Photo 55



Photo 56



Photo 57



Photo 58



Photo 59



Photo 60



Photo 61



Photo 62



Photo 63



Photo 64



Photo 65



Photo 66



Photo 67



Photo 68



Photo 69




Photo 70




Photo 71



Photo 72



Photo 73



Photo 74



Photo 75



Photo 76



Photo 77




Photo 78



Photo 79



Photo 80




Photo 81



Photo 82



Photo 83



Photo 84



Photo 85



Photo 86



Photo 87



Photo 88




Photo 89



Photo 90



Photo 91



Photo 92



Photo 93




Photo 94



Photo 95



Photo 96



Photo 97




Photo 98



Photo 99



Photo 100




Photo 101



Photo 102



Photo 103



Photo 104



Photo 105



Photo 106



Photo 107



Photo 108



Photo 109



Photo 110



Photo 111



Photo 112



Photo 113




Photo 114

*Note: not found




Photo 115

*Closed



Photo 116



Photo 117



Photo 118




Photo 119



Photo 120



Photo 121



Photo 122



Photo 123



Photo 124



Photo 125



Photo 126