

## **WHEELER ENVIRONMENTAL SERVICES, LLC**

---

March 9, 2007

Mr. Norm Collette, Building Committee  
Town of Corinth  
1387 Cookville Road  
Corinth, Vermont 05039

Re: Initial Site Investigation Report  
Corinth Town Hall Property, 1387 Cookville Road, Corinth, Vermont  
WES Project # 1-0324-1

Dear Norm:

Enclosed please find the Initial Site Investigation report for the fuel oil contamination discovered during the closure of the 1,000-gallon #2 fuel oil underground storage tank (UST) at the Corinth Town Hall property located at 1387 Cookville Road in Corinth, Vermont.

As the report describes in detail, no contamination to groundwater or drinking water was identified by this investigation. The only residual site contamination is a small volume of moderately impacted subsurface soil beneath the former location of the fuel oil UST. This contamination will be naturally attenuated over time. We have recommended no further investigation or remediation of the site.

Please call me if you have any questions about the information contained in the report.

Sincerely Yours,

---

Bradley A. Wheeler, Principal Scientist  
Wheeler Environmental Services, LLC

enclosure: Initial Site Investigation Report

copy: Ashley Desmond, VT DEC Project Manager

# Initial Site Investigation



**Corinth Town Hall Property  
1387 Cookville Road  
Corinth, Vermont 05039**

**March 2007**

**VT SMS Site #2006-3574  
N 44° 01' 25" / W 72° 17' 24"**

**Prepared for:  
Town of Corinth, Vermont  
1387 Cookville Road  
Corinth, Vermont**

**Prepared By:  
Wheeler Environmental Services, LLC  
P.O. Box 13  
Barre, Vermont 05641  
(802) 479-4500**

## **EXECUTIVE SUMMARY**

Wheeler Environmental Services, LLC (WES) recently completed an initial site investigation (ISI) for the removal of a #2 fuel oil underground storage tank (UST) previously located at the Corinth Town Hall property located at 1387 Cookville Road in Corinth, Vermont (the Site).

On August 23, 2006, WES completed an UST closure assessment for a 1,000-gallon #2 fuel oil UST located at the Site. Soil contamination under the UST was documented at concentrations up to 94 parts per million (ppm) using a properly calibrated photoionization detector (PID). Water was noted seeping into this excavation at approximately 6 feet bgs. The volume of fuel oil released from the UST is not known.

On December 12, 2006, four soil borings were completed at the Site using a truck-mounted hollow stem auger. Groundwater monitoring wells were installed in each boring.

The groundwater was sampled at each of the four monitoring wells on December 18, 2006. The samples were delivered under chain of custody to the laboratory. The groundwater samples were analyzed for volatile organic compounds using EPA Method 8021B and for diesel range total petroleum hydrocarbons using EPA Method 8015B DRO.

The reported laboratory results from the 8021B analysis revealed no volatile organic compounds in any of the samples. The reported laboratory results from the 8015B DRO analysis revealed no total petroleum hydrocarbons in any of the samples.

Samples from the on-site water supply well and from a shallow spring located approximately 190 feet northeast of the town hall building were also collected on December 18, 2006. Those samples were analyzed using the same methodologies as for the groundwater samples. No contaminants were reported by the laboratory in either of the drinking water samples.

The data collected during this ISI indicate that there has been no adverse impact to the groundwater in the vicinity of the former #2 fuel oil UST at the Corinth Town Hall property located at 1387 Cookville Road in Corinth, Vermont.

Soils directly beneath the closed UST were determined to have petroleum vapors at concentrations up to 94 ppm. This residual soil contamination will be naturally attenuated over time now that the contamination source has been removed.

No further investigation is recommended at the Site. We recommend the monitoring wells at the Site be properly closed, and the Site be assigned to "Site Management Activities Completed" status.

# TABLE OF CONTENTS

## EXECUTIVE SUMMARY

1.0 INTRODUCTION .....	1
2.0 CONCEPTUAL MODEL.....	1
3.0 BACKGROUND .....	1
4.0 SOIL AND GROUNDWATER INVESTIGATION.....	3
4.1 Soil Borings and Monitoring Well Installations.....	3
4.1.1 Monitoring Well MW-1.....	3
4.1.2 Monitoring Well MW-2.....	3
4.1.3 Monitoring Well MW-3.....	5
4.1.4 Monitoring Well MW-4.....	5
4.2 Groundwater and Drinking Water Sampling and Laboratory Analysis.....	6
4.3 Groundwater Flow Direction .....	6
5.0 DISCUSSION.....	7
6.0 CONCLUSIONS AND RECOMMENDATIONS .....	7
6.1 Conclusions.....	7
6.2 Recommendations.....	7

## LIST OF FIGURES

Figure 1 - Site Location Map.....	2
Figure 2 - Site Map.....	4

## LIST OF TABLES

Table 1 –Groundwater Flow Direction and Gradient Data).....	6
---	---

## APPENDICES

Appendix A	Laboratory Analytical Report
------------	------------------------------

# INITIAL SITE INVESTIGATION

## Corinth Town Hall Property

1387 Cookville Road, Vermont

N 44° 01' 25" / W 72° 17' 24"

Prepared by: Wheeler Environmental Services, LLC

March 2007

### 1.0 INTRODUCTION

Wheeler Environmental Services, LLC (WES) recently completed an initial site investigation (ISI) subsequent to the removal of a #2 fuel oil underground storage tank (UST) previously located at the Corinth Town Hall property located at 1387 Cookville Road in Corinth, Vermont (the Site). (See Figure 1 - Site Location Map) This report provides a description of the work that was completed, and provides our recommendations for the Site.

### 2.0 CONCEPTUAL MODEL

An environmental assessment was completed following the closure of a 1,000-gallon #2 fuel oil underground storage tank (UST). Soil contamination under the UST was documented at concentrations up to 94 parts per million (ppm) using a properly calibrated photoionization detector (PID). The contaminated soils were determined to be in contact with groundwater, which was at a depth of approximately 6 feet below the ground surface (bgs). The soils at the Site are dominantly fine sand with a loose consistence. Horizontal migration of contaminants on, or dissolved in, the groundwater could be significant through these soils.

The purpose of this ISI was to determine whether or not petroleum contamination has adversely affected the groundwater at the Site, and if so, to what extent. The upgradient on-site drilled well drinking water supply and the shallow spring drinking water supply of a residence (Ms. Ivis Peterson) located downgradient from the Site were also sampled and analyzed for evidence of petroleum-related contamination.

### 3.0 BACKGROUND

On August 23, 2006, WES completed an UST closure assessment for a 1,000-gallon #2 fuel oil UST located at the Site. Following the removal of the UST, the soil beneath the UST at a depth of 5.5 feet bgs was screened for volatile organic compounds using a PID. PID headspace readings ranged from 19 to 24 ppm under the east and west ends of the UST to 94 ppm under the middle part of the UST. Following the screening of these samples, we completed an exploratory excavation near the middle of the UST area, to a depth of 7 feet bgs. The soils were screened using the PID as the excavation advanced. Open air PID readings for these soils ranged from 40 to 60 ppm. Water was noted seeping into this excavation at approximately 6 feet bgs. The volume of fuel oil released from the UST is not known.

USGS 6 km E of Corinth Corners, Vermont, United States 01 Jul 1986




Image courtesy of the U.S. Geological Survey

Figure 1 – Site Location Map  
Corinth Town Hall  
1387 Cookville Road, Corinth, Vermont

#### 4.0 SOIL AND GROUNDWATER INVESTIGATION

On December 12, 2006, four soil borings were completed at the Site. The drilling contractor for this investigation was New Hampshire Boring of Derry, New Hampshire. A truck-mounted hollow stem auger boring rig was used to complete the borings. Two-inch diameter PVC groundwater monitoring wells were installed in the four borings.

The work performed and the results obtained are described and summarized below. The locations of the borings and groundwater monitoring wells are shown on Figure 2 – Site Map.

#### 4.1 Soil Borings and Monitoring Well Installations

The soil conditions encountered in the borings and the construction of the monitoring wells are described in more detail below:

##### 4.1.1 Monitoring Well MW-1

Monitoring well MW-1 is located at the edge of Cookville Road, approximately 30 feet north of the Town Hall building. The total depth of this boring is 14 feet. Groundwater was encountered in this boring at approximately 6 feet bgs.

<u>Soil Description:</u>	<u>Headspace Reading</u>
0 to 4 feet      spoil off auger, brown loamy fine sand, slightly moist	0.0 ppm
4 to 6 feet      light brown fine sandy loam, moist, friable	0.0 ppm
9 to 11 feet     light brown loamy fine sand, saturated, loose	0.0 ppm

Advance auger to 14 feet, set well at this depth.


##### Well Construction:

2-inch diameter PVC solid riser from 0.5 to 4 feet bgs  
2-inch diameter PVC screened section from 4 to 14 feet bgs  
Sand pack from 3 to 14 feet bgs  
Bentonite seal from 2 to 3 feet  
Flush-mounted road box cemented flush with ground surface

##### 4.1.2 Monitoring Well MW-2

Monitoring well MW-2 is located in the former UST location. The total depth of this boring is 9 feet. Groundwater was encountered in this boring at approximately 6 feet bgs.

<u>Soil Description:</u>	<u>Headspace Reading</u>
0 to 4 feet      gravelly fill	0.0 ppm
4 to 6 feet      brown loamy fine sand, moist-wet, tip almost saturated	0.0 ppm
9 to 11 feet     gray loamy fine sand, saturated, loose	0.0 ppm



## Figure 2 - Site Map

Drawn By: MAW | Checked By: BAW | Date: 03/08/07

Corinth Town Hall  
1387 Cookville Road, Corinth, VT

Wheeler Environmental Services, LLC  
P.O. Box 13, Barre, Vermont

Well Construction:

2-inch diameter PVC solid riser from 0.5 to 4 feet bgs  
2-inch diameter PVC screened section from 4 to 9 feet bgs  
Sand pack from 3 to 9 feet bgs  
Bentonite seal from 2 to 3 feet  
Flush-mounted road box cemented flush with ground surface

4.1.3 Monitoring Well MW-3

Monitoring well MW-3 is located approximately 25 feet north of the Town Hall building and 16 feet east of monitoring well MW-1. The total depth of this boring is 14 feet. Groundwater was encountered in this boring at approximately 6 feet bgs.

Soil Description:

Headspace Reading

4 to 6 feet	brown loamy fine sand, moist, loose	0.0 ppm
9 to 11 feet	brown loamy fine sand, wet-saturated, loose	0.0 ppm

Advanced auger to 14 feet, set well at this depth.

Well Construction:

2-inch diameter PVC solid riser from 0.5 to 4 feet bgs  
2-inch diameter PVC screened section from 4 to 14 feet bgs  
Sand pack from 3 to 14 feet bgs  
Bentonite seal from 2 to 3 feet  
Flush-mounted road box cemented flush with ground surface

4.1.4 Monitoring Well MW-4

Monitoring well MW-4 is located approximately 36 feet northeast of the northeast corner of the Town Hall building and 31 feet east of monitoring wells MW-3. The total depth of this boring is 12 feet. Groundwater was encountered in this boring at approximately 6 feet bgs.

Soil Description:

Headspace Reading

4 to 6 feet	brown loamy fine sand, moist, loose	0.0 ppm
9 to 11 feet	brown loamy fine sand, saturated, loose	0.0 ppm
12 feet	refusal	

Well Construction:

2-inch diameter PVC solid riser from 0.5 to 2 feet bgs  
2-inch diameter PVC screened section from 2 to 12 feet bgs  
Sand pack from 1 to 12 feet bgs  
Bentonite seal from 0.5 to 1 foot  
Flush-mounted road box cemented flush with ground surface

#### **4.2 Groundwater and Drinking Water Sampling and Laboratory Analysis**

The groundwater was sampled at each of the four monitoring wells on December 18, 2006. Prior to sample collection, the depth to groundwater below the top-of-casing of each well was measured using an electronic water level meter. Each well was purged using a disposable bailer, with more than 3 times the well volume purged from each well prior to sampling. The groundwater samples were collected into glass VOA vials provided by Green Mountain Laboratory of Montpelier, Vermont (the laboratory). The samples were labeled MW-1, MW-2, MW-3, and MW-4, respectively. For quality assurance/quality control (QA/QC) purposes, a field duplicate of MW-2 was collected. The field duplicate sample was labeled MW-5. A laboratory-prepared trip blank was also used for QA/QC purposes.

Immediately upon collection, all samples were labeled and placed on ice. The samples were delivered under chain of custody to the laboratory. The groundwater samples were analyzed for volatile organic compounds using EPA Method 8021B and for diesel range total petroleum hydrocarbons using EPA Method 8015B DRO.

**The laboratory reported that no contaminants were detected in any of the groundwater samples for both the 8021B analysis and the 8015B DRO.**

Samples from the on-site water supply well and from a shallow spring located approximately 190 feet northeast of the town hall building were also collected on December 18, 2006. Those samples were analyzed using the same methodologies as for the groundwater samples.

**The laboratory reported that no contaminants were detected in either of the drinking water samples for both the 8021B analysis and the 8015B DRO.**

A copy of the laboratory analytical report is provided in Appendix A.

#### **4.3 Groundwater Flow Direction**

The monitoring well top-of-casing relative elevations were surveyed on December 11, 2006. The depth to groundwater below the top-of-casing of each well was measured using an electronic water level meter on December 18, 2006, immediately prior to purging the wells for sample collection. The data obtained was used to determine the groundwater flow direction on the date of sample collection. The groundwater flow direction on that date was northeast, with a gradient of 10.3% between MW-2 and MW-1. The data is presented below in Table 1.

<b>Table 1 - Groundwater Flow Direction and Gradient Data December 18, 2006</b>			
<b>Monitoring Well #</b>	<b>Top-of-Casing Relative Elevation</b>	<b>Depth to Groundwater Below Top-of-Casing</b>	<b>Groundwater Relative Elevation</b>
MW-1	101.23'	5.80'	95.43'
MW-2	102.47'	4.54'	97.93'
MW-3	102.02'	6.38'	95.64'
MW-4	100.00'	5.45'	94.55'

## **5.0 DISCUSSION**

The reported laboratory results indicate that the groundwater at the site is not contaminated with aromatic hydrocarbons. The results of the laboratory analysis for total petroleum hydrocarbons (TPH) indicate that no levels of THP are present at the site.

No contaminants were detected in drinking water samples obtained from the on-site water supply well and from a nearby shallow water supply.

No sensitive receptors are at risk of impact from the small volume of moderately contaminated soils that are in the former UST location. The basement at the Town Hall building was thoroughly screened for volatile organic compounds using the PID. No readings above 0.0 ppm were obtained. The two closest water supply wells were found to be free from any petroleum related contamination. No surface wetlands or other sensitive ecological areas are located near the Site.

## **6.0 CONCLUSIONS AND RECOMMENDATIONS**

### **6.1 Conclusions**

The data collected during this ISI indicate that there has been no adverse impact to the groundwater in the vicinity of the former #2 fuel oil UST at the Corinth Town Hall property located at 1387 Cookville Road in Corinth, Vermont.

Soils directly beneath the closed UST were determined to have petroleum vapors at concentrations up to 94 ppm. This residual soil contamination will be naturally attenuated over time now that the contamination source has been removed.

### **6.2 Recommendations**

No further investigation is recommended at the Site. We recommend the monitoring wells at the Site be properly closed, and the Site be assigned to "Site Management Activities Completed" status.

# **APPENDIX A**

## **Laboratory Analytical Report**

# GREEN MOUNTAIN LABORATORIES, INC.

2 Moonlight Terrace  
Montpelier, VT 05602

Phone (802) 262-2004


## LABORATORY RESULTS

CLIENT NAME:	Wheeler Environmental Services	REFERENCE NO.:	696B
ADDRESS:	301 North Main Street, Suite 2 Barre, VT 05641	PROJECT NO.:	1-0324-1
SAMPLE LOCATION:	Corinth	DATE OF SAMPLE:	12/16/2006
SAMPLER:	Brad Wheeler	DATE OF RECEIPT:	12/18/2006
ATTENTION:	Brad Wheeler	DATE OF ANALYSIS:	12/22-12/26/06
		DATE OF REPORT:	01/10/2007

Pertaining to the analyses of specimens submitted under the accompanying chain of custody form, please note the following:

- Water samples submitted for VOC analysis were preserved with HCl. The trip blank was prepared by the client with reagent water supplied by the laboratory.
- Specimens were processed and examined according to the procedures outlined in the specified method.
- Holding times were honored.
- Instruments were appropriately tuned and calibrations were checked with the frequencies required in the specified method.
- Blank contamination was not observed at levels interfering with the analytical results.
- Continuing Calibration Standards were monitored at intervals indicated in the specified method. The resulting analytical precision and accuracy were determined to be within method QA/QC acceptance limits.
- The efficiency of analyte recovery for individual samples was monitored by the addition of surrogate analyte to all samples, standards, and blanks. Surrogate recoveries were found to be within laboratory QA/QC acceptance limits, unless noted otherwise.

Reviewed by:



Raul Sanchez  
Chemical Services

# GREEN MOUNTAIN LABORATORIES, INC.

2 Moonlight Terrace  
Montpelier, VT 05602  
Phone (802) 262-2004

## LABORATORY RESULTS

### GC/MS METHOD - 8260M

GML REF. #: 696B  
SAMPLE ID: MW-1  
ANALYSIS DATE: 12/26/2006  
SAMPLE DATE: 12/16/2006  
SAMPLE TYPE: WATER

<u>PARAMETER</u>	<u>PQL (ug/L)</u>	<u>RESULT (ug/L)</u>
Benzene	1	ND
Toluene	1	ND
Ethylbenzene	1	ND
1,3,5-Trimethylbenzene	2	ND
1,2,4-Trimethylbenzene	2	ND
Xylenes	3	ND
Naphthalene	5	ND
MTBE	5	ND

Surrogate % Recovery: 105 %

ND = Not Detected

BPQL = Below Practical Quantitation Limit

# GREEN MOUNTAIN LABORATORIES, INC.

2 Moonlight Terrace  
Montpelier, VT 05602  
Phone (802) 262-2004

## LABORATORY RESULTS

### GC/MS METHOD - 8260M

GML REF. #: 696B  
SAMPLE ID: MW-2  
ANALYSIS DATE: 12/26/2006  
SAMPLE DATE: 12/16/2006  
SAMPLE TYPE: WATER

<u>PARAMETER</u>	<u>PQL (ug/L)</u>	<u>RESULT (ug/L)</u>
Benzene	1	ND
Toluene	1	ND
Ethylbenzene	1	ND
1,3,5-Trimethylbenzene	2	ND
1,2,4-Trimethylbenzene	2	ND
Xylenes	3	ND
Naphthalene	5	ND
MTBE	5	ND

Surrogate % Recovery: 106 %

ND = Not Detected

BPQL = Below Practical Quantitation Limit

# GREEN MOUNTAIN LABORATORIES, INC.

2 Moonlight Terrace  
Montpelier, VT 05602  
Phone (802) 262-2004

## LABORATORY RESULTS

### GC/MS METHOD - 8260M

GML REF. #: 696B  
SAMPLE ID: MW-3  
ANALYSIS DATE: 12/27/2006  
SAMPLE DATE: 12/16/2006  
SAMPLE TYPE: WATER

<u>PARAMETER</u>	<u>PQL (ug/L)</u>	<u>RESULT (ug/L)</u>
Benzene	1	ND
Toluene	1	ND
Ethylbenzene	1	ND
1,3,5-Trimethylbenzene	2	ND
1,2,4-Trimethylbenzene	2	ND
Xylenes	3	ND
Naphthalene	5	ND
MTBE	5	ND

Surrogate % Recovery: 104 %

ND = Not Detected

BPQL = Below Practical Quantitation Limit

# GREEN MOUNTAIN LABORATORIES, INC.

2 Moonlight Terrace  
Montpelier, VT 05602  
Phone (802) 262-2004

## LABORATORY RESULTS

### GC/MS METHOD - 8260M

GML REF. #: 696B  
SAMPLE ID: MW-4  
ANALYSIS DATE: 12/27/2006  
SAMPLE DATE: 12/16/2006  
SAMPLE TYPE: WATER

<u>PARAMETER</u>	<u>PQL (ug/L)</u>	<u>RESULT (ug/L)</u>
Benzene	1	ND
Toluene	1	ND
Ethylbenzene	1	ND
1,3,5-Trimethylbenzene	2	ND
1,2,4-Trimethylbenzene	2	ND
Xylenes	3	ND
Naphthalene	5	ND
MTBE	5	ND

Surrogate % Recovery: 107 %

ND = Not Detected

BPQL = Below Practical Quantitation Limit

# GREEN MOUNTAIN LABORATORIES, INC.

2 Moonlight Terrace  
Montpelier, VT 05602  
Phone (802) 262-2004

## LABORATORY RESULTS

### GC/MS METHOD - 8260M

GML REF. #: 696B  
SAMPLE ID: MW-5  
ANALYSIS DATE: 12/26/2006  
SAMPLE DATE: 12/16/2006  
SAMPLE TYPE: WATER

<u>PARAMETER</u>	<u>PQL (ug/L)</u>	<u>RESULT (ug/L)</u>
Benzene	1	ND
Toluene	1	ND
Ethylbenzene	1	ND
1,3,5-Trimethylbenzene	2	ND
1,2,4-Trimethylbenzene	2	ND
Xylenes	3	ND
Naphthalene	5	ND
MTBE	5	ND

Surrogate % Recovery: 105 %

ND = Not Detected

BPQL = Below Practical Quantitation Limit

# GREEN MOUNTAIN LABORATORIES, INC.

2 Moonlight Terrace  
Montpelier, VT 05602  
Phone (802) 262-2004

## LABORATORY RESULTS

### GC/MS METHOD - 8260M

GML REF. #: 896B  
SAMPLE ID: WS-1  
ANALYSIS DATE: 12/26/2006  
SAMPLE DATE: 12/16/2006  
SAMPLE TYPE: WATER

<u>PARAMETER</u>	<u>PQL (ug/L)</u>	<u>RESULT (ug/L)</u>
Benzene	1	ND
Toluene	1	ND
Ethylbenzene	1	ND
1,3,5-Trimethylbenzene	2	ND
1,2,4-Trimethylbenzene	2	ND
Xylenes	3	ND
Naphthalene	5	ND
MTBE	5	ND

Surrogate % Recovery: 106 %

ND = Not Detected

BPQL = Below Practical Quantitation Limit

# GREEN MOUNTAIN LABORATORIES, INC.

2 Moonlight Terrace  
Montpelier, VT 05602  
Phone (802) 262-2004

## LABORATORY RESULTS

### GC/MS METHOD - 8260M

GML REF. #: 696B  
SAMPLE ID: WS-2  
ANALYSIS DATE: 12/26/2006  
SAMPLE DATE: 12/16/2006  
SAMPLE TYPE: WATER

<u>PARAMETER</u>	<u>PQL (ug/L)</u>	<u>RESULT (ug/L)</u>
Benzene	1	ND
Toluene	1	ND
Ethylbenzene	1	ND
1,3,5-Trimethylbenzene	2	ND
1,2,4-Trimethylbenzene	2	ND
Xylenes	3	ND
Naphthalene	5	ND
MTBE	5	ND

Surrogate % Recovery: 108 %

ND = Not Detected

BPQL = Below Practical Quantitation Limit

# GREEN MOUNTAIN LABORATORIES, INC.

2 Moonlight Terrace  
Montpelier, VT 05602  
Phone (802) 262-2004

## LABORATORY RESULTS

### GC/MS METHOD - 8260M

GML REF. #: 696B  
SAMPLE ID: TRIP BLANK  
ANALYSIS DATE: 12/26/2006  
SAMPLE DATE: 12/16/2006  
SAMPLE TYPE: WATER

<u>PARAMETER</u>	<u>PQL (ug/L)</u>	<u>RESULT (ug/L)</u>
Benzene	1	ND
Toluene	1	ND
Ethylbenzene	1	ND
1,3,5-Trimethylbenzene	2	ND
1,2,4-Trimethylbenzene	2	ND
Xylenes	3	ND
Naphthalene	5	ND
MTBE	5	ND

Surrogate % Recovery: 106 %

ND = Not Detected

BPQL = Below Practical Quantitation Limit

# Green Mountain Laboratories, Inc.

2 Moonlight Terrace  
Montpelier, Vermont 05602  
Phone (802) 262-2004  
www.greenmtlabs.com


## LABORATORY RESULTS

CLIENT NAME:	Wheeler Environmental	GML REFERENCE #:	696B
CLIENT ADDRESS:	301 North Main St., Suite 2 Barre, VT 05641	PROJECT #:	1-0324-1
PROJECT NAME:	Corinth	DATE OF SAMPLE:	12/16/2006
SAMPLER:	Brad Wheeler	DATE OF RECEIPT:	12/18/2006
ATTENTION:	Brad Wheeler	DATE OF ANALYSIS:	12/22-26/06
		DATE OF REPORT:	01/10/2007

### Total Petroleum Hydrocarbons (TPH) by EPA Method 8015 DRO (mg/L - ppm)

Sample	PQL	TPH Results
MW-1	1.0	<1.0
MW-2	1.0	<1.0
MW-3	1.0	<1.0
MW-4	1.0	<1.0
MW-5	1.0	<1.0
WS-1	1.0	<1.0
WS-2	1.0	<1.0
TRIP BLANK	1.0	<1.0

Reviewed by:



Raul Sanchez  
Chemical Services

# Green Mountain Laboratories, Inc.

2 Moonlight Terrace  
 Montpelier, Vermont 05602  
 Phone (802) 262-2004 Fax (802) 262-2005  
 www.greenmtlabs.com

Client Name: Wheeler Environmental Services, LLC.

Address: 301 North Main St. Suite 2, Barre VT. 05641

Phone / Fax (802) 479-4500 (802) 479-4600

Project Name: Corinth

Project Number: 1-0324-1

Project Manager: Brad Wheeler

Sampler: Brad Wheeler

#	Sample Location	Date	Time	# of Cont.	Pres.	Sample Type	8021 B	8015 B DRO	Analysis Requested	Remarks
1	MW-1	12/16/06	12:00	2	HCl	water	X	X		
2	MW-2		12:30				X	X		
3	MW-3		11:30				X	X		
4	MW-4		11:00				X	X		
5	MW-5		13:00				X	X		
6	WS-1		13:50				X	X		
7	WS-2		14:20				X	X		
8	trip blank						X	X		

Digital Copy Requested

### Chain of Custody

Relinquished By: *Bradley A. Wheeler*

Date/Time: 12/18/06/13:20

Received By: *Paul A. Wheeler*

Date/Time: 12/18/06/13:20

Relinquished By:

Date/Time:

Received By:

Date/Time:

Temperature Blank:

Vial Lot ID #:

Page \_\_\_\_\_ of \_\_\_\_\_

GML #

696B