UNITED COUNSELING SERVICE OF BENNINGTON COUNTY, INC.

100 Ledge Hill Road, P.O. Box 588
Bennington, Vermont 05201-0588
(802) 442-5491
TTY/TDD (802) 442-5491

John W. Halpin
Executive Director

SEP 27 2002

September 25, 2002

Mr. Bill Roberts
Department of Environmental Conservation
Waste Management Division
103 South Main Street, West Office
Waterbury, VT 05671-0404

Dear Mr. Roberts,

As I discussed on the telephone today, we have finally received results from the soil samples at our Head Start Center facility in North Bennington, Vermont. We are listed on the State's computer as site number 931547.

You will notice some very low detection on two of the reports. We are hoping that they are detection levels low enough to put a close to this issue.

I look forward to the State's decision on this. Please call me with any questions.

Sincerely,

William Hall
Manager, Facility and Vehicle Operations

Enclosure

UCS COMMUNITY SERVICES OF BENNINGTON COUNTY, INC.

William Hall
MANAGER
FACILITY AND VEHICLE OPERATIONS

100 Ledge Hill Road P.O. Box 588 Bennington, Vermont 05201
Phone (or TTY/TTD): **802-442-5491** • Fax: 802-442-3363
Web: www.ucsvt.org

SOUTHERN ANALYTICAL LABORATORIES, INC.
110 BAYVIEW BOULEVARD, OLDSMAR, FL 34677 813-855-1844 fax 813-855-2218

Aquacheck Water Testing Laboratory, Inc.
7290 Route 131
Perkinsville, VT 05151

September 17, 2002
Project No: 30851

Laboratory Report

Project Name	**Head Start Center**
Sample Description	**West Side of Parking Lot-Middle**
Matrix	**Soil**
SAL Sample Number	**30851.01**
Date/Time Collected	**08/01/02 07:20**
Date/Time Received	**09/09/02 11:15**

Parameters	Units	Results	Method	Detection Limit	Date/Time Analyzed	Date/Time Prep	Analyst
Volatile Organic Compounds (Low Level)							
1,1,1,2-Tetrachloroethane	ug/kg	0.3 U	EPA 8021	0.3	09/12/02 22:37		FID
1,1,1-Trichloroethane	ug/kg	0.3 U	EPA 8021	0.3	09/12/02 22:37		FID
1,1,2,2-Tetrachloroethane	ug/kg	0.3 U	EPA 8021	0.3	09/12/02 22:37		FID
1,1,2-Trichloroethane	ug/kg	0.3 U	EPA 8021	0.3	09/12/02 22:37		FID
1,1-Dichloroethane	ug/kg	0.3 U	EPA 8021	0.3	09/12/02 22:37		FID
1,1-Dichloroethene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
1,1-Dichloropropene	ug/kg	0.3 U	EPA 8021	0.3	09/12/02 22:37		FID
1,2,3-Trichlorobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
1,2,3-Trichloropropane	ug/kg	0.3 U	EPA 8021	0.3	09/12/02 22:37		FID
1,2,4 Trichlorobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
1,2,4-Trimethylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
1,2-Dibromoethane	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
1,2-Dichloroethane	ug/kg	0.2 U	EPA 8021	0.2	09/12/02 22:37		FID
1,2-Dichloropropane	ug/kg	0.3 U	EPA 8021	0.3	09/12/02 22:37		FID
1,3,5-Trimethylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
1,3-Dichloropropane	ug/kg	0.3 U	EPA 8021	0.3	09/12/02 22:37		FID
2,2-Dichloropropane	ug/kg	0.3 U	EPA 8021	0.3	09/12/02 22:37		FID
2-Chlorotoluene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
4-Chlorotoluene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
Benzene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
Bromobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
Bromochloromethane	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
Bromodichloromethane	ug/kg	0.3 U	EPA 8021	0.3	09/12/02 22:37		FID
Bromoform	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
Bromomethane	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
Carbon tetrachloride	ug/kg	0.3 U	EPA 8021	0.3	09/12/02 22:37		FID
Chloroethane	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
Chloroform	ug/kg	0.2 U	EPA 8021	0.2	09/12/02 22:37		FID
Chloromethane	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
cis-1,2-Dichloroethene	ug/kg	0.2 U	EPA 8021	0.2	09/12/02 22:37		FID
cis-1,3-Dichloropropene	ug/kg	0.3 U	EPA 8021	0.3	09/12/02 22:37		FID
Dibromochloromethane	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
Dibromomethane	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
Dichlorodifluoromethane	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
Ethylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
Hexachlorobutadiene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
Isopropylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
m-Dichlorobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
Methylene Chloride	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
Methyl-tert-butyl ether	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID

SOUTHERN ANALYTICAL LABORATORIES, INC.
110 BAYVIEW BOULEVARD, OLDSMAR, FL 34677 813-855 1844 fax 813-855-2218

Aquacheck Water Testing Laboratory, Inc.
7290 Route 131
Perkinsville, VT 05151

September 17, 2002
Project No: 30851

Laboratory Report

Project Name	**Head Start Center**
Sample Description	**West Side of Parking Lot-Middle**
Matrix	**Soil**
SAL Sample Number	**30851.01**
Date/Time Collected	**08/01/02 07:20**
Date/Time Received	**09/09/02 11:15**

Parameters	Units	Results	Method	Detection Limit	Date/Time Analyzed	Date/Time Prep	Analyst
Volatile Organic Compounds (Low Level)							
Monochlorobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
Naphthalene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
n-Butylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
n-Propylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
o-Dichlorobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
p-Dichlorobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
p-Isopropyltoluene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
sec-Butylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
Styrene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
tert-Butylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
Tetrachloroethene	ug/kg	0.2 U	EPA 8021	0.2	09/12/02 22:37		FID
Toluene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
Total VOA	ug/kg	2.5 U	EPA 8021	2.5	09/12/02 22:37		FID
trans-1,2-Dichloroethene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
trans-1,3-Dichloropropene	ug/kg	0.3 U	EPA 8021	0.3	09/12/02 22:37		FID
Trichloroethene	ug/kg	0.2 U	EPA 8021	0.2	09/12/02 22:37		FID
Trichlorofluoromethane	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
Vinyl chloride	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
Xylenes (Total)	ug/kg	1.0 U	EPA 8021	1.0	09/12/02 22:37		FID
2-Chloroethyl Vinyl Ether	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
Chlorobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/12/02 22:37		FID
Total Recoverable Petroleum Hydrocarbons by FLPRO							
TRPH by FLPRO	mg/kg	51	FL-PRO	10	09/12/02 05:44	09/10/02 10:00	JRW

mg-kg

SOUTHERN ANALYTICAL LABORATORIES, INC.
110 BAYVIEW BOULEVARD, OLDSMAR, FL 34677 813 855-1844 fax 813-855-2218

Aquacheck Water Testing Laboratory, Inc.
7290 Route 131
Perkinsville, VT 05151

September 17, 2002
Project No: 30851

Laboratory Report

Project Name	**Head Start Center**
Sample Description	**Dumpster Soil**
Matrix	**Soil**
SAL Sample Number	**30851.03**
Date/Time Collected	**08/01/02 07:20**
Date/Time Received	**09/09/02 11:15**

Parameters	Units	Results	Method	Detection Limit	Date/Time Analyzed	Date/Time Prep	Analyst
Volatile Organic Compounds (Low Level)							
1,1,1,2-Tetrachloroethane	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 02:21		FID
1,1,1-Trichloroethane	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 02:21		FID
1,1,2,2-Tetrachloroethane	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 02:21		FID
1,1,2-Trichloroethane	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 02:21		FID
1,1-Dichloroethane	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 02:21		FID
1,1-Dichloroethene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
1,1-Dichloropropene	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 02:21		FID
1,2,3-Trichlorobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
1,2,3-Trichloropropane	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 02:21		FID
1,2,4 Trichlorobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
1,2,4-Trimethylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
1,2-Dibromoethane	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
1,2-Dichloroethane	ug/kg	0.2 U	EPA 8021	0.2	09/13/02 02:21		FID
1,2-Dichloropropane	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 02:21		FID
1,3,5-Trimethylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
1,3-Dichloropropane	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 02:21		FID
2,2-Dichloropropane	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 02:21		FID
2-Chlorotoluene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
4-Chlorotoluene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
Benzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
Bromobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
Bromochloromethane	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
Bromodichloromethane	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 02:21		FID
Bromoform	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
Bromomethane	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
Carbon tetrachloride	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 02:21		FID
Chloroethane	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
Chloroform	ug/kg	0.2 U	EPA 8021	0.2	09/13/02 02:21		FID
Chloromethane	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
cis-1,2-Dichloroethene	ug/kg	0.2 U	EPA 8021	0.2	09/13/02 02:21		FID
cis-1,3-Dichloropropene	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 02:21		FID
Dibromochloromethane	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
Dibromomethane	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
Dichlorodifluoromethane	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
Ethylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
Hexachlorobutadiene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
Isopropylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
m-Dichlorobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
Methylene Chloride	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
Methyl-tert-butyl ether	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID

FDOH Laboratory No. E84129
NELAP Accredited

Francis I. Daniels
Laboratory Director

SOUTHERN ANALYTICAL LABORATORIES, INC.
110 BAYVIEW BOULEVARD, OLDSMAR, FL 34677 813-855-1844 fax 813-855-2218

Aquacheck Water Testing Laboratory, Inc.
7290 Route 131
Perkinsville, VT 05151

September 17, 2002
Project No: 30851

Laboratory Report

Project Name	**Head Start Center**
Sample Description	**Dumpster Soil**
Matrix	**Soil**
SAL Sample Number	**30851.03**
Date/Time Collected	**08/01/02 07:20**
Date/Time Received	**09/09/02 11:15**

Parameters	Units	Results	Method	Detection Limit	Date/Time Analyzed	Date/Time Prep	Analyst
Volatile Organic Compounds (Low Level)							
Monochlorobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
Naphthalene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
n-Butylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
n-Propylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
o-Dichlorobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
p-Dichlorobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
p-Isopropyltoluene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
sec-Butylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
* Styrene	ug/kg	0.59	EPA 8021	0.5	09/13/02 02:21		FID
tert-Butylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
Tetrachloroethene	ug/kg	0.2 U	EPA 8021	0.2	09/13/02 02:21		FID
* Toluene	ug/kg	2.9	EPA 8021	0.5	09/13/02 02:21		FID
Total VOA	ug/kg	2.5 U	EPA 8021	2.5	09/13/02 02:21		FID
trans-1,2-Dichloroethene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
trans-1,3-Dichloropropene	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 02:21		FID
Trichloroethene	ug/kg	0.2 U	EPA 8021	0.2	09/13/02 02:21		FID
Trichlorofluoromethane	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
Vinyl chloride	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
* Xylenes (Total)	ug/kg	0.81 I	EPA 8021	1.0	09/13/02 02:21		FID
2-Chloroethyl Vinyl Ether	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
Chlorobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 02:21		FID
Total Recoverable Petroleum Hydrocarbons by FLPRO							
TRPH by FLPRO	mg/kg	31	FL-PRO	10	09/12/02 07:11	09/10/02 10:00	JRW

SOUTHERN ANALYTICAL LABORATORIES, INC.
110 BAYVIEW BOULEVARD, OLDSMAR, FL 34677 813-855-1844 fax 813-855-2218

Aquacheck Water Testing Laboratory, Inc.
7290 Route 131
Perkinsville, VT 05151

September 17, 2002
Project No: 30851

Laboratory Report

Project Name	Head Start Center
Sample Description	West Side of Parking Lot-Locust
Matrix	Soil
SAL Sample Number	30851.02
Date/Time Collected	08/01/02 07:20
Date/Time Received	09/09/02 11:15

Parameters	Units	Results	Method	Detection Limit	Date/Time Analyzed	Date/Time Prep	Analyst
Volatile Organic Compounds (Low Level)							
1,1,1,2-Tetrachloroethane	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 00:28		FID
1,1,1-Trichloroethane	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 00:28		FID
1,1,2,2-Tetrachloroethane	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 00:28		FID
1,1,2-Trichloroethane	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 00:28		FID
1,1-Dichloroethane	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 00:28		FID
1,1-Dichloroethene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
1,1-Dichloropropene	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 00:28		FID
1,2,3-Trichlorobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
1,2,3-Trichloropropane	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 00:28		FID
1,2,4 Trichlorobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
1,2,4-Trimethylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
1,2-Dibromoethane	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
1,2-Dichloroethane	ug/kg	0.2 U	EPA 8021	0.2	09/13/02 00:28		FID
1,2-Dichloropropane	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 00:28		FID
1,3,5-Trimethylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
1,3-Dichloropropane	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 00:28		FID
2,2-Dichloropropane	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 00:28		FID
2-Chlorotoluene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
4-Chlorotoluene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
Benzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
Bromobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
Bromochloromethane	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
Bromodichloromethane	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 00:28		FID
Bromoform	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
Bromomethane	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
Carbon tetrachloride	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 00:28		FID
Chloroethane	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
Chloroform	ug/kg	0.2 U	EPA 8021	0.2	09/13/02 00:28		FID
Chloromethane	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
cis-1,2-Dichloroethene	ug/kg	0.2 U	EPA 8021	0.2	09/13/02 00:28		FID
cis-1,3-Dichloropropene	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 00:28		FID
Dibromochloromethane	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
Dibromomethane	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
Dichlorodifluoromethane	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
Ethylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
Hexachlorobutadiene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
Isopropylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
m-Dichlorobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
Methylene Chloride	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
Methyl-tert-butyl ether	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID

FDOH Laboratory No. E84129
NELAP Accredited

Francis I. Daniels
Laboratory Director

SOUTHERN ANALYTICAL LABORATORIES, INC.
110 BAYVIEW BOULEVARD, OLDSMAR, FL 34677 813-855-1844 fax 813-855-2218

Aquacheck Water Testing Laboratory, Inc.
7290 Route 131
Perkinsville, VT 05151

September 17, 2002
Project No: 30851

Laboratory Report

Project Name	**Head Start Center**
Sample Description	**West Side of Parking Lot-Locust**
Matrix	**Soil**
SAL Sample Number	**30851.02**
Date/Time Collected	**08/01/02 07:20**
Date/Time Received	**09/09/02 11:15**

Parameters	Units	Results	Method	Detection Limit	Date/Time Analyzed	Date/Time Prep	Analyst
Volatile Organic Compounds (Low Level)							
Monochlorobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
Naphthalene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
n-Butylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
n-Propylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
o-Dichlorobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
p-Dichlorobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
p-Isopropyltoluene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
sec-Butylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
* Styrene	ug/kg	1.2	EPA 8021	0.5	09/13/02 00:28		FID
tert-Butylbenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
Tetrachloroethene	ug/kg	0.2 U	EPA 8021	0.2	09/13/02 00:28		FID
* Toluene	ug/kg	5.7	EPA 8021	0.5	09/13/02 00:28		FID
Total VOA	ug/kg	2.5 U	EPA 8021	2.5	09/13/02 00:28		FID
trans-1,2-Dichloroethene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
trans-1,3-Dichloropropene	ug/kg	0.3 U	EPA 8021	0.3	09/13/02 00:28		FID
Trichloroethene	ug/kg	0.2 U	EPA 8021	0.2	09/13/02 00:28		FID
Trichlorofluoromethane	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
Vinyl chloride	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
* Xylenes (Total)	ug/kg	1.2	EPA 8021	1.0	09/13/02 00:28		FID
2-Chloroethyl Vinyl Ether	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
Chlorobenzene	ug/kg	0.5 U	EPA 8021	0.5	09/13/02 00:28		FID
Total Recoverable Petroleum Hydrocarbons by FLPRO							
TRPH by FLPRO	mg/kg	55	FL-PRO	10	09/12/02 06:27	09/10/02 10:00	JRW

SOUTHERN ANALYTICAL LABORATORIES, INC.
110 BAYVIEW BOULEVARD, OLDSMAR, FL 34677 813-855-1844 fax 813-855-2218

Aquacheck Water Testing Laboratory, Inc.
7290 Route 131
Perkinsville, VT 05151

September 17, 2002
Project No: 30851

Laboratory Report

Footnotes

*	Test results presented in this report meet all the requirements of the NELAC standards.
**	A statement of estimated uncertainty of test results is available upon request.
U	Analyte was not detected; indicated concentration is method detection limit.

Soil results reported on a dry weight basis.

FDOH Laboratory No. E84129
NELAP Accredited

Approved By: Francis I. Daniels
Laboratory Director