

PROJECT PHASE (check one)	SUBMITTAL TYPE (check one)
☐ Site Investigation ☐ Corrective Action Feasibility Investigation ☐ Corrective Action Plan ☐ Corrective Action Summary Report ☒ Operations & Monitoring Report	☐ Work Scope ☒ Technical Report ☐ PCF Reimbursement Request ☐ General Correspondence

**MARCH 2012 GROUND WATER AND
 POET SYSTEM SUMMARY REPORT
 LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
 5700 ROUTE 100
 LONDONDERRY, VERMONT
 SMS #1996-2015**

Prepared for:

Summit Distributing, LLC
 240 Mechanic Street
 Lebanon, New Hampshire 03766
 Contact: Tom Frawley
 Tel: (603) 448-8000
 email: tomf@sumd.com

Prepared by:

GeoInsight, Inc.
 186 Granite Street, 3rd Floor, Suite A
 Manchester, New Hampshire 03101
 Contact: Darrin L. Santos, P.G.
 Tel: (603) 314-0820
 email: dlsantos@geoinc.com

May 16, 2012

GeoInsight Project 5599-000

File: 5599/CVR



GeoInsight®

Environmental Strategy & Engineering

Practical in Nature

May 16, 2012

GeoInsight Project 5599-000

Tim Cropley
Sites Management Section
Vermont Department of Environmental Conservation
103 South Main Street, West Building
Waterbury, VT 05671

RE: March 2012 Ground Water and POET System Summary Report
Londonderry Citgo/Londonderry Shopping Center – SMS #1996-2015
5700 Route 100
Londonderry, Vermont

Dear Mr. Cropley:

At the request of Summit Distributing, LLC (Summit), GeoInsight, Inc. (GeoInsight) prepared this report to summarize the March 2012 ground water and point-of-entry treatment (POET) system monitoring event performed at the Londonderry Citgo/Londonderry Shopping Center property located at 5700 Route 100 in Londonderry, Vermont. A site locus map is presented as Figure 1 and a site plan is presented as Figure 2.

The activities summarized herein were approved by the Vermont Department of Environmental Conservation (VTDEC) in emails dated April 11 and September 22, 2011 (Attachment A).

MONITORING ACTIVITIES

Sampling and Analysis

GeoInsight performed a ground water and supply well monitoring event at the site on March 20, 2012. Sampling activities included gauging ground water elevations and collecting ground water samples from monitoring wells MW-5, MW-8, MW-10, and MW-S2. Ground water elevations were measured at these wells using an electronic water level meter and gauging data are summarized in Table 1.

Ground water samples were collected from the monitoring wells using dedicated, disposable polyethylene bailers. Prior to sample collection, at least three times the volume of water in the wells was purged using the bailers or the wells were purged dry and allowed to recharge before sampling. After a short stabilization period (approximately one hour), ground water samples were collected from the monitoring wells for analyses of volatile organic compounds (VOCs).

GeoInsight, Inc.
186 Granite Street, 3rd Floor, Suite A
Manchester, NH 03101-2643
Tel (603) 314-0820
Fax (603) 314-0821
www.geoinsightinc.com

GeoInsight, Inc.
One Monarch Drive, Suite 201
Littleton, MA 01460-1440
Tel (978) 679-1600
Fax (978) 679-1601
www.geoinsightinc.com

GeoInsight, Inc.
200 Court Street, 2nd Floor
Middletown, CT 06457-3341
Tel (860) 894-1022
Fax (860) 894-1023
www.geoinsightinc.com



The ground water samples were submitted to Absolute Resource Associates, LLC (ARA) of Portsmouth, New Hampshire. The samples were analyzed by United States Environmental Protection Agency (USEPA) Method 8260B, but were reported using the VTDEC USEPA Method 8021 list for selected petroleum constituents.

Table 2 provides a current and historical summary of ground water VOC data for the site. The laboratory analytical report for the March 2012 monitoring event is presented in Attachment B. An updated discussion of ground water impacts at the site is provided in the Updated Conceptual Model section of this report.

Also during the March 2012 event, the POET systems serving the water supplies located at the site and the Thorne-Thomsen residence were sampled. The samples collected from the site and the Thorne-Thomsen POET systems were analyzed for VOCs by USEPA Method 524.2.

Ground Water Sampling Results

Laboratory analytical results for the March 2012 ground water monitoring indicated that benzene was detected in the ground water samples collected from monitoring wells MW-8 and MW-10 at concentrations of 60 micrograms per liter ($\mu\text{g/L}$) and 61 $\mu\text{g/L}$, respectively. The detected concentrations of benzene were above the applicable Vermont Primary Groundwater Enforcement Standards (VPGESs) of 5 $\mu\text{g/L}$. Additional VOCs including toluene, trimethylbenzenes, and total xylenes were detected above laboratory practical quantitation limits (PQLs), but below applicable VPGESs in the sample collected from well MW-8. VOCs were not detected above laboratory PQLs in the samples collected from wells MW-5 and MW-S2. A historical summary of ground water VOC data is provided in Table 2.

Supply Well and POET Sampling Results

The March 2012 POET system sampling data are summarized in Table 3. Table 4 provides a summary of recent and historical POET system influent sample data collected at the site and Thorne-Thomsen residence. The March 2012 POET system analytical report is presented in Attachment B.

VOCs were not detected above the laboratory PQLs in the Thorne-Thomsen POET system influent and effluent samples. Methyl tert-butyl ether (MTBE) was detected at a concentration of 6.4 $\mu\text{g/L}$ in the system influent sample collected from the Shopping Center POET system on March 20, 2012. MTBE and other petroleum-related compounds were not detected above laboratory PQLs in the effluent sample collected from the Shopping Center POET system. The VTDEC drinking water guideline for MTBE is 40 $\mu\text{g/L}$. Chloroform and bromodichloromethane were detected above laboratory PQLs, but below applicable VPGESs, in the Shopping Center system effluent sample. These compounds are believed to be byproducts of chlorination of the water system. When GeoInsight previously spoke with John Beauchamp of the Vermont Water Treatment Company following previous sampling events, he indicated that chlorine was injected into the Shopping Center system after the mid-



point activated carbon canisters. Therefore, the presence of the chlorination byproducts in the system effluent sample and not in the influent sample supports this conclusion.

GeoInsight also collected system mid-point samples from the POET systems serving the site and Thorne-Thomsen supply well. The mid-point sample data are summarized in Table 3. GeoInsight transmitted the results of the March 2012 POET system sampling to the property owners and the POET system operator, John Beauchamp of the Vermont Water Treatment Company in letters dated May 16, 2012. Copies of the POET system results letters are included in Attachment C.

Quality Assurance/Quality Control

A trip blank sample was included by the laboratory with the sample containers during this monitoring event. VOCs were not detected above the laboratory PQLs in the trip blank sample submitted for the March 20, 2012 monitoring event. The trip blank sample was comprised of a laboratory-prepared VOC vial containing deionized water, which accompanied the sample containers in a cooler from delivery from the laboratory through receipt by the laboratory. GeoInsight also reviewed the surrogate recovery data reported by the laboratory for the samples collected during the March 2012 monitoring event, which were within the acceptable limits listed by the laboratory in the analytical reports. GeoInsight did not include a blind field duplicate sample during the March 2012 monitoring event to evaluate sampling quality assurance and quality control (QA/QC). However, ARA selected sample "Store INF" for an internal duplicate analysis and the split sample data is described below.

The MTBE result (6.4 µg/L) for the site POET system influent sample ("Store INF") was reported by the laboratory with a footnote indicating the "RPD for the sample duplicate, run as internal QC, was outside the 20% acceptance range." GeoInsight contacted the laboratory for additional information regarding this sample result. The laboratory indicated that in addition to analyzing the "Store INF" sample, it also analyzed the second sample vial as an internal quality control sample. The laboratory detected MTBE at 6.4 µg/L and 2.2 µg/L in the two samples, which have a relative percent difference (RPD) of 97 percent. Because the RPD was outside of the 20 percent acceptance criterion, the laboratory reported the higher MTBE result for the "Store INF" sample analyses and included the footnote in the report. GeoInsight concurs with the action taken by the laboratory in reporting the higher MTBE result for this sample.

In general, the QA/QC samples indicated that the data collected were technically sound, usable, and meet the data quality objectives of on-going site investigation activities. A summary of QA/QC sample data is provided in Table 3.



UPDATED CONCEPTUAL MODEL

Ground Water Elevations and Flow Direction

Using the ground water elevation data collected in March 2012, GeoInsight plotted ground water elevation contours, which are presented on Figure 3. The March 2012 data indicated ground water flow was directed to the south, which was generally consistent with flow patterns mapped for recent monitoring events performed by GeoInsight and the previous environmental consultant for the site.

Volatile Organic Compound Distribution and Trends

Concentrations of benzene and MTBE detected in ground water samples collected during the March 2012 monitoring event are plotted on Figure 4. The March 2012 MTBE data were generally consistent with more recent data, indicating a decrease in dissolved-phase MTBE concentrations at the site. March 2012 data indicated that benzene was detected at concentrations exceeding VPGESs in monitoring wells (MW-8 and MW-10) located within the vicinity of the pump island and former gasoline underground storage tanks (USTs). Benzene was not detected above laboratory PQLs in downgradient sample locations (MW-S2 and MW-5) during March 2012. Prior to the March 2012 sampling event, detected VOCs had not exceeded applicable VPGESs in monitoring wells sampled at the site since the September 2007 monitoring event when benzene was detected at a concentration of 27.1 µg/L at well MW-10.

The apparent spike in benzene near the current and former USTs may be related to recent flooding resulting from Tropical Storm Irene. The March 2012 sampling event is the first to include collection and analysis of ground water samples from the site since major flooding occurred in the area of the station.

Petroleum-related VOCs detected in POET system influent samples collected from the Shopping Center and Thorne-Thomsen residence have been limited to MTBE since 2003 and concentrations have indicated a decreasing trend starting around 2006 for both supply wells. MTBE has not been detected at a concentration exceeding the drinking water guideline of 40 µg/L in either POET system influent since the March 2007 sampling event.

CONCLUSIONS AND RECOMMENDATIONS

Because of the historical and recent detection of VOCs above laboratory PQLs in the Shopping Center and Thorne-Thomsen POET systems, bi-annual sampling appears to be appropriate for monitoring low-level residual VOCs at the site and in the POET systems. The next POET system monitoring event is set to occur in September 2012 (third quarter). However, instead of only sampling the two POET systems in September 2012, GeoInsight recommends collecting ground water samples from the remaining four monitoring wells (MW-S2, MW-5, MW-8 and MW-10) located at the site based upon the March 2012 benzene data from wells MW-8 and MW-10.



UNDERGROUND STORAGE TANK SYSTEM DECOMMISSIONING

Summit recently informed GeoInsight that it is planning on removing the UST and pump island system from the property and terminating fueling operations. The UST removal is planned for summer 2012. Separate notification of the UST removal to the VTDEC will be performed by the UST removal contractor. However, GeoInsight recommends developing a contingency Work Plan/Cost Estimate (WP/CE) for the removal of petroleum-impacted soil that is likely to be encountered during the UST and pump island removal, so that targeted impacted soil excavation can occur during the decommissioning activities. Also, due to the proximity of well MW-10 to the pump island, this well may be removed during station decommissioning activities. Therefore, the contingency WP/CE should include costs for re-installing this well if it is removed.

If you have questions regarding the contents of this letter report, please call us at (603) 314-0820.

Sincerely,
GEOINSIGHT, INC.


Eric D. Johnson
Project Geologist


Darrin L. Santos, P.G.
Senior Geologist

Attachments


cc: Summit Distributing, LLC
Robert Waite, c/o Miles Waite, Waite Environmental Management, LLC

P:\5599 Summit Londonderry VT\Monitoring\2012\5599March12GWreport.doc




FIGURES





SOURCE:

USGS LONDONDERRY, VT QUADRANGLE





CLIENT: SUMMIT DISTRIBUTING, LLC			
PROJECT: 5700 ROUTE 100 LONDONDERRY, VERMONT			
TITLE: SITE LOCUS			
DESIGNED: CAE	DRAWN: STM	CHECKED: AWK	APPROVED: BDK
SCALE: 1" = 2000'	DATE: 12/29/08	FILE NO.: 5599-LOCUS	PROJECT NO.: 5599-000



GeoInsight
Practical in Nature

FIGURE NO.:
1

PLOT DATE: 7-28-10
FILE: I:\5599\5599D001.dwg




LEGEND

- MW-1 MONITORING WELL
- SUPPLY WELL
- SEWER MANHOLE
- SEWER LINE
- WATER LINE


NOTES:

1. THIS PLAN WAS BASED UPON A SITE PLAN CREATED BY ECS DATED APRIL 04, 2006. ALL SITE FEATURES ARE APPROXIMATE.



CLIENT:		SUMMIT DISTRIBUTING, LLC		 GeoInsight <i>Practical in Nature</i>
PROJECT:		5700 ROUTE 100 LONDONDERRY, VERMONT		
TITLE:		SITE PLAN		
DESIGNED:	DRAWN:	CHECKED:	APPROVED:	
EDJ	STM	DLS	PDF	
SCALE:	DATE:	FILE NO.:	PROJECT NO.:	FIGURE NO.:
1" = 40'	01/08/09	5599D001	5599-000	2

PLOT DATE: 4-13-12
FILE: C:\Users\stmckee\appdata\local\temp\AcPublish_5086\5599D012.dwg




LEGEND

- MW-1 MONITORING WELL
- MW-1R DECOMMISSIONED MONITORING WELL
- SUPPLY WELL
- SEWER MANHOLE
- SEWER LINE
- WATER LINE
- 91 RELATIVE GROUND WATER ELEVATION CONTOUR (DASHED WHERE INFERRED)
- INFERRED DIRECTION OF GROUND WATER FLOW
- (95.10) RELATIVE GROUND WATER ELEVATION


NOTES:

1. THIS PLAN WAS BASED UPON A SITE PLAN CREATED BY ECS DATED APRIL 04, 2006. ALL SITE FEATURES ARE APPROXIMATE.



CLIENT: SUMMIT DISTRIBUTING, LLC				
PROJECT: 5700 ROUTE 100 LONDONDERRY, VERMONT				
TITLE: GROUND WATER CONTOUR PLAN MARCH 20, 2012				
DESIGNED: EDJ	DRAWN: STM	CHECKED: DLS	APPROVED: PDF	
SCALE: 1" = 40'	DATE: 04/13/12	FILE NO.: 5599D012	PROJECT NO.: 5599-000	FIGURE NO.: 3

PLOT DATE: 4-13-12
FILE: C:\Users\stmckee\appdata\local\temp\AcPublish_5087\5599D013.dwg




LEGEND

	MW-1	MONITORING WELL
	MW-1R	DECOMMISSIONED MONITORING WELL
		SUPPLY WELL
		SEWER MANHOLE
	S	SEWER LINE
	W	WATER LINE
[ND(2)]		MTBE CONCENTRATION (ug/L)
[60]		BENZENE CONCENTRATION (ug/L)
[ND(2)]		NOT DETECTED ABOVE LIMIT NOTED

NOTES:

1. THIS PLAN WAS BASED UPON A SITE PLAN CREATED BY ECS DATED APRIL 04, 2006. ALL SITE FEATURES ARE APPROXIMATE.



CLIENT: SUMMIT DISTRIBUTING, LLC				 GeoInsight <i>Practical in Nature</i>
PROJECT: 5700 ROUTE 100 LONDONDERRY, VERMONT				
TITLE: DISTRIBUTION OF BENZENE AND MTBE IN GROUND WATER – MARCH 20, 2012				
DESIGNED: EDJ	DRAWN: STM	CHECKED: DLS	APPROVED: PDF	
SCALE: 1" = 40'	DATE: 04/13/12	FILE NO.: 5599D013	PROJECT NO.: 5599–000	FIGURE NO.: 4



TABLES



TABLE 1
SUMMARY OF GROUND WATER ELEVATION DATA
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

WELL I.D.	REFERENCE ELEVATION (FT) (Note 2)	MONITORING DATE (Note 3)	DEPTH TO GROUND WATER (FT)	RELATIVE GROUND WATER ELEVATION (FT)
MW-1R	100.53	03/21/06	5.23	95.30
		09/12/06	8.93	91.60
		03/30/07	6.47	94.06
		09/19/07	10.56	89.97
		10/09/08	8.27	92.26
		04/16/09	5.72	94.81
		09/21/09	8.65	91.88
		03/23/10	4.91	95.62
	Decommissioned June 2010.			
MW-2R	99.28	03/21/06	5.20	94.08
		09/12/06	7.75	91.53
		03/30/07	5.30	93.98
		09/19/07	9.82	89.46
		10/09/08	6.93	92.35
		04/16/09	4.49	94.79
		03/23/10	3.36	95.92
	Decommissioned June 2010.			
MW-3	98.69	03/21/06	4.91	93.78
		09/12/06	7.63	91.06
		03/30/07	5.24	93.45
		09/19/07	9.82	88.87
		10/09/08	7.02	91.67
		04/16/09	4.45	94.24
		03/23/10	3.46	95.23
	Decommissioned June 2010.			
MW-4	98.32	03/21/06	4.01	94.31
		09/12/06	Dry	--
		03/30/07	Dry	--
		09/19/07	Dry	--
		10/09/08	Dry	--
		04/16/09	Dry	--
		03/23/10	Dry	--
	Decommissioned June 2010.			

TABLE 1
SUMMARY OF GROUND WATER ELEVATION DATA
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

WELL I.D.	REFERENCE ELEVATION (FT) (Note 2)	MONITORING DATE (Note 3)	DEPTH TO GROUND WATER (FT)	RELATIVE GROUND WATER ELEVATION (FT)
MW-5	98.48	03/21/06	NS	--
		09/12/06	NS	--
		03/30/07	8.81	89.67
		09/19/07	11.60	86.88
		10/09/08	9.63	88.85
		04/16/09	6.82	91.66
		03/23/10	6.46	92.02
		03/28/11	7.41	91.07
		03/20/12	7.38	91.10
MW-6	95.13	03/21/06	8.91	86.22
		09/12/06	10.14	84.99
		03/30/07	NS	--
		09/19/07	NS	--
		10/09/08	9.82	85.31
		04/16/09	8.02	87.11
		03/23/10	6.91	88.22
		Decommissioned June 2010.		
MW-7	98.40	03/21/06	8.39	90.01
		09/12/06	10.37	88.03
		03/30/07	9.21	89.19
		09/19/07	11.86	86.54
		10/09/08	9.87	88.53
		04/16/09	7.51	90.89
		03/23/10	7.22	91.18
		Decommissioned June 2010.		
MW-8	99.66	03/21/06	5.65	94.01
		09/12/06	8.15	91.51
		03/30/07	5.65	94.01
		09/19/07	9.77	89.89
		10/09/08	7.40	92.26
		04/16/09	4.97	94.69
		09/21/09	7.84	91.82
		03/23/10	3.80	95.86
		03/28/11	Monitoring Well Inaccessible	
		3/20/2012	3.92	95.74

TABLE 1
SUMMARY OF GROUND WATER ELEVATION DATA
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

WELL I.D.	REFERENCE ELEVATION (FT) (Note 2)	MONITORING DATE (Note 3)	DEPTH TO GROUND WATER (FT)	RELATIVE GROUND WATER ELEVATION (FT)
MW-10	99.60	03/21/06	5.49	94.11
		09/12/06	8.04	91.56
		03/30/07	5.55	94.05
		09/19/07	9.68	89.92
		10/09/08	7.26	92.34
		04/16/09	4.75	94.85
		09/21/09	7.69	91.91
		03/23/10	3.63	95.97
		03/28/11	4.53	95.07
		03/20/12	4.50	95.10
MW-11	98.70	03/21/06	6.01	92.69
		09/12/06	9.47	89.23
		03/30/07	5.95	92.75
		09/19/07	Dry	Dry
		10/09/08	Dry	Dry
		04/16/09	4.81	93.89
		03/23/10	3.52	95.18
	Decommissioned June 2010.			
MW-S2	94.89	03/21/06	8.75	86.14
		09/12/06	10.22	84.67
		03/30/07	8.56	86.33
		09/19/07	10.64	84.25
		10/09/08	9.93	84.96
		04/16/09	8.11	86.78
		09/21/09	10.21	84.68
		03/23/10	7.41	87.48
		03/28/11	7.93	86.96
		3/20/2012	7.89	87.00
MW-S3	94.41	03/21/06	8.19	86.22
		09/12/06	9.73	84.68
		03/30/07	8.56	85.85
		09/19/07	10.12	84.29
		10/09/08	9.45	84.96
		04/16/09	7.42	86.99
		03/23/10	6.81	87.60
	Decommissioned June 2010.			

NOTES:

1. Depth to ground water measurements were from the top of polyvinyl chloride well casings.
2. Survey/reference elevations obtained from historical site investigation documents.
3. Prior to 10/10/08, measurements were performed by Environmental Compliance Services.
4. FT = feet; NS = not sampled.

TABLE 2
SUMMARY OF GROUND WATER ANALYTICAL DATA
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

Well ID	Sample Date	VOLATILE ORGANIC COMPOUNDS (VOCs)								
		MTBE	Benzene	Toluene	Ethyl benzene	Total Xylenes	Total TMB*	Naphthalene	EDB	1,2-DCA
micrograms per liter (µg/L)										
VPGES		40	5	1,000	700	10,000	350	20	0.05	5
MW-1R	03/21/06	298	176	170	9	169.4	13.7	ND(5)	--	--
	04/17/06	72	66.6	34.8	ND(5)	47.4	6.8	ND(5)	--	--
	06/23/06	18.4	43.7	ND(1)	ND(1)	ND(3)	ND(1)	ND(1)	--	--
	09/12/06	10.5	8.5	ND(1)	9.2	2.9	22.7	3.3	--	--
	12/22/06	7.1	24.3	ND(1)	6.6	ND(2)	85.2	6.5	--	--
	03/30/07	ND(1)	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/19/07	1.2	ND(1)	ND(1)	ND(1)	ND(3)	ND(1)	ND(1)	ND(0.01)	ND(1)
	03/04/08	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10/24/08**	3	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	04/16/09	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	09/21/09	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
03/23/10	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	
Monitoring well decommissioned June 2010.										
MW-2R	03/21/06	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	04/17/06	1.1	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	06/23/06	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/12/06	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	2.2	ND(1)	--	--
	12/22/06	7.2	ND(1)	ND(1)	ND(1)	ND(3)	ND(1)	ND(1)	--	--
	03/30/07	ND(1)	ND(1)	ND(1)	2.4	ND(2)	7.8	ND(1)	--	--
	09/19/07	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	ND(0.01)	ND(1)
	03/04/08	1.5	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	ND(1)	ND(1)
	10/09/08	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	04/16/09	Well removed from monitoring program.								
	03/23/10	ND(2)	ND(2)	ND(2)	2.0	ND(2)	7.0	ND(5)	ND(2)	ND(2)
Monitoring well decommissioned June 2010.										
MW-3	03/08/00	27.9	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	06/12/00	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/19/00	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	12/13/00	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/13/01	1.7	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/25/01	1.83	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/26/02	798	3.2	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/05/02	106	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/27/03	118	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/25/03	80.2	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/16/04	1.5	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/14/04	44.6	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/29/05	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/02/05	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/21/06	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/12/06	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	--	--
	03/30/07	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	--	--
	09/19/07	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	ND(0.01)	ND(1)
	03/04/08	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	ND(0.01)	ND(1)
	10/09/08	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	04/16/09	Well removed from monitoring program.								
	03/23/10	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
Monitoring well decommissioned June 2010.										

TABLE 2
SUMMARY OF GROUND WATER ANALYTICAL DATA
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

Well ID	Sample Date	VOLATILE ORGANIC COMPOUNDS (VOCs)									
		MTBE	Benzene	Toluene	Ethyl benzene	Total Xylenes	Total TMB*	Naphthalene	EDB	1,2-DCA	
micrograms per liter (µg/L)											
VPGES		40	5	1,000	700	10,000	350	20	0.05	5	
MW-4	05/21/97	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--	--	--	
	03/13/98	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--	--	--	
	06/23/98	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--	--	--	
	03/21/06	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--	--	--	
	09/12/06	NS	NS	NS	NS	NS	--	--	--	--	
	03/30/07	NS	NS	NS	NS	NS	--	--	--	--	
	09/19/07	NS	NS	NS	NS	NS	--	--	--	--	
	03/04/08	NS	NS	NS	NS	NS	--	--	--	--	
	10/09/08	Well purged dry prior to sampling and did not recharge.									
	04/16/09	Well removed from monitoring program.									
	03/23/10	Well inaccessible during monitoring event.									
		Monitoring well decommissioned June 2010.									
MW-5	03/08/00	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--	
	06/12/00	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--	
	09/19/00	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--	
	12/13/00	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--	
	03/13/01	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--	
	09/25/01	NS	NS	NS	NS	NS	NS	NS	--	--	
	03/26/02	NS	NS	NS	NS	NS	NS	NS	--	--	
	09/05/02	NS	NS	NS	NS	NS	NS	NS	--	--	
	03/27/03	NS	NS	NS	NS	NS	NS	NS	--	--	
	09/25/03	NS	NS	NS	NS	NS	NS	NS	--	--	
	03/16/04	NS	NS	NS	NS	NS	NS	NS	--	--	
	09/14/04	ND(1)	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--	
	03/29/05	NS	NS	NS	NS	NS	NS	NS	--	--	
	09/02/05	ND(1)	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--	
	03/21/06	NS	NS	NS	NS	NS	NS	NS	--	--	
	09/12/06	NS	NS	NS	NS	NS	NS	NS	--	--	
	03/30/07	ND(1)	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	ND(1)	--	--	
	09/19/07	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	ND(0.01)	ND(1)	
	03/04/08	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	ND(1)	ND(1)	
	10/09/08	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	
		04/16/09	Well removed from monitoring program.								
		03/23/10	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	03/28/11	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	
	03/20/12	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	
MW-6	03/08/00	10.6	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--	
	06/12/00	39	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--	
	09/19/00	16.5	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--	
	12/13/00	31.7	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--	
	03/13/01	35.3	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--	
	09/05/02	1.5	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--	
	03/27/03	NS	NS	NS	NS	NS	NS	NS	ND(0.01)	ND(1)	
	09/25/03	ND(1)	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	NS	NS	
	03/16/04	NS	NS	NS	NS	NS	NS	NS	ND(2)	ND(2)	
	09/14/04	ND(1)	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)			
	09/02/05	ND(1)	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)			
	03/21/06	2.7	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--	
	09/12/06	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(1)	ND(1)	--	--	
	03/30/07	NS	NS	NS	NS	NS	NS	NS	--	--	
	09/19/07	NS	NS	NS	NS	NS	NS	NS	--	--	
	03/04/08	NS	NS	NS	NS	NS	NS	NS	--	--	
	10/09/08	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	
		04/16/09	Well removed from monitoring program.								
		03/23/10	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
			Monitoring well decommissioned June 2010.								

TABLE 2
SUMMARY OF GROUND WATER ANALYTICAL DATA
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

Well ID	Sample Date	VOLATILE ORGANIC COMPOUNDS (VOCs)								
		MTBE	Benzene	Toluene	Ethyl benzene	Total Xylenes	Total TMB*	Naphthalene	EDB	1,2-DCA
micrograms per liter (µg/L)										
VPGES		40	5	1,000	700	10,000	350	20	0.05	5
MW-7	03/08/00	84.3	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	06/12/00	10.2	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/19/00	5.1	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	12/13/00	22.3	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/13/01	85.5	ND(1)	ND(1)	ND(1)	2.4	ND(1)	ND(1)	--	--
	03/26/02	10.4	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/05/02	4.9	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/27/03	77.5	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/25/03	1.72	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/16/04	19.4	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/14/04	1.3	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/29/05	16.3	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/02/05	1.6	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/21/06	ND(1)	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/12/06	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(1)	ND(1)	--	--
	03/30/07	2.2	ND(1)	ND(1)	ND(1)	ND(3)	ND(1)	ND(1)	--	--
	09/19/07	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	ND(1)**	ND(1)
	03/04/08	6.6	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	ND(1)	ND(1)
	10/09/08	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	04/16/09	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
09/21/09	Well inaccessible during monitoring program.									
03/23/10	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	
Monitoring well decommissioned June 2010.										
MW-8	03/08/00	1.2	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	06/12/00	53.1	10.2	7.9	31.1	139	84.7	10.9	--	--
	09/19/00	24.4	10.8	117	129	369	134.5	19	--	--
	12/13/00	24.7	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/13/01	264	5.9	ND(2)	18.6	20	22.9	4.2	--	--
	09/25/01	68.1	4.3	15.1	116	160	124.6	18.8	--	--
	03/26/02	1,080	11.2	35.1	178	1,070	602	146	--	--
	09/05/02	814	20.2	206	588	1,700	918	153	--	--
	03/27/03	38.4	1	1.7	5.9	46.6	24.2	4.1	--	--
	09/25/03	556	ND(25)	116	824	2,422	2,271	376	--	--
	03/16/04	178	12.6	16.9	217	294	544	77.2	--	--
	09/14/04	140	ND(10)	13.4	178	647	735	93.2	--	--
	03/29/05	213	40	ND(5)	35.6	96.1	386.4	29	--	--
	09/02/05	2.4	1.2	ND(1)	2.1	7.7	10.3	1.4	--	--
	03/21/06	22.8	ND(5)	ND(5)	17.5	34.6	278.8	27.5	--	--
	06/23/06	7.2	2.3	ND(1)	ND(1)	1.6	ND(1)	ND(1)	--	--
	09/12/06	16.7	ND(1)	ND(1)	ND(1)	ND(3)	ND(1)	ND(1)	--	--
	12/22/06	8.5	4.6	ND(1)	1.1	ND(3)	13.5	2	--	--
	03/30/07	1.2	3	ND(1)	7.9	6	11.3	3	--	--
	09/19/07	2.1	1.7	ND(1)	43.7	4.6	6.7	4.4	ND(0.01)	ND(1)
	03/04/08	6.1	1.6	ND(1)	2.5	4	65.3	4.6	ND(1)	ND(1)
	10/09/08	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	04/16/09	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	09/21/09	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	03/23/10	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	03/28/11	Well inaccessible during monitoring program.								
	03/20/12	ND(2)	60	4	ND(2)	3	57	ND(5)	ND(2)	ND(2)

TABLE 2
SUMMARY OF GROUND WATER ANALYTICAL DATA
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

Well ID	Sample Date	VOLATILE ORGANIC COMPOUNDS (VOCs)								
		MTBE	Benzene	Toluene	Ethyl benzene	Total Xylenes	Total TMB*	Naphthalene	EDB	1,2-DCA
micrograms per liter (µg/L)										
VPGES		40	5	1,000	700	10,000	350	20	0.05	5
MW-10	03/21/06	20.8	32.4	2.4	ND(1)	6.6	2.4	ND(1)	--	--
	06/23/06	18.8	16.1	ND(1)	ND(1)	ND(3)	2.1	ND(1)	--	--
	09/12/06	91.6	17.9	ND(1)	3.9	ND(3)	3.9	ND(1)	--	--
	12/22/06	15.5	2.4	ND(1)	6.8	8.7	7.6	ND(1)	--	--
	03/30/07	9.2	11.9	4.8	1.9	8.1	11.3	ND(1)	--	--
	09/19/07	36.6	27.1	ND(1)	1.4	4.9	12.2	ND(1)	ND(0.01)	ND(1)
	03/04/08	5.6	ND(1)	ND(1)	ND(1)	ND(3)	3.3	ND(1)	ND(1)	ND(1)
	10/09/08	11	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	04/16/09	2	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	09/21/09	5	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	03/23/10	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	03/28/11	ND(2)	4	7	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
03/20/12	ND(2)	61	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	
MW-11	03/21/06	6	2.8	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/12/06	6.4	ND(1)	ND(1)	ND(1)	ND(3)	ND(1)	ND(1)	--	--
	03/30/07	5.5	ND(1)	ND(1)	ND(1)	ND(3)	ND(1)	ND(1)	--	--
	09/19/07	NS	NS	NS	NS	NS	NS	NS	NS	NS
	03/04/08	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10/09/08	Monitoring well was dry and, therefore, could not be sampled.								
	04/16/09	Well removed from monitoring program.								
	03/23/10	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
MW-S2	Monitoring well decommissioned June 2010.									
	03/08/00	76.8	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	06/12/00	22	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/19/00	51.3	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	12/13/00	40.7	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/13/01	43.9	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/25/01	29.6	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/26/02	15.6	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/05/02	11.6	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/27/03	41.6	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/25/03	17	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/16/04	16.5	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/14/04	NS	NS	NS	NS	NS	NS	NS	--	--
	03/29/05	49.9	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/02/05	29.1	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/21/06	1	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/12/06	51.4	ND(1)	ND(1)	ND(1)	ND(3)	ND(1)	ND(1)	--	--
	03/30/07	5.5	ND(1)	ND(1)	ND(1)	ND(3)	ND(1)	ND(1)	--	--
	09/19/07	6.7	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	ND(0.01)	ND(1)
	03/08/08	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10/09/08	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	04/16/09	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	09/21/09	4	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	03/23/10	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	03/28/11	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	03/20/12	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)

TABLE 2
SUMMARY OF GROUND WATER ANALYTICAL DATA
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

Well ID	Sample Date	VOLATILE ORGANIC COMPOUNDS (VOCs)								
		MTBE	Benzene	Toluene	Ethyl benzene	Total Xylenes	Total TMB*	Naphthalene	EDB	1,2-DCA
micrograms per liter (µg/L)										
VPGES		40	5	1,000	700	10,000	350	20	0.05	5
MW-S3	03/08/00	79.4	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	06/12/00	15.7	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/19/00	17.9	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	12/13/00	21.8	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/13/01	23.7	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/25/01	10.9	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/26/02	14.7	ND(1)	ND(1)	1.3	2.8	ND(1)	ND(1)	--	--
	09/05/02	15.4	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/27/03	43.5	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/25/03	16.8	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/16/04	8.8	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/14/04	NS	NS	NS	NS	NS	NS	NS	--	--
	03/29/05	3.1	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/02/05	1	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/21/06	121	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/12/06	1.2	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/30/07	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/19/07	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	ND(0.01)	ND(1)
	03/04/08	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	ND(1)	ND(1)
	10/09/08	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
04/16/09	Well removed from monitoring program.									
03/23/10	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	
Monitoring well decommissioned June 2010.										

NOTES:

1. Results reported in micrograms per liter (µg/L).
2. NS - not sampled.
3. ND(X) - constituent not detected above the laboratory practical quantitation limit noted.
4. VPGESs - Vermont Primary Groundwater Enforcement Standards.
5. Concentrations in bold exceed VPGESs.
6. Prior to 10/10/08, samples were collected by Environmental Compliance Services.
7. EDB - 1,2-dibromoethane; 1,2-DCA - 1,2-dichloroethane; MTBE - methyl tert butyl ether.
8. -- - data not reported in historical reports or data no longer available.
9. * - Effective on 02/28/07, trimethylbenzene (TMB) enforcement standards increased to 350 µg/L, and includes 1,2,4-TMB and 1,3,5-TMB.
10. **Well MW-1R was resampled on 10/24/08 due to damaged sample vials received by the laboratory from the initial 10/09/08 monitoring event.

TABLE 3
SUMMARY OF SUPPLY WELL SAMPLING AND QUALITY ASSURANCE/QUALITY CONTROL ANALYTICAL DATA - MARCH 2011 EVENT
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

<i>MONITORING DATE: March 20, 2012</i>															
Supply Well	MTBE	Benzene	Toluene	Ethyl Benzene	Total Xylenes	Total TMB	Isopropylbenzene	EDB	1,2-DCA	chloromethane	Trichloroethene	Methylene chloride	Chloroform	Bromodichloromethane	Dibromochloromethane
POINT-OF-ENTRY TREATMENT SYSTEM SAMPLING RESULTS															
Shopping Center Main - Influent	6.4	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
Shopping Center Main - Mid D	0.6	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
Shopping Center Main - Mid G	0.5	1.7	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
Shopping Center Main - Effluent	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(0.5)	ND(0.5)	1	0.6	ND(0.5)
Thorne-Thomsen - Influent	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
Thorne-Thomsen - Mid	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
Thorne-Thomsen - Effluent	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
QUALITY ASSURANCE/QUALITY CONTROL															
Trip Blank	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
MCL	--	5	1,000	700	10,000	--	--	0.05	5	--	5	5	80		
VHA	40	--	--	--	--	350	--	--	--	30	--	--	--	--	--
VAL	--	1	--	--	--	--	--	--	0.5	--	--	--	--	--	--

NOTES:

- Results reported in micrograms per liter (µg/L).
- Bold results indicate an exceedence of the applicable MCL.
- ND(X) - constituent not detected above laboratory practical quantitation limit noted.
- MCL - Maximum Contaminant Levels for public water supplies from Chapter 21, Vermont Water Supply Rule (April 25, 2005) or Vermont Department of Health, Drinking Water Guidance (December 2002).
- VHA - Vermont Health Advisories - guidelines for concentrations of chemicals in drinking water that do not have MCLs; VAL - Vermont Action Levels for eight chemicals of specific health concern in public water systems both established by the Vermont Department of Health (December 2002, revised February 2007).
- Total TMB - 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene.
- EDB - 1,2-dibromoethane; 1,2-DCA - 1,2-dichloroethane; MTBE - methyl tert butyl ether.

TABLE 4
SHOPPING CENTER THORNE-THOMSEN POET SYSTEM AND ROGERS SUPPLY WELL SAMPLING ANALYTICAL DATA
(2001 TO PRESENT)
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

Supply Well / Drinking Water Standard	Sample Date	MTBE	TAME	Benzene	Toluene	Ethyl Benzene	Total Xylenes	Total TMB	Methylene Chloride	Chloromethane
	<i>MCL</i>	--	--	5	1,000	700	10,000	--	--	--
	<i>VHA</i>	40	--	--	--	--	--	350	5	6
	<i>VAL</i>	--	--	1	--	--	--	--	--	--
Shopping Center Main - POET System Influent	01/17/01		NR	43.9	ND(1)	ND(1)	ND(1)	ND(2)	NR	NR
	02/14/01	1.4	NR	33.2	ND(1)	ND(1)	ND(1)	ND(2)	NR	NR
	03/13/01	2.9	NR	34.9	ND(1)	ND(1)	ND(1)	ND(2)	NR	NR
	04/17/01	2	NR	26.3	ND(1)	ND(1)	ND(1)	ND(2)	NR	NR
	05/17/01	2.5	NR	28.2	ND(1)	ND(1)	1.4	ND(2)	NR	NR
	07/17/01	2.7	NR	27.2	ND(1)	ND(1)	ND(1)	ND(2)	NR	NR
	09/25/01	3.6	NR	36.9	ND(1)	ND(1)	ND(1)	ND(2)	NR	NR
	11/14/01	2.2	NR	33.5	ND(1)	ND(1)	ND(1)	ND(2)	NR	NR
	01/08/02	2.3	NR	28.1	ND(1)	ND(1)	ND(1)	ND(2)	NR	NR
	03/26/02	2.8	NR	27	ND(1)	ND(1)	ND(1)	ND(2)	NR	NR
	09/05/02	2.1	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	01/03/03	1.9	NR	8.4	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	07/18/03	5.6	NR	3.7	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	03/27/03	3.6	NR	6.2	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	09/25/03	15.4	NR	4.1	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	12/03/03	13.2	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	03/16/04	27.7	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	06/16/04	32.9	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	08/11/04	96.4	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	12/28/04	60	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	03/29/05	61.7	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	06/02/05	46	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	09/02/05	34.3	NR	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	12/07/05	25.4	NR	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	03/21/06	62.6	NR	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	06/23/06	16.2	2.2	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	09/12/06	22.3	2.1	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	12/22/06	16.1	2.2	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	03/30/07	14.1	0.7	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	06/21/07	7.2	NR	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	09/16/07	11.9	0.8	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	12/09/07	11.3	1.2	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	03/04/08	10.2	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	06/06/08	6.3	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	10/09/08	9.6	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	1.2	ND(0.5)
	12/31/08	6.3	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)
	04/16/09	2.6	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	0.6
	07/16/09	3.1	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
	09/21/09	6.1	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
	12/10/09	3.1	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
	03/23/10	1.9	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
	06/30/10	2.9	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
	09/08/10	12	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
	12/13/10	4.5	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
	03/28/11	1.5	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
	09/22/11	ND(2)	NA	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	NA	NA
	03/20/12	6.4	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)

TABLE 4
SHOPPING CENTER THORNE-THOMSEN POET SYSTEM AND ROGERS SUPPLY WELL SAMPLING ANALYTICAL DATA
(2001 TO PRESENT)
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

Supply Well / Drinking Water Standard	Sample Date	MTBE	TAME	Benzene	Toluene	Ethyl Benzene	Total Xylenes	Total TMB	Methylene Chloride	Chloromethane
	MCL	--	--	5	1,000	700	10,000	--	--	--
	VHA	40	--	--	--	--	--	350	5	6
	VAL	--	--	1	--	--	--	--	--	--
Thorne-Thomsen - POET System Influent	03/22/01	1	NR	4.6	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	09/25/01	1.38	NR	12	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	01/08/02	ND(1)	NR	2	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	03/26/02	2.8	NR	27	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	09/05/02	2	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	01/03/03	1.2	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	03/27/03	1.6	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	07/18/03	Not sampled.								
	09/25/03	5.5	NR	4.1	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	12/03/03	10.7	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	03/16/04	Not sampled.								
	06/16/04	28.7	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	08/11/04	Not sampled.								
	12/28/04	43.9	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	03/29/05	50.1	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	06/02/05	36.2	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	09/02/05	45.1	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	12/07/05	36.7	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	03/21/06	33.2	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	06/23/06	28.6	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	09/12/06	34.9	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	12/22/06	Not sampled.								
	03/30/07	40.2	NR	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	06/21/07	Not sampled.								
	09/16/07	Not sampled.								
	12/09/07	8.6	NR	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	03/04/08	17.6	NR	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	06/06/08	4.1	NR	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	10/09/08	6.4	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	1.3	ND(0.5)
	12/31/08	3.8	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)
	04/16/09	0.5	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)
	07/16/09	2.1	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
	09/21/09	1.9	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
	12/10/09	Not sampled.								
	03/23/10	ND(0.5)	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
	06/30/10	2	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
	09/08/10	ND(0.5)	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	1.6
	12/13/10	Not sampled.								
	03/28/11	2.3	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
	09/22/11	Not sampled.								
	03/20/12	ND(0.5)	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)

TABLE 4
SHOPPING CENTER THORNE-THOMSEN POET SYSTEM AND ROGERS SUPPLY WELL SAMPLING ANALYTICAL DATA
(2001 TO PRESENT)
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

Supply Well / Drinking Water Standard	Sample Date	MTBE	TAME	Benzene	Toluene	Ethyl Benzene	Total Xylenes	Total TMB	Methylene Chloride	Chloromethane
	MCL	--	--	5	1,000	700	10,000	--	--	--
	VHA	40	--	--	--	--	--	350	5	6
	VAL	--	--	1	--	--	--	--	--	--
Rogers Residence	03/27/03	1.4	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	03/16/04	22.1	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	03/29/05	6.5	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	12/07/05	0.9	NR	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	NR	NR
	03/21/06	1.9	NR	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	NR	NR
	06/23/06	1.5	NR	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	NR	NR
	09/12/06	1.4	NR	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	NR	NR
	12/22/06	1	NR	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	NR	NR
	03/30/07	ND(1)	NR	ND(1)	11.8	1.6	2.7	1	NR	NR
	06/21/07	ND(1)	NR	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	NR	NR
	09/16/07	ND(1)	NR	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	NR	NR
	12/06/07	ND(1)	NR	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	NR	NR
	03/04/08	Not sampled.								
	06/06/08	ND(1)	NR	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	NR	NR
	10/09/08	ND(0.5)	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)
	12/31/08	Not sampled.								
	04/16/09	ND(0.5)	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)
	07/16/09	Not included in sampling program.								
	09/21/09	Not included in sampling program.								
	12/10/09	Not included in sampling program.								
	03/23/10	Not included in sampling program.								
	06/30/10	Not included in sampling program.								
	09/08/10	Not included in sampling program.								
	12/13/10	Not included in sampling program.								
	03/28/11	Not included in sampling program.								
	09/22/11	Not included in sampling program.								
	03/20/12	Not included in sampling program.								

NOTES:

1. Results reported in micrograms per liter ($\mu\text{g/L}$); bold results indicate an exceedence of the applicable MCL.
2. NA - not applicable; NR - not reported; POET system - point-of-entry treatment system.
3. ND(X) - constituent not detected above laboratory practical quantitation limit noted.
4. MCL - Maximum Contaminant Levels for public water supplies from Chapter 21, Vermont Water Supply Rule (04/25/05) or Vermont Department of Health, Drinking Water Guidance (December 2002).
5. VHA - Vermont Health Advisories - guidelines for concentrations of chemicals in drinking water that do not have MCLs; VAL - Vermont Action Levels for eight chemicals of specific health concern in public water systems both established by the Vermont Department of Health (December 2002, revised February 2007).
6. Total TMB - 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene.
7. MTBE - methyl tert butyl ether; TAME - tertiary amyl ethyl ether.
8. Sampling performed prior to the October 2008 monitoring event was not completed by GeoInsight, Inc. These historical data were obtained from historical reports.



ATTACHMENT A
VTDEC CORRESPONDENCE



From: Cropley, Tim [Tim.Cropley@state.vt.us]
Sent: Thursday, September 22, 2011 11:53 PM
To: Darrin L. Santos
Subject: RE: Londonderry Citgo/Shopping Center

Wow, I'm really sorry I missed this Darrin. We've been right out because of Irene and I'm continuing to try to catch up on everything. I'm going on vacation next week so I'll just get behind again, oh well.

I suppose that you didn't get to do the Sept 21 sampling as it appears I hadn't officially approved this. I would like to move to bi-annual for POETs and annual for MW sampling as we had discussed. Please proceed at previously approved rates for POET sampling trips.

Tim

From: Darrin L. Santos [mailto:DLSantos@geoinc.com]
Sent: Monday, September 12, 2011 3:44 PM
To: Cropley, Tim
Subject: Londonderry Citgo/Shopping Center

Hi Tim,

I hear the DEC has been displaced from your Waterbury offices after the flooding from Irene. I hope you made it through relatively okay?

I realize you are probably without your files, but can you recall if you had reviewed the March 2011 gw and POET system summary report for the Londonderry Citgo site? The report included a recommendation to sample the two POET systems (shopping center and Thorne-Thomsen) in September. This was consistent with our past discussions of reducing the quarterly POET system monitoring to bi-annual and the ground water sampling to annual (next ground water event would be next spring). We have the POET system sampling scheduled for September 21, but I thought I would confirm with you that we should proceed in the meantime.

When you have a chance, please let me know. Thanks,

Darrin L. Santos, P.G.
GeoInsight, Inc.
186 Granite Street, 3rd Floor, Suite A
Manchester, NH 03101-2643
P: 603-314-0820
F: 603-314-0821

From: Darrin L. Santos
Sent: Monday, April 11, 2011 9:30 AM
To: Eric D. Johnson
Subject: FW: Londonderry Shopping Center/Citgo

From: Cropley, Tim [mailto:Tim.Cropley@state.vt.us]
Sent: Tuesday, March 15, 2011 11:40 AM
To: Darrin L. Santos
Subject: RE: Londonderry Shopping Center/Citgo

Hi Darrin. Late March sounds good. I am also thinking that we may be able to back off to semi-annual for the POET systems based on the low levels that are continuing to trend downward. If we do that I'll need to let Mtn Marketplace know that they will still need to do the other 2 quarters for the Water Supply Division unless they will also approve backing off on the sampling frequency.

Let's proceed with the annual MW sampling and POET sampling for the end of the month then consider options for the POETs once data is reviewed.

Does that work for you?

Thanks Darrin.

Tim

From: Darrin L. Santos [mailto:DLSantos@geoinc.com]
Sent: Tuesday, March 15, 2011 11:30 AM
To: Cropley, Tim
Subject: Londonderry Shopping Center/Citgo

Hi Tim,

I'm wondering if you have had a chance to review the December 2010 POET System Sampling Report (dated Jan 28, 2011) for the referenced site in Londonderry?

The report included a recommendation for continued quarterly POET system monitoring and sampling of the four remaining site monitoring wells in March. GeoInsight proposed to complete this work consistent with costs previously outlined in the WP/CE for the 2010 activities.

We're holding a date in late March to complete the sampling under the assumption that Londonderry probably got socked with another batch of snow a week or so ago.

Please let me know if we are okay to proceed with the March POET and monitoring well sampling and quarterly POET sampling thereafter.

Best Regards,

Darrin L. Santos, P.G.
GeoInsight, Inc.
186 Granite Street, 3rd Floor, Suite A



ATTACHMENT B
MARCH 2012 ANALYTICAL REPORT



Absolute Resource *associates*

124 Heritage Avenue #10 Portsmouth, NH 03801



Eric Johnson
GeolInsight, Inc.
186 Granite Street
3rd Floor, Suite A
Manchester, NH 03103

PO Number: None
Job ID: 23652
Date Received: 3/21/12

Project: Londonderry, VT 5599

Attached please find results for the analysis of the samples received on the date referenced above.

The following report has been re-issued for a duplicate MtBE result, as requested by the customer.

Unless otherwise noted in the attached report, the analyses performed met the requirements of Absolute Resource Associates' Quality Assurance Plan. The Standard Operating Procedures are based upon USEPA SW-846, USEPA Methods for Chemical Analysis of Water and Wastewater, Standard Methods for the Examination of Water and Wastewater and other recognized methodologies. The results contained in this report pertain only to the samples as indicated on the chain of custody.

Absolute Resource Associates maintains certification with the agencies listed below.

We appreciate the opportunity to provide laboratory services. If you have any questions regarding the enclosed report, please contact the laboratory and we will be glad to assist you.

Sincerely,
Absolute Resource Associates

Sue Sylvester
Principal, General Manager

Date of Approval: 5/9/2012
Total number of pages: 21

Absolute Resource Associates Certifications

New Hampshire 1732
Maine NH903

Massachusetts M-NH902

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-001

Sample ID: MW-5

Matrix: Water

Sampled: 3/20/12 10:05

Sampled: 3/20/12 10:05		Quant		Instr Dil'n		Prep	Analysis			
Parameter	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		1200720	3/21/12	14:01	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		1200720	3/21/12	14:01	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		1200720	3/21/12	14:01	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		1200720	3/21/12	14:01	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		1200720	3/21/12	14:01	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		1200720	3/21/12	14:01	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		1200720	3/21/12	14:01	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		1200720	3/21/12	14:01	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		1200720	3/21/12	14:01	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		1200720	3/21/12	14:01	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		1200720	3/21/12	14:01	SW5030B8260B
Surrogate Recovery		Limits								
dibromofluoromethane SUR	95	78-114	%	1	LMM		1200720	3/21/12	14:01	SW5030B8260B
toluene-D8 SUR	103	88-110	%	1	LMM		1200720	3/21/12	14:01	SW5030B8260B
4-bromofluorobenzene SUR	93	86-115	%	1	LMM		1200720	3/21/12	14:01	SW5030B8260B

Sample#: 23652-002

Sample ID: MW-S2

Matrix: Water

Sampled: 3/20/12 10:15

Sampled: 3/20/12 10:15		Quant	Instr Dil'n		Prep	Analysis				
Parameter	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		1200720	3/21/12	15:32	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		1200720	3/21/12	15:32	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		1200720	3/21/12	15:32	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		1200720	3/21/12	15:32	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		1200720	3/21/12	15:32	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		1200720	3/21/12	15:32	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		1200720	3/21/12	15:32	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		1200720	3/21/12	15:32	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		1200720	3/21/12	15:32	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		1200720	3/21/12	15:32	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		1200720	3/21/12	15:32	SW5030B8260B
Surrogate Recovery		Limits								
dibromofluoromethane SUR	98	78-114	%	1	LMM		1200720	3/21/12	15:32	SW5030B8260B
toluene-D8 SUR	105	88-110	%	1	LMM		1200720	3/21/12	15:32	SW5030B8260B
4-bromofluorobenzene SUR	94	86-115	%	1	LMM		1200720	3/21/12	15:32	SW5030B8260B

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-003

Sample ID: MW-8

Matrix: Water

Sampled: 3/20/12 10:30

Parameter	Result	Quant		Instr Dil'n		Analyst	Prep Date	Analysis			Reference
		Limit	Units	Factor				Batch	Date	Time	
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1		LMM		1200720	3/21/12	16:35	SW5030B8260B
benzene	60	2	ug/L	1		LMM		1200720	3/21/12	16:35	SW5030B8260B
toluene	4	2	ug/L	1		LMM		1200720	3/21/12	16:35	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1		LMM		1200720	3/21/12	16:35	SW5030B8260B
m&p-xylenes	3	2	ug/L	1		LMM		1200720	3/21/12	16:35	SW5030B8260B
o-xylene	< 2	2	ug/L	1		LMM		1200720	3/21/12	16:35	SW5030B8260B
naphthalene	< 5	5	ug/L	1		LMM		1200720	3/21/12	16:35	SW5030B8260B
1,3,5-trimethylbenzene	8	2	ug/L	1		LMM		1200720	3/21/12	16:35	SW5030B8260B
1,2,4-trimethylbenzene	49	2	ug/L	1		LMM		1200720	3/21/12	16:35	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1		LMM		1200720	3/21/12	16:35	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1		LMM		1200720	3/21/12	16:35	SW5030B8260B
Surrogate Recovery		Limits									
dibromofluoromethane SUR	89	78-114	%	1		LMM		1200720	3/21/12	16:35	SW5030B8260B
toluene-D8 SUR	100	88-110	%	1		LMM		1200720	3/21/12	16:35	SW5030B8260B
4-bromofluorobenzene SUR	91	86-115	%	1		LMM		1200720	3/21/12	16:35	SW5030B8260B

Sample#: 23652-004

Sample ID: MW-10

Matrix: Water

Sampled: 3/20/12 10:40

Parameter	Result	Quant		Instr Dil'n		Analyst	Prep Date	Analysis			Reference
		Limit	Units	Factor				Batch	Date	Time	
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1		LMM		1200752	3/27/12	11:08	SW5030B8260B
benzene	61	2	ug/L	1		LMM		1200752	3/27/12	11:08	SW5030B8260B
toluene	< 2	2	ug/L	1		LMM		1200752	3/27/12	11:08	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1		LMM		1200752	3/27/12	11:08	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1		LMM		1200752	3/27/12	11:08	SW5030B8260B
o-xylene	< 2	2	ug/L	1		LMM		1200752	3/27/12	11:08	SW5030B8260B
naphthalene	< 5	5	ug/L	1		LMM		1200752	3/27/12	11:08	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1		LMM		1200752	3/27/12	11:08	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1		LMM		1200752	3/27/12	11:08	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1		LMM		1200752	3/27/12	11:08	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1		LMM		1200752	3/27/12	11:08	SW5030B8260B
Surrogate Recovery		Limits									
dibromofluoromethane SUR	91	78-114	%	1		LMM		1200752	3/27/12	11:08	SW5030B8260B
toluene-D8 SUR	94	88-110	%	1		LMM		1200752	3/27/12	11:08	SW5030B8260B
4-bromofluorobenzene SUR	96	86-115	%	1		LMM		1200752	3/27/12	11:08	SW5030B8260B

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-005

Sample ID: TT-EFF

Matrix: Water

Sampled: 3/20/12 8:45

Parameter	Result	Quant Limit	Instr Dil'n		Analyst	Prep	Analysis			Reference
			Units	Factor		Date	Batch	Date	Time	
dichlorodifluoromethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
chloromethane	< 1.0	1.0	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
bromomethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
chloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
methylene chloride	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
chloroform	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
benzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
trichloroethene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
dibromomethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
cis-1,3-dichloropropene	< 0.4	0.4	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
toluene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
trans-1,3-dichloropropene	< 0.4	0.4	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
o-xylene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
styrene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
bromoform	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-005

Sample ID: TT-EFF

Matrix: Water

Sampled: 3/20/12 8:45

Sampled: 3/20/12 8:45			Quant	Instr Dil'n	Analyst	Prep Date	Analysis			
Parameter	Result	Limit	Units	Factor			Batch	Date	Time	Reference
n-propylbenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	1:07	E524.2	
bromobenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	1:07	E524.2	
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	1:07	E524.2	
2-chlorotoluene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	1:07	E524.2	
4-chlorotoluene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	1:07	E524.2	
tert-butylbenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	1:07	E524.2	
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	1:07	E524.2	
sec-butylbenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	1:07	E524.2	
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	1:07	E524.2	
4-isopropyltoluene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	1:07	E524.2	
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	1:07	E524.2	
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	1:07	E524.2	
n-butylbenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	1:07	E524.2	
1,2-dibromo-3-chloropropane (DBCP)	< 0.2	0.2	ug/L	1	LMM	1200737	3/24/12	1:07	E524.2	
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	1:07	E524.2	
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	1:07	E524.2	
naphthalene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	1:07	E524.2	
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	1:07	E524.2	
Surrogate Recovery		Limits								
4-bromofluorobenzene SUR	85	70-130	%	1	LMM	1200737	3/24/12	1:07	E524.2	
1,4-dichlorobenzene-D4 SUR	73	70-130	%	1	LMM	1200737	3/24/12	1:07	E524.2	

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-006

Sample ID: TT-MID

Matrix: Water

Sampled: 3/20/12 8:50

Parameter	Result	Quant Limit	Units	Instr Dil'n		Analyst	Prep Date	Analysis		Reference
				Factor				Batch	Date Time	
dichlorodifluoromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
chloromethane	< 1.0	1.0	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
bromomethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
chloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
methylene chloride	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
chloroform	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
benzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
trichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
dibromomethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
cis-1,3-dichloropropene	< 0.4	0.4	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
toluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
trans-1,3-dichloropropene	< 0.4	0.4	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
o-xylene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
styrene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
bromoform	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12 1:45	E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-006

Sample ID: TT-MID

Matrix: Water

Sampled: 3/20/12 8:50

Parameter	Result	Quant		Instr Dil'n		Analyst	Prep Date	Analysis		Reference
		Limit	Units	Factor				Batch	Date	Time
n-propylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45 E524.2
bromobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45 E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45 E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45 E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45 E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45 E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45 E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45 E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45 E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45 E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45 E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45 E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45 E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.2	0.2	ug/L	1		LMM		1200737	3/24/12	1:45 E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45 E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45 E524.2
naphthalene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45 E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45 E524.2
Surrogate Recovery		Limits								
4-bromofluorobenzene SUR	83	70-130	%	1		LMM		1200737	3/24/12	1:45 E524.2
1,4-dichlorobenzene-D4 SUR	70	70-130	%	1		LMM		1200737	3/24/12	1:45 E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-007

Sample ID: TT-INF

Matrix: Water

Sampled: 3/20/12 8:55

Parameter	Result	Quant		Instr Dil'n		Analyst	Prep Date	Analysis			Reference
		Limit	Units	Factor				Batch	Date	Time	
dichlorodifluoromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
chloromethane	< 1.0	1.0	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
bromomethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
chloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
methylene chloride	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
chloroform	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
benzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
trichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
dibromomethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
cis-1,3-dichloropropene	< 0.4	0.4	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
toluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
trans-1,3-dichloropropene	< 0.4	0.4	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
o-xylene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
styrene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
bromoform	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-007

Sample ID: TT-INF

Matrix: Water

Sampled: 3/20/12 8:55

Parameter	Result	Quant		Instr Dil'n		Analyst	Prep Date	Analysis			Reference
		Limit	Units	Factor				Batch	Date	Time	
n-propylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
bromobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.2	0.2	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
naphthalene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	4:56	E524.2
Surrogate Recovery		Limits									
4-bromofluorobenzene SUR	83	70-130	%	1		LMM		1200737	3/24/12	4:56	E524.2
1,4-dichlorobenzene-D4 SUR	72	70-130	%	1		LMM		1200737	3/24/12	4:56	E524.2

Project ID: Londonderry, VT 5599
Job ID: 23652
Sample#: 23652-008
Sample ID: Shopping Center EFF
Matrix: Water

Sampled: 3/20/12 9:45

Parameter	Result	Quant Limit	Units	Instr Dil'n		Analyst	Prep Date	Analysis			Reference
				Factor				Batch	Date	Time	
dichlorodifluoromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
chloromethane	< 1.0	1.0	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
bromomethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
chloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
methylene chloride	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
chloroform	1.0	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
benzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
trichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
bromodichloromethane	0.6	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
dibromomethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
cis-1,3-dichloropropene	< 0.4	0.4	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
toluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
trans-1,3-dichloropropene	< 0.4	0.4	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
o-xylene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
styrene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
bromoform	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2

Project ID: Londonderry, VT 5599
Job ID: 23652
Sample#: 23652-008
Sample ID: Shopping Center EFF
Matrix: Water
Sampled: 3/20/12 9:45

Sampled: 3/20/12 9:45		Quant	Instr Dil'n	Prep	Analysis					
Parameter	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
n-propylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
bromobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.2	0.2	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
naphthalene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
Surrogate Recovery		Limits								
4-bromofluorobenzene SUR	91	70-130	%	1	LMM		1200737	3/24/12	2:23	E524.2
1,4-dichlorobenzene-D4 SUR	90	70-130	%	1	LMM		1200737	3/24/12	2:23	E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-009

Sample ID: Shopping Center MID D

Matrix: Water

Sampled: 3/20/12 9:50

Parameter	Result	Quant Limit	Units	Instr Dil'n		Analyst	Prep Date	Analysis			Reference
				Factor				Batch	Date	Time	
dichlorodifluoromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
chloromethane	< 1.0	1.0	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
bromomethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
chloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
methylene chloride	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
methyl t-butyl ether (MTBE)	0.6	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
chloroform	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
benzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
trichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
dibromomethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
cis-1,3-dichloropropene	< 0.4	0.4	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
toluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
trans-1,3-dichloropropene	< 0.4	0.4	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
o-xylene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
styrene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
bromoform	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-009

Sample ID: Shopping Center MID D

Matrix: Water

Sampled: 3/20/12 9:50

Sampled: 3/20/12 9:50		Quant	Instr Dil'n		Analyst	Prep Date	Analysis			
Parameter	Result	Limit	Units	Factor			Batch	Date	Time	Reference
n-propylbenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	3:01	E524.2	
bromobenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	3:01	E524.2	
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	3:01	E524.2	
2-chlorotoluene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	3:01	E524.2	
4-chlorotoluene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	3:01	E524.2	
tert-butylbenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	3:01	E524.2	
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	3:01	E524.2	
sec-butylbenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	3:01	E524.2	
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	3:01	E524.2	
4-isopropyltoluene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	3:01	E524.2	
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	3:01	E524.2	
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	3:01	E524.2	
n-butylbenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	3:01	E524.2	
1,2-dibromo-3-chloropropane (DBCP)	< 0.2	0.2	ug/L	1	LMM	1200737	3/24/12	3:01	E524.2	
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	3:01	E524.2	
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	3:01	E524.2	
naphthalene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	3:01	E524.2	
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM	1200737	3/24/12	3:01	E524.2	
Surrogate Recovery		Limits								
4-bromofluorobenzene SUR	91	70-130	%	1	LMM	1200737	3/24/12	3:01	E524.2	
1,4-dichlorobenzene-D4 SUR	81	70-130	%	1	LMM	1200737	3/24/12	3:01	E524.2	

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-010

Sample ID: Shopping Center MID G

Matrix: Water

Sampled: 3/20/12 9:55

Parameter	Result	Quant Limit	Units	Instr Dil'n		Analyst	Prep Date	Analysis			Reference
				Factor				Batch	Date	Time	
dichlorodifluoromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
chloromethane	< 1.0	1.0	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
bromomethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
chloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
methylene chloride	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
methyl t-butyl ether (MTBE)	0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
chloroform	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
benzene	1.7	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
trichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
dibromomethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
cis-1,3-dichloropropene	< 0.4	0.4	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
toluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
trans-1,3-dichloropropene	< 0.4	0.4	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
o-xylene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
styrene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
bromoform	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-010

Sample ID: Shopping Center MID G

Matrix: Water

Sampled: 3/20/12 9:55

Sampled: 3/20/12 9:55		Quant		Instr Dil'n		Prep	Analysis			
Parameter	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
n-propylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	3:40	E524.2
bromobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	3:40	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	3:40	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	3:40	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	3:40	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	3:40	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	3:40	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	3:40	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	3:40	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	3:40	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	3:40	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	3:40	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	3:40	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.2	0.2	ug/L	1	LMM		1200737	3/24/12	3:40	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	3:40	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	3:40	E524.2
naphthalene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	3:40	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	3:40	E524.2
Surrogate Recovery		Limits								
4-bromofluorobenzene SUR	84	70-130	%	1	LMM		1200737	3/24/12	3:40	E524.2
1,4-dichlorobenzene-D4 SUR	75	70-130	%	1	LMM		1200737	3/24/12	3:40	E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-011

Sample ID: Shopping Center INF

Matrix: Water

Sampled: 3/20/12 9:40

Parameter	Result	Quant Limit	Units	Instr Dil'n		Analyst	Prep Date	Analysis		
				Factor				Batch	Date	Time Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
chloromethane	< 1.0	1.0	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
vinyl chloride	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
bromomethane	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
chloroethane	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
methylene chloride	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
carbon disulfide	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
methyl t-butyl ether (MTBE)	6.4	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2

Note: The RPD for the sample duplicate, run as internal QC, was outside the 20% acceptance range. The result for the duplicate is 2.2 ug/L.

trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
chloroform	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
bromochloromethane	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
benzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
trichloroethene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
dibromomethane	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
cis-1,3-dichloropropene	< 0.4	0.4	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
toluene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
trans-1,3-dichloropropene	< 0.4	0.4	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
chlorobenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
ethylbenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
o-xylene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
styrene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
bromoform	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-011

Sample ID: Shopping Center INF

Matrix: Water

Sampled: 3/20/12 9:40

Parameter	Result	Quant		Instr Dil'n		Analyst	Prep Date	Analysis		
		Limit	Units	Factor				Batch	Date	Time Reference
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
n-propylbenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
bromobenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.2	0.2	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
naphthalene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
Surrogate Recovery		Limits								
4-bromofluorobenzene SUR	87	70-130	%	1		LMM		1201103	3/28/12	16:18 E524.2
1,4-dichlorobenzene-D4 SUR	104	70-130	%	1		LMM		1201103	3/28/12	16:18 E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-012

Sample ID: Trip Blank

Matrix: Water

Sampled: 3/20/12 0:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis			Reference
							Batch	Date	Time	
dichlorodifluoromethane	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
chloromethane	< 1.0	1.0	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
bromomethane	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
chloroethane	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
methylene chloride	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
chloroform	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
benzene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
trichloroethene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
dibromomethane	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
cis-1,3-dichloropropene	< 0.4	0.4	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
toluene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
trans-1,3-dichloropropene	< 0.4	0.4	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
o-xylene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
styrene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
bromoform	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-012

Sample ID: Trip Blank

Matrix: Water

Sampled: 3/20/12 0:00

Parameter	Result	Quant		Instr Dil'n		Prep Date	Analysis			Reference
		Limit	Units	Factor	Analyst		Batch	Date	Time	
n-propylbenzene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
bromobenzene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.2	0.2	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
naphthalene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200736	3/23/12	18:54	E524.2
Surrogate Recovery		Limits								
4-bromofluorobenzene SUR	88	70-130	%	1	LMM		1200736	3/23/12	18:54	E524.2
1,4-dichlorobenzene-D4 SUR	75	70-130	%	1	LMM		1200736	3/23/12	18:54	E524.2

Absolute Resource

associates



124 Heritage Avenue #10
Portsmouth, NH 03801
603-436-2001
absoluteresourceassociates.com

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

Company Name: <u>GeoInsight</u>	Project Name: <u>Concorderry VT</u>
Company Address: <u>186 Granite St 3rd Fl</u> <u>STE A Manchester NH 03101</u>	Project #: <u>5599</u>
Report To: <u>Eric Johnson</u>	Project Location: NH MA ME ☒ Other
Phone #: <u>603-314-0920</u>	Protocol: RCRA SDWA NPDES MCP NHDES OTHER
Invoice To: <u>Sam</u>	Reporting Limits: QAPP GW-1 S-1 EPA DW Other
	Quote # _____ ☐ NH GREE/ODD Fund Pricing
	PO # _____

ANALYSIS REQUEST

☐ VOC 8280	☐ VOC 8280 NHDES	☐ VOC 8280 MADEP	☐ VOC 824	☐ VOC BTEX	☐ MIBE, only	☒ VOC 8021VT	☐ VPH MADEP	☐ MEGRO	☐ GRO 8015	☒ VOC 524.2	☐ VOC 524.2 NH List	☐ Gases-List:	☐ TPH	☐ DRG 8015	☐ MEDRO	☐ EPH MADEP	☐ TPH Fingerprint	☐ 8270PAH	☐ 8270ABN	☐ 625	☐ EDB 504.1	☐ 8082 PCB	☐ 8081 Pesticides	☐ 608 Pes/PCB	☐ O&G 1684	☐ Mineral O&G SM5520F	☐ pH	☐ BOD	☐ Conductivity	☐ Turbidity	☐ TSS	☐ TDS	☐ TS	☐ TVS	☐ Alkalinity	☐ RCRA Metals	☐ Priority Pollutant Metals	☐ TAL Metals	☐ Total Metals-list:	☐ Dissolved Metals-list:	☐ Ammonia	☐ COD	☐ TKN	☐ TN	☐ TON	☐ TOC	☐ T-Phosphorus	☐ Phenols	☐ Bacteria P/A	☐ Bacteria MPN	☐ Cyanide	☐ Sulfide	☐ Nitrate + Nitrite	☐ Ortho P	☐ Nitrate	☐ Nitrite	☐ Chloride	☐ Sulfate	☐ Bromide	☐ Fluoride	☐ Corrosivity	☐ Reactive S-	☐ Ignitibility/FP	☐ TCLP Metals	☐ TCLP VOC	☐ TCLP SVOC	☐ TCLP Pesticide	☐ Subcontract:	☐ Grain Size	☐ Herbicides	☐ Formaldehyde	☐ Grab (G) or Composite (C)
-----------------------------------	---	---	----------------------------------	-----------------------------------	-------------------------------------	--	------------------------------------	--------------------------------	-----------------------------------	---	--	--------------------------------------	------------------------------	-----------------------------------	--------------------------------	------------------------------------	--	----------------------------------	----------------------------------	------------------------------	------------------------------------	-----------------------------------	--	--------------------------------------	-----------------------------------	--	-----------------------------	------------------------------	---------------------------------------	------------------------------------	------------------------------	------------------------------	-----------------------------	------------------------------	-------------------------------------	--------------------------------------	--	-------------------------------------	---	---	----------------------------------	------------------------------	------------------------------	-----------------------------	------------------------------	------------------------------	---------------------------------------	----------------------------------	---------------------------------------	---------------------------------------	----------------------------------	----------------------------------	--	----------------------------------	----------------------------------	----------------------------------	-----------------------------------	----------------------------------	----------------------------------	-----------------------------------	--------------------------------------	--------------------------------------	--	--------------------------------------	-----------------------------------	------------------------------------	---	---------------------------------------	-------------------------------------	-------------------------------------	---------------------------------------	--

Lab Sample ID (Lab Use Only)	Field ID	# CONTAINERS	Matrix			Preservation Method						Sampling		
			WATER	SOLID	OTHER	HCl	HNO ₃	H ₂ SO ₄	NaOH	MeOH	OTHER (Specify)	DATE	TIME	SAMPLER
	MW-5	2	X			X						3/20/12	10:05	X
	MW-7	1											10:15	X
	MW-8												10:30	X
	MW-10												10:40	X
	TT-EFF												8:45	X
	TT-MID												8:50	
	TT-INF												8:55	
	Shipping Center EFF												9:45	
	Shipping Center MID												9:50	
	Shipping Center MID												9:55	
	Shipping Center INF												9:40	

TAT REQUESTED Priority (24 hr)* ☐ Expedited (48 hr)* ☐ Standard (10 Business Days) ☒ *Date Needed _____	See absoluteresourceassociates.com for sample acceptance policy and current accreditation lists.	SPECIAL INSTRUCTIONS REPORTING INSTRUCTIONS ☒ PDF (e-mail address) <u>Eric Johnson @ GeoInsight.com</u> ☐ HARD COPY REQUIRED ☐ FAX (FAX#) _____ ☐ OTHER (specify) _____		RECEIVED ON ICE ☐ YES ☐ NO TEMPERATURE _____ °C
	CUSTODY RECORD QSD-01 Revision 10/6/11			
	Relinquished by Sampler: <u>Eric Johnson</u> Relinquished by: <u>[Signature]</u> Relinquished by: <u>[Signature]</u>	Date: <u>3/20/12</u> Time: <u>16:00</u> Date: <u>3/21/12</u> Time: <u>10:15</u> Date: _____ Time: _____	Received by: <u>Cold Storage</u> Received by: <u>[Signature]</u> Received by Laboratory: <u>[Signature]</u> Way Bill#: _____	Date: <u>3/20/12</u> Time: <u>16:00</u> Date: <u>3/21/12</u> Time: <u>10:45</u> Date: _____ Time: _____

124 Heritage Avenue #10
Portsmouth, NH 03801
603-436-2001
absoluteresourceassociates.com

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

Project Name: Linear Regression

Project #: 5599

Project Location: NH MA ME VT Other _____

Protocol:	RCRA	SDWA	NPDES
	MCP	NHDES	OTHER

Quote # _____ ☐ NH GREE/ODD Fund Pricing

PO #

ANALYSIS REQUEST

☐ VOC 8260	☐ VOC 8260 NHDES	☐ VOC 8260 MADEP
☐ VOC 624	☐ VOC BTEX	☐ MBE, only ☐ VOC 8021VT
☐ VPH MADEP	☐ MEGRO	☐ GRO 8015
☐ VOC 524 2 ☐ VOC 524 2 NH List ☐ Gases-List:		
☐ TPH	☐ DRO 8015	☐ MEDRO ☐ EPH MADEP ☐ TPH Fingerprint
☐ 8270PAH	☐ 8270ABN	☐ 625 ☐ EOB 504.1
☐ 8082 PCB	☐ 8081 Pesticides	☐ 608 Pesi/PCB
☐ O&G 1664	☐ Mineral O&G SM5520F	
☐ pH	☐ BOD	☐ Conductivity ☐ Turbidity
☐ TSS	☐ TDS	☐ TS ☐ TVS ☐ Alkalinity
☐ RCRA Metals	☐ Priority Pollutant Metals	☐ TAL Metals
☐ Total Metals-list:		
☐ Dissolved Metals-list:		
☐ Ammonia	☐ COD	☐ TKN ☐ TN ☐ TON ☐ TOC
☐ T-Phosphorus	☐ Phenols	☐ Bacteria P/A ☐ Bacteria MPN
☐ Cyanide	☐ Sulfide	☐ Nitrate + Nitrite ☐ Ortho P
☐ Nitrate	☐ Nitrite	☐ Chloride ☐ Sulfate ☐ Bromide ☐ Fluoride
☐ Corrosivity	☐ Reactive CN	☐ Reactive S- ☐ Ignitibility/FP
☐ TCLP Metals	☐ TCLP VOC	☐ TCLP SVOC ☐ TCLP Pesticide
Subcontract: ☐ Grain Size ☐ Herbicides ☐ Formaldehyde		

[illegible]**TAT REQUESTED**

Priority (24 hr)* ☐
Expedited (48 hr)* ☐
Standard ☒
(10 Business Days)

See absoluteresourceassociates.com
for sample acceptance policy and
current accreditation lists.

SPECIAL INSTRUCTIONS

REPORTING INSTRUCTIONS

☒ PDF (e-mail address) EDJohnson@bgsu.edu

☐ HARD COPY REQUIRED ☐ FAX (FAX#)☐ OTHER (specify) _____RECEIVED ON ICE ☐ YES ☐ NO

TEMPERATURE _____ °C

CUSTODY RECORD

QSD-01 Revision 10/6/11

Relinquished by Sampler:

Date _____

Time

Received by:

Date _____

Time

Relinquished by:

Date _____

Time

Received by:

Date _____

Time

Relinquished by:

Date _____

Time

Received by Laboratory:

Date _____

Time

Wav Bill#:



ATTACHMENT C

PROPERTY OWNER POET SYSTEM SAMPLING LETTERS





GeoInsight®

Environmental Strategy & Engineering
Practical in Nature

May 16, 2012

GeoInsight Project 5599-000

Roger Thorne-Thomsen
2425 Pikes Falls Rd
Jamaica, VT 05343-4436

RE: Results of March 2012 Supply Well Treatment System Sampling
Thorne-Thomsen Residence
Londonderry Citgo/Londonderry Shopping Center
Londonderry, Vermont
VTDEC SMS #1996-2015

Dear Mr. Thorne-Thomsen:

At the request of the Vermont Department of Environmental Conservation (VTDEC), GeoInsight, Inc. collected water samples from your supply well point-of-entry treatment (POET) system during a March 20, 2012 monitoring event associated with the Londonderry Citgo/Londonderry Shopping Center site (SMS #1996-2015) located in Londonderry, Vermont. The POET system samples were submitted to Absolute Resource Associates, LLC of Portsmouth, New Hampshire for analysis of volatile organic compounds (VOCs) by United States Environmental Protection Agency Method 524.2.

Methyl tertiary butyl ether (MTBE) was not detected above the laboratory practical quantitation limit (PQL) in the POET system influent ("TT-INF") and POET system effluent ("TT-EFF") samples. Note that the effluent sample is collected after water is treated by the POET system. A copy of the laboratory results for the March 2012 POET system monitoring event is enclosed for your records. Results for POET system mid-point sample ("TT-MID") are also included in the laboratory report. This data is used by the water system operator to evaluate system maintenance requirements.

If you have questions regarding these results, contact us in our Manchester, New Hampshire office at (603) 314-0820.

Sincerely,
GEOINSIGHT, INC.


Eric D. Johnson
Project Geologist


Darrin L. Santos, P.G.
Senior Geologist

Enclosure

cc: Tim Cropley, VTDEC
John Beauchamp, POET System Operator, Vermont Water Treatment Company

P:\5599 Summit Londonderry VT\Monitoring\2012\march 2012\Thorne-ThomsenResults.doc

GeoInsight, Inc.
186 Granite Street, 3rd Floor, Suite A
Manchester, NH 03101-2643
Tel (603) 314-0820
Fax (603) 314-0821
www.geoinsightinc.com

GeoInsight, Inc.
One Monarch Drive, Suite 201
Littleton, MA 01460-1440
Tel (978) 679-1600
Fax (978) 679-1601
www.geoinsightinc.com

GeoInsight, Inc.
200 Court Street, 2nd Floor
Middletown, CT 06457-3341
Tel (860) 894-1022
Fax (860) 894-1023
www.geoinsightinc.com

Absolute Resource *associates*

124 Heritage Avenue #10 Portsmouth, NH 03801



Eric Johnson
Geolnsight, Inc.
186 Granite Street
3rd Floor, Suite A
Manchester, NH 03103

PO Number: None
Job ID: 23652
Date Received: 3/21/12

Project: Londonderry, VT 5599

Attached please find results for the analysis of the samples received on the date referenced above.

The following report has been re-issued for a duplicate MtBE result, as requested by the customer.

Unless otherwise noted in the attached report, the analyses performed met the requirements of Absolute Resource Associates' Quality Assurance Plan. The Standard Operating Procedures are based upon USEPA SW-846, USEPA Methods for Chemical Analysis of Water and Wastewater, Standard Methods for the Examination of Water and Wastewater and other recognized methodologies. The results contained in this report pertain only to the samples as indicated on the chain of custody.

Absolute Resource Associates maintains certification with the agencies listed below.

We appreciate the opportunity to provide laboratory services. If you have any questions regarding the enclosed report, please contact the laboratory and we will be glad to assist you.

Sincerely,
Absolute Resource Associates

 (for)

Sue Sylvester
Principal, General Manager

Date of Approval: 5/9/2012
Total number of pages: 21

Absolute Resource Associates Certifications

New Hampshire 1732
Maine NH903

Massachusetts M-NH902

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-005

Sample ID: TT-EFF

Matrix: Water

Sampled: 3/20/12 8:45

Parameter	Result	Quant Limit	Instr Dil'n		Analyst	Prep Date	Analysis			Reference
			Units	Factor			Batch	Date	Time	
dichlorodifluoromethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
chloromethane	< 1.0	1.0	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
bromomethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
chloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
methylene chloride	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
chloroform	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
benzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
trichloroethene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
dibromomethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
cis-1,3-dichloropropene	< 0.4	0.4	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
toluene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
trans-1,3-dichloropropene	< 0.4	0.4	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
o-xylene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
styrene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
bromoform	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-005

Sample ID: TT-EFF

Matrix: Water

Sampled: 3/20/12 8:45

Parameter	Result	Quant Limit	Instr Dil'n		Analyst	Prep Date	Analysis			Reference
			Units	Factor			Batch	Date	Time	
n-propylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
bromobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.2	0.2	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
naphthalene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:07	E524.2
Surrogate Recovery		Limits								
4-bromofluorobenzene SUR	85	70-130	%	1	LMM		1200737	3/24/12	1:07	E524.2
1,4-dichlorobenzene-D4 SUR	73	70-130	%	1	LMM		1200737	3/24/12	1:07	E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-006

Sample ID: TT-MID

Matrix: Water

Sampled: 3/20/12 8:50

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
chloromethane	< 1.0	1.0	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
bromomethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
chloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
methylene chloride	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
chloroform	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
benzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
trichloroethene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
dibromomethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
cis-1,3-dichloropropene	< 0.4	0.4	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
toluene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
trans-1,3-dichloropropene	< 0.4	0.4	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
o-xylene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
styrene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
bromoform	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	1:45	E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-006

Sample ID: TT-MID

Matrix: Water

Sampled: 3/20/12 8:50

Parameter	Result	Quant Limit	Units	Instr Dil'n		Analyst	Prep Date	Analysis			Reference
				Factor				Batch	Date	Time	
n-propylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45	E524.2
bromobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.2	0.2	ug/L	1		LMM		1200737	3/24/12	1:45	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45	E524.2
naphthalene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	1:45	E524.2
Surrogate Recovery		Limits									
4-bromofluorobenzene SUR	83	70-130	%	1		LMM		1200737	3/24/12	1:45	E524.2
1,4-dichlorobenzene-D4 SUR	70	70-130	%	1		LMM		1200737	3/24/12	1:45	E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-007

Sample ID: TT-INF

Matrix: Water

Sampled: 3/20/12 8:55

Parameter	Result	Quant Limit	Units	Instr	Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
chloromethane	< 1.0	1.0	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
vinyl chloride	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
bromomethane	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
chloroethane	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
methylene chloride	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
carbon disulfide	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
chloroform	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
bromochloromethane	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
benzene	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
trichloroethene	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
bromodichloromethane	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
dibromomethane	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
cis-1,3-dichloropropene	< 0.4	0.4	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
toluene	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
trans-1,3-dichloropropene	< 0.4	0.4	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
tetrachloroethene	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
dibromochloromethane	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
chlorobenzene	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
ethylbenzene	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
m&p-xylenes	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
o-xylene	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
styrene	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
bromoform	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
isopropylbenzene	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L		1	LMM		1200737	3/24/12	4:56	E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-007

Sample ID: TT-INF

Matrix: Water

Sampled: 3/20/12 8:55

Parameter	Result	Quant Limit	Instr Dil'n		Analyst	Prep Date	Analysis			Reference
			Units	Factor			Batch	Date	Time	
n-propylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	4:56	E524.2
bromobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	4:56	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	4:56	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	4:56	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	4:56	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	4:56	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	4:56	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	4:56	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	4:56	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	4:56	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	4:56	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	4:56	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	4:56	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.2	0.2	ug/L	1	LMM		1200737	3/24/12	4:56	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	4:56	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	4:56	E524.2
naphthalene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	4:56	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	4:56	E524.2
Surrogate Recovery		Limits								
4-bromofluorobenzene SUR	83	70-130	%	1	LMM		1200737	3/24/12	4:56	E524.2
1,4-dichlorobenzene-D4 SUR	72	70-130	%	1	LMM		1200737	3/24/12	4:56	E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-012

Sample ID: Trip Blank

Matrix: Water

Sampled: 3/20/12 0:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
chloromethane	< 1.0	1.0	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
vinyl chloride	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
bromomethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
chloroethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
trichlorofluoromethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,1-dichloroethene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
methylene chloride	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
carbon disulfide	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,1-dichloroethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
2,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
chloroform	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
bromochloromethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,1-dichloropropene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
carbon tetrachloride	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,2-dichloroethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
benzene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
trichloroethene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
bromodichloromethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
dibromomethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
cis-1,3-dichloropropene	< 0.4	0.4	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
toluene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
trans-1,3-dichloropropene	< 0.4	0.4	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,3-dichloropropane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
tetrachloroethene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
dibromochloromethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
chlorobenzene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
ethylbenzene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
m&p-xylenes	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
o-xylene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
styrene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
bromoform	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
isopropylbenzene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-012

Sample ID: Trip Blank

Matrix: Water

Sampled: 3/20/12 0:00

Parameter	Result	Quant		Instr Dil'n		Analyst	Prep Date	Analysis			Reference
		Limit	Units	Factor				Batch	Date	Time	
n-propylbenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
bromobenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.2	0.2	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
naphthalene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
Surrogate Recovery		Limits									
4-bromofluorobenzene SUR	88	70-130	%	1		LMM		1200736	3/23/12	18:54	E524.2
1,4-dichlorobenzene-D4 SUR	75	70-130	%	1		LMM		1200736	3/23/12	18:54	E524.2

absoluteresourceassociates.com

ANALYSIS REQUEST

NeoInsight

Project #: 5599

Company Address: 186 Granite St 3rd Fl
STE A Manchester NH 03101

Project Location: NH MA ME VT Other _____

Eric Johnson

Protocol:	RCRA	SDWA	NPDES
	MCP	NHDES	OTHER

603-314-0820

Reporting	QAPP	GW-1	S-1
Limits:	EPA DW	Other	

Sam

Quote # _____ ☐ NH GREE/ODD Fund Pricing

PO #

[illegible]

Grab (G) or Composite (C)

6

Priority (24 hr)* ☐
Expedited (48 hr)* ☐
Standard (10 Business Days) ☒

*Date Needed

See absoluteresourceassociates.com
for sample acceptance policy and
current accreditation lists.

SPECIAL INSTRUCTIONS

REPORTING INSTRUCTIONS

☒ PDF (e-mail address) E.D.Johnson@boeing.com

☐ HARD COPY REQUIRED☐ OTHER (specify) _____

CUSTODY RECORD

QSD-01 Revision 10/6/11

Relinquished by Sampler:

Relinquished by:

Relinquished by:

Date 12/20/12 Time 16:00

Date	Time
2/11	110200
Date	Time

Received by:

Received by:

Received by Laboratory

Way Bill#:

RECEIVED ON ICE ☐ YES ☐ NO

TEMPERATURE °C

Date 10/12 Time 16:00

Date 3/21/12 Time 10:40

Date	Time
------	------



GeoInsight®

Environmental Strategy & Engineering

Practical in Nature

May 16, 2012

GeoInsight Project 5599-000

Robert Waite
Londonderry Ventures
Mountain Marketplace
PO Box 147
Londonderry, VT 05148

RE: Results of March 2012 Supply Well Treatment System Sampling
Londonderry Citgo/Londonderry Shopping Center
Londonderry, Vermont
VTDEC SMS #1996-2015

Dear Mr. Waite:

At the request of the Vermont Department of Environmental Conservation (VTDEC), GeoInsight, Inc. collected water samples from the supply well point-of-entry treatment (POET) system serving the Londonderry Shopping Center on March 20, 2012 during a monitoring event associated with the Londonderry Citgo/Londonderry Shopping Center site (SMS #1996-2015) in Londonderry, Vermont. The POET system samples were submitted to Absolute Resource Associates, LLC of Portsmouth, New Hampshire for analysis of volatile organic compounds by United States Environmental Protection Agency Method 524.2.

Methyl tertiary butyl ether (MTBE) was detected at a concentration of 6.4 micrograms per liter ($\mu\text{g/L}$) in the POET system influent ("Store INF") sample. The VTDEC Primary Groundwater Enforcement Standard and drinking water guideline for MTBE is 40 $\mu\text{g/L}$. MTBE was not detected above the laboratory practical quantitation limit (PQL) in the POET system effluent ("Store EFF") sample. Note that the effluent sample is collected after water is treated by the POET system. Several compounds not typically associated with petroleum, specifically chloroform and bromodichloromethane (compounds that are by-products of water supplies that are chlorinated), were detected at concentrations above the laboratory PQLs, but below the applicable drinking water guidelines in the POET system effluent sample. A copy of the laboratory results for the March 2012 POET system monitoring event is enclosed for your records. Results for POET system mid-point samples ("Store MID-D" and Store MID-G") are also included in the laboratory report. This data is used by the water system operator to evaluate system maintenance requirements.

GeoInsight, Inc.
186 Granite Street, 3rd Floor, Suite A
Manchester, NH 03101-2643
Tel (603) 314-0820
Fax (603) 314-0821
www.geoinsightinc.com

GeoInsight, Inc.
One Monarch Drive, Suite 201
Littleton, MA 01460-1440
Tel (978) 679-1600
Fax (978) 679-1601
www.geoinsightinc.com

GeoInsight, Inc.
200 Court Street, 2nd Floor
Middletown, CT 06457-3341
Tel (860) 894-1022
Fax (860) 894-1023
www.geoinsightinc.com



If you have questions regarding these results, contact us in our Manchester, New Hampshire office at (603) 314-0820.

Sincerely,
GEOINSIGHT, INC.

Eric D. Johnson
Project Geologist

Darrin L. Santos, P.G.
Senior Geologist

Enclosure

cc: Tim Cropley, VTDEC
John Beauchamp, POET System Operator, Vermont Water Treatment Company

P:\5599 Summit Londonderry VT\Monitoring\2012\march 2012\LS-SC-Robert Waite Results.doc

Absolute Resource *associates*

124 Heritage Avenue #10 Portsmouth, NH 03801



Eric Johnson
Geolnsight, Inc.
186 Granite Street
3rd Floor, Suite A
Manchester, NH 03103

PO Number: None
Job ID: 23652
Date Received: 3/21/12

Project: Londonderry, VT 5599

Attached please find results for the analysis of the samples received on the date referenced above.

The following report has been re-issued for a duplicate MtBE result, as requested by the customer.

Unless otherwise noted in the attached report, the analyses performed met the requirements of Absolute Resource Associates' Quality Assurance Plan. The Standard Operating Procedures are based upon USEPA SW-846, USEPA Methods for Chemical Analysis of Water and Wastewater, Standard Methods for the Examination of Water and Wastewater and other recognized methodologies. The results contained in this report pertain only to the samples as indicated on the chain of custody.

Absolute Resource Associates maintains certification with the agencies listed below.

We appreciate the opportunity to provide laboratory services. If you have any questions regarding the enclosed report, please contact the laboratory and we will be glad to assist you.

Sincerely,
Absolute Resource Associates

A handwritten signature in cursive script, appearing to read 'Sue Sylvester', followed by the text '(for)' in parentheses.

Sue Sylvester
Principal, General Manager

Date of Approval: 5/9/2012
Total number of pages: 21

Absolute Resource Associates Certifications

New Hampshire 1732
Maine NH903

Massachusetts M-NH902

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-008

Sample ID: Shopping Center EFF

Matrix: Water

Sampled: 3/20/12 9:45

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
chloromethane	< 1.0	1.0	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
bromomethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
chloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
methylene chloride	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
chloroform	1.0	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
benzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
trichloroethene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
bromodichloromethane	0.6	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
dibromomethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
cis-1,3-dichloropropene	< 0.4	0.4	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
toluene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
trans-1,3-dichloropropene	< 0.4	0.4	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
o-xylene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
styrene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
bromoform	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1	LMM		1200737	3/24/12	2:23	E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-008

Sample ID: Shopping Center EFF

Matrix: Water

Sampled: 3/20/12 9:45

Parameter	Result	Quant Limit	Units	Instr Dil'n		Analyst	Prep Date	Batch	Analysis		Reference
				Factor					Date	Time	
n-propylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
bromobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.2	0.2	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
naphthalene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	2:23	E524.2
Surrogate Recovery		Limits									
4-bromofluorobenzene SUR	91	70-130	%	1		LMM		1200737	3/24/12	2:23	E524.2
1,4-dichlorobenzene-D4 SUR	90	70-130	%	1		LMM		1200737	3/24/12	2:23	E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-009

Sample ID: Shopping Center MID D

Matrix: Water

Sampled: 3/20/12 9:50

Parameter	Result	Quant Limit	Units	Instr	Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
chloromethane	< 1.0	1.0	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
bromomethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
chloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
methylene chloride	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
methyl t-butyl ether (MTBE)	0.6	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
chloroform	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
benzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
trichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
dibromomethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
cis-1,3-dichloropropene	< 0.4	0.4	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
toluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
trans-1,3-dichloropropene	< 0.4	0.4	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
o-xylene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
styrene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
bromoform	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-009

Sample ID: Shopping Center MID D

Matrix: Water

Sampled: 3/20/12 9:50

Parameter	Result	Quant Limit	Units	Instr Dil'n		Analyst	Prep Date	Analysis			Reference
				Factor				Batch	Date	Time	
n-propylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
bromobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.2	0.2	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
naphthalene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:01	E524.2
Surrogate Recovery		Limits									
4-bromofluorobenzene SUR	91	70-130	%	1		LMM		1200737	3/24/12	3:01	E524.2
1,4-dichlorobenzene-D4 SUR	81	70-130	%	1		LMM		1200737	3/24/12	3:01	E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-010

Sample ID: Shopping Center MID G

Matrix: Water

Sampled: 3/20/12 9:55

Parameter	Result	Quant Limit	Units	Instr Dil'n		Analyst	Prep Date	Analysis			Reference
				Factor				Batch	Date	Time	
dichlorodifluoromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
chloromethane	< 1.0	1.0	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
bromomethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
chloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
methylene chloride	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
methyl t-butyl ether (MTBE)	0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
chloroform	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
benzene	1.7	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
trichloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
dibromomethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
cis-1,3-dichloropropene	< 0.4	0.4	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
toluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
trans-1,3-dichloropropene	< 0.4	0.4	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
o-xylene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
styrene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
bromoform	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-010

Sample ID: Shopping Center MID G

Matrix: Water

Sampled: 3/20/12 9:55

Parameter	Result	Quant Limit	Units	Instr Dil'n		Analyst	Prep Date	Analysis			Reference
				Factor				Batch	Date	Time	
n-propylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
bromobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.2	0.2	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
naphthalene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200737	3/24/12	3:40	E524.2
Surrogate Recovery		Limits									
4-bromofluorobenzene SUR	84	70-130	%	1		LMM		1200737	3/24/12	3:40	E524.2
1,4-dichlorobenzene-D4 SUR	75	70-130	%	1		LMM		1200737	3/24/12	3:40	E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-011

Sample ID: Shopping Center INF

Matrix: Water

Sampled: 3/20/12 9:40

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
chloromethane	< 1.0	1.0	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
bromomethane	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
chloroethane	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
methylene chloride	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
methyl t-butyl ether (MTBE)	6.4	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2

Note: The RPD for the sample duplicate, run as internal QC, was outside the 20% acceptance range. The result for the duplicate is 2.2 ug/L.

trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
chloroform	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
benzene	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
trichloroethene	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
dibromomethane	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
cis-1,3-dichloropropene	< 0.4	0.4	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
toluene	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
trans-1,3-dichloropropene	< 0.4	0.4	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
o-xylene	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
styrene	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
bromoform	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1	LMM		1201103	3/28/12	16:18	E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-011

Sample ID: Shopping Center INF

Matrix: Water

Sampled: 3/20/12 9:40

Parameter	Result	Quant Limit	Units	Instr Dil'n		Analyst	Prep Date	Analysis		
				Factor				Batch	Date	Time Reference
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
n-propylbenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
bromobenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.2	0.2	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
naphthalene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1201103	3/28/12	16:18 E524.2
Surrogate Recovery		Limits								
4-bromofluorobenzene SUR	87	70-130	%	1		LMM		1201103	3/28/12	16:18 E524.2
1,4-dichlorobenzene-D4 SUR	104	70-130	%	1		LMM		1201103	3/28/12	16:18 E524.2

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-012

Sample ID: Trip Blank

Matrix: Water

Sampled: 3/20/12 0:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
chloromethane	< 1.0	1.0	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
vinyl chloride	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
bromomethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
chloroethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
trichlorofluoromethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,1-dichloroethene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
methylene chloride	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
carbon disulfide	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,1-dichloroethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
2,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
chloroform	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
bromochloromethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,1-dichloropropene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
carbon tetrachloride	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,2-dichloroethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
benzene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
trichloroethene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
bromodichloromethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
dibromomethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
cis-1,3-dichloropropene	< 0.4	0.4	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
toluene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
trans-1,3-dichloropropene	< 0.4	0.4	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,3-dichloropropane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
tetrachloroethene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
dibromochloromethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
chlorobenzene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
ethylbenzene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
m&p-xylenes	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
o-xylene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
styrene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
bromoform	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
isopropylbenzene	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1	LMM	1200736	3/23/12	18:54	E524.2	

Project ID: Londonderry, VT 5599

Job ID: 23652

Sample#: 23652-012

Sample ID: Trip Blank

Matrix: Water

Sampled: 3/20/12 0:00

Parameter	Result	Quant		Instr Dil'n		Analyst	Prep Date	Analysis			Reference
		Limit	Units	Factor				Batch	Date	Time	
n-propylbenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
bromobenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.2	0.2	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
naphthalene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		1200736	3/23/12	18:54	E524.2
Surrogate Recovery		Limits									
4-bromofluorobenzene SUR	88	70-130	%	1		LMM		1200736	3/23/12	18:54	E524.2
1,4-dichlorobenzene-D4 SUR	75	70-130	%	1		LMM		1200736	3/23/12	18:54	E524.2

Absolute Resource associates

124 Heritage Avenue #10
Portsmouth, NH 03801
603-436-2001

absoluteresourceassociates.com

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

ANALYSIS REQUEST

Company Name:

GeoInsight

Project Name: Londonberry VT

Company Address: 186 Granite St 3rd Fl

STE A Manchester NH 03101

Project #: 5599

Report To:

Eric Johnson

Project Location: NH MA ME ☒ Other

Phone #:

603-314-0320

Protocol: RCRA SDWA NPDES
MCP NHDES OTHER

Reporting Limits: QAPP GW-1 S-1
EPA DW Other

Invoice To:

Same

Quote # ☐ NH GREE/ODD
Fund Pricing

PO #

☐ VOC 8260	☐ VOC 8260 NHDES	☐ VOC 8260 MADEP	☐ VOC 624	☐ VOC BTEX	☐ MIBE, only	☒ VOC 8021VT	☐ VPH MADEP	☐ MEGRO	☐ GRO 0015	☒ VOC 524.2	☐ VOC 524.2 NH List	☐ Gases-List:	☐ TPH	☐ DRO 8015	☐ MEDRO	☐ EPH MADEP	☐ TPH Fingerprint	☐ 8270PAH	☐ 8270ABN	☐ 625	☐ EDB 504.1	☐ 8082 PCB	☐ 8081	☐ Pesticides	☐ 608	☐ Pest/PCB	☐ O&G 1664	☐ Mineral O&G SM5520F	☐ pH	☐ 80D	☐ Conductivity	☐ Turbidity	☐ TSS	☐ TDS	☐ TS	☐ TVS	☐ Alkalinity	☐ RCRA Metals	☐ Priority Pollutant Metals	☐ TAL Metals	☐ Total Metals-List:	☐ Dissolved Metals-List:	☐ Ammonia	☐ COD	☐ TKN	☐ TN	☐ TON	☐ TOC	☐ I-Phosphorus	☐ Phenols	☐ Bacteria P/A	☐ Bacteria MPN	☐ Cyanide	☐ Sulfide	☐ Nitrate + Nitrite	☐ Ortho P	☐ Nitrate	☐ Nitrite	☐ Chloride	☐ Sulfate	☐ Bromide	☐ Fluoride	☐ Corrosivity	☐ Reactive CN	☐ Reactive S-	☐ Ignitibility/FP	☐ TCLP Metals	☐ TCLP VOC	☐ TCLP SVOC	☐ TCLP Pesticide	☐ Subcontract:	☐ Grain Size	☐ Herbicides	☐ Formaldehyde	☐ Grab (G) or Composite (C)
-----------------------------------	---	---	----------------------------------	-----------------------------------	-------------------------------------	--	------------------------------------	--------------------------------	-----------------------------------	---	--	--------------------------------------	------------------------------	-----------------------------------	--------------------------------	------------------------------------	--	----------------------------------	----------------------------------	------------------------------	------------------------------------	-----------------------------------	-------------------------------	-------------------------------------	------------------------------	-----------------------------------	-----------------------------------	--	-----------------------------	------------------------------	---------------------------------------	------------------------------------	------------------------------	------------------------------	-----------------------------	------------------------------	-------------------------------------	--------------------------------------	--	-------------------------------------	---	---	----------------------------------	------------------------------	------------------------------	-----------------------------	------------------------------	------------------------------	---------------------------------------	----------------------------------	---------------------------------------	---------------------------------------	----------------------------------	----------------------------------	--	----------------------------------	----------------------------------	----------------------------------	-----------------------------------	----------------------------------	----------------------------------	-----------------------------------	--------------------------------------	--------------------------------------	--------------------------------------	--	--------------------------------------	-----------------------------------	------------------------------------	---	---------------------------------------	-------------------------------------	-------------------------------------	---------------------------------------	--

Lab Sample ID (Lab Use Only)	Field ID	# CONTAINERS	Matrix			Preservation Method						Sampling		
			WATER	SOLID	OTHER	HCl	HNO ₃	H ₂ SO ₄	NaOH	MeOH	OTHER (Specify)	DATE	TIME	SAMPLER
	MW-5	2	X			X						3/20/12	10:05	
	MW-5A	1											10:15	
	MW-8												10:30	
	MW-10												10:40	
	TT-EFF												8:45	
	TT-MID												8:50	
	TT-INF												8:55	
	Shipping Center EFF												9:45	
	Shipping Center MID												9:50	
	Shipping Center MID G												9:55	
	Shipping Center INF												9:40	

TAT REQUESTED

Priority (24 hr)* ☐
Expedited (48 hr)* ☐
Standard (10 Business Days) ☒
*Date Needed _____

See absoluteresourceassociates.com
for sample acceptance policy and
current accreditation lists.

SPECIAL INSTRUCTIONS

REPORTING INSTRUCTIONS

☒ PDF (e-mail address) EDJohnson@geoinsight.com

☐ HARD COPY REQUIRED

☐ FAX (FAX#) _____

☐ OTHER (specify) _____

RECEIVED ON ICE ☐ YES ☐ NO

TEMPERATURE _____ °C

CUSTODY RECORD

QSD-01 Revision 10/6/11

Relinquished by Sampler:

Eric Johnson

Date 3/20/12 Time 16:00

Relinquished by:

[Signature]

Date 3/20/12 Time 10:15

Relinquished by:

[Signature]

Date _____ Time _____

Received by:

Cold storage

Received by:

[Signature]

Received by Laboratory:

Way Bill#:

Date 3/20/12 Time 16:00

Date 3/20/12 Time 10:45

Date _____ Time _____

Date _____ Time _____



absoluteresourceassociates.com

ANALYSIS REQUEST

Geology sight

Project Name: Long Island City

Company Address: 186 Granite St 3rd Fl Ste A

Project #: 5599

Eric Johnson

Project Location: NH MA ME VT Other _____

603-314-0820

Protocol:	RCRA MCP	SDWA NHDES	NPDES OTHER
Reporting Limits:	QAPP EPA DW	GW-1 Other	S-1

Same

Quote # _____ ☐ NH GREE/ODD
Fund Pricing
PO # _____

[illegible]

		☐ VOC 8260 ☐ VOC 8260 NHDES ☐ VOC 8260 MADEP ☐ VOC 624 ☐ VOC BTEX ☐ MDE only ☐ VOC 8021VT ☐ VPH MADEP ☐ MEGRO ☐ GRO 8015 ☒ VOC 524.2 ☐ VOC 524.2 NH List ☐ Gases-List: ☐ TPH ☐ DRO 8015 ☐ MEDRO ☐ EPH MADEP ☐ TPH Finger/Int ☐ 8270PAH ☐ 8270ABN ☐ 625 ☐ EDB 504.1 ☐ 8082 PCB ☐ 8081 Pesticides ☐ 608 Pest/PCB ☐ O&G 1664 ☐ Mineral O&G SM5520F ☐ pH ☐ BOD ☐ Conductivity ☐ Turbidity ☐ TSS ☐ TDS ☐ TS ☐ TVS ☐ Alkalinity ☐ RCRA Metals ☐ Priority Pollutant Metals ☐ TAL Metals ☐ Total Metals-List: ☐ Dissolved Metals-List: ☐ Ammonia ☐ COD ☐ TKN ☐ TN ☐ TON ☐ TOC ☐ T-Phosphorus ☐ Phenols ☐ Bacteria P/A ☐ Bacteria MPN ☐ Cyanide ☐ Sulfide ☐ Nitrate + Nitrite ☐ Ortho P ☐ Nitrate ☐ Nitrite ☐ Chloride ☐ Sulfate ☐ Bromide ☐ Fluoride ☐ Corrosivity ☐ Reactive CN ☐ Reactive S- ☐ Ignitibility/FP ☐ TCLP Metals ☐ TCLP VOC ☐ TCLP SVOC ☐ TCLP Pesticide Subcontract: ☐ Grain Size ☐ Herbicides ☐ Formaldehyde
		Grab (G) or Composite (C)

SPECIAL INSTRUCTIONS

REPORTING INSTRUCTIONS

☒ PDF (e-mail address) EDJohnson@geome.com

☐ HARD COPY REQUIRED

☐ FAX (FAX#)☐ OTHER (specify) _____RECEIVED ON ICE ☐ YES ☐ NO

TEMPERATURE _____ °C

QSD-01 Revision 10/6/11

Relinquished by Sampler:

Relinquished by:

Relinquished by:

Date
3/20/12

Time
4:00

Received by:

Received by:

Received by Laboratory:

Wav Bill#:

Date 2/20/12

Time
17:20

Date
3/21/12

Time
10:45

Date _____

Time