

PROJECT PHASE (check one)	SUBMITTAL TYPE (check one)
☐ Site Investigation ☐ Corrective Action Feasibility Investigation ☐ Corrective Action Plan ☐ Corrective Action Summary Report ☒ Operations & Monitoring Report	☐ Work Scope ☒ Technical Report ☐ PCF Reimbursement Request ☐ General Correspondence

**APRIL 2009 GROUND WATER AND SUPPLY WELL
 MONITORING SUMMARY REPORT
 LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
 5700 ROUTE 100
 LONDONDERRY, VERMONT
 SMS #1996-2015**

Prepared for:

Summit Distributing, LLC
 240 Mechanic Street
 Lebanon, New Hampshire 03766
 Contact: Tom Frawley
 Tel: (603) 448-8000
 email: tomf@sumd.com

Prepared by:

GeoInsight, Inc.
 25 Sundial Avenue, Suite 515W
 Manchester, New Hampshire 03103
 Contact: Darrin L. Santos, P.G.
 Tel: (603) 314-0820
 email: dlsantos@geoinc.com

July 13, 2009

GeoInsight Project 5599-000
 File: 5599/CAP-CVR



GeoInsight®

Environmental Strategy & Engineering
Practical in Nature

July 13, 2009

GeoInsight Project 5599-000

Timothy Cropley
Sites Management Section
Vermont Department of Environmental Conservation
103 South Main Street, West Building
Waterbury, VT 05671

RE: April 2009 Ground Water and Supply Well Monitoring Summary Report
Londonderry Citgo/Londonderry Shopping Center – **SMS #1996-2015**
5700 Route 100
Londonderry, Vermont

Dear Mr. Cropley:

At the request of Summit Distributing, LLC (Summit), GeoInsight, Inc. (GeoInsight) prepared this report to summarize the April 2009 ground water and supply well monitoring event performed at the Londonderry Citgo/Londonderry Shopping Center property located at 5700 Route 100 in Londonderry, Vermont (the site). A Site Locus map is presented as Figure 1 and a Site Plan is presented as Figure 2.

The scope of work for these activities was outlined in a work plan transmitted to the Vermont Department of Environmental Conservation (VTDEC) on February 25, 2009. The VTDEC approved the proposed work plan and associated costs with minor modification in an e-mail dated March 23, 2009 (Attachment A). In addition to the ground water and supply well monitoring, several monitoring wells were repaired during the April 2009 event pursuant to the VTDEC-approved work plan.

MONITORING WELL ROADBOX REPAIR

On April 16, 2009, GeoInsight personnel repaired three monitoring well roadboxes including jack-hammering the concrete collars and removing the damaged roadboxes, setting new well casing "J-plugs," and cementing new roadboxes into the ground surface at monitoring wells MW-1R, MW-7, and MW-11. An automobile was parked on top of well MW-6 during the April 2009 monitoring event and, therefore, roadbox repairs could not be completed at this well.

GeoInsight, Inc.
25 Sundial Ave., Suite 515 West
Manchester, NH 03103-7244
Tel (603) 314-0820
Fax (603) 314-0821
www.geoinsightinc.com

GeoInsight, Inc.
5 Lan Drive, Suite 200
Westford, MA 01886-3538
Tel (978) 692-1114
Fax (978) 692-1115

GeoInsight, Inc.
Corporate Ten Center
1781 Highland Ave., Suite 207
Cheshire, CT 06410-1254
Tel (203) 271-8036
Fax (203) 271-8038



MONITORING ACTIVITIES

Sampling and Analysis

GeoInsight performed a ground water and supply well monitoring event at the site on April 16, 2009. Sampling activities included gauging ground water elevations and collecting ground water samples from monitoring wells MW-1R, MW-7, MW-8, MW-10, and MW-S2. In addition, ground water elevations were gauged at 12 monitoring wells (MW-1R, MW-2R, MW-3 through MW-8, MW-10, MW-11, MW S-2, and MW S-3). Ground water elevations were measured at these wells using an electronic water level meter and gauging data are summarized in Table 1. Monitoring well MW-4 was dry upon arrival during the April 2009 monitoring event and, consequently, a depth to ground water measurement was not collected from this well.

Ground water samples were collected from the monitoring wells using dedicated, disposable polyethylene bailers. Prior to sample collection, at least three times the volume of water in the wells was purged using the bailers or the wells were purged dry and allowed to recharge before sampling. After a short stabilization period (approximately one hour), ground water samples were collected from the monitoring wells for analyses of volatile organic compounds (VOCs).

The ground water samples were submitted to Resource Laboratories, LLC of Portsmouth, New Hampshire. The samples were analyzed by United States Environmental Protection Agency (USEPA) Method 8260B, but were reported using the VTDEC USEPA Method 8021 list for selected petroleum constituents.

Table 2 provides a current and historical summary of ground water VOC data for the site. The laboratory analytical report for the April 2009 monitoring event is presented in Attachment B. An updated discussion of ground water impacts at the site is provided in the Updated Conceptual Model section of this report.

Also during the April 2009 event, the point-of-entry treatment (POET) systems serving the water supply located at the site and the Thorne-Thomsen residence were sampled. In addition, supply well samples were collected from 13 local residences and businesses (Rogers residence, Junker residence, Rowley residence, Allen residence, Gordon residence, Bresnick residence, Galpin residence, the Garden Restaurant, Jelley's Mobil, the Hare Salon, Second Congregational Church, Thrifty Attic/Church Store, and the former Merrill Service Center). A supply well sample was not collected from the Merrill residence as numerous requests for access were not answered by the homeowner. The former Londonderry Post Office building was also not sampled because the supply well was not operational during the April 2009 monitoring event. Drinking water samples collected from the site, the Thorne-Thomsen POET system, and the local area residential and business supply wells were analyzed for VOCs by USEPA Method 524.2.



Quality Assurance/Quality Control

GeoInsight included a blind field duplicate sample during the April 2009 monitoring event to evaluate sampling quality assurance and quality control (QA/QC). The field duplicate sample submitted to the laboratory during the April 2009 monitoring event was a split/duplicate sample collected from well MW-8, which was labeled as "Duplicate." VOCs were not detected above the laboratory practical quantitation limits (PQLs) in both the MW-8 ground water sample and the blind duplicate submitted for laboratory analysis.

In addition to the QA/QC sample, a trip blank sample was included by the laboratory with the sample container for this monitoring event. VOCs were not detected above the laboratory PQLs in the trip blank sample submitted for the April 16, 2009 monitoring event. The trip blank sample was comprised of a laboratory-prepared VOC vial containing deionized water, which accompanied the sample containers in a cooler from delivery from the laboratory through receipt by the laboratory.

GeoInsight also reviewed the surrogate recovery data reported by the laboratory for the samples collected during the April 2009 monitoring event, which were within the acceptable limits listed by the laboratory in the analytical reports.

In general, the QA/QC samples indicated that the data collected were technically sound, usable, and meet the data quality objectives (DQOs) of on-going site investigation activities. A summary of QA/QC sample data is provided in Table 3.

Five of the supply well and POET samples collected in April 2009 had detected concentrations of chloromethane slightly above the laboratory PQLs. GeoInsight contacted the laboratory to discuss the detections of chloromethane and the laboratory indicated that it had been encountering relatively low background concentrations of chloromethane in its container supply at that time. Because of the information provided by the laboratory and because chloromethane is not typically associated with petroleum releases, the presence of chloromethane in some of the April 2009 supply well and POET samples is believed to be from laboratory handling.

Ground Water Sampling Results

Laboratory analytical results for the April 2009 ground water monitoring indicate that methyl tertiary butyl ether (MTBE) was the only VOC detected above laboratory PQLs in the ground water samples collected and MTBE was only present in one monitoring well (well MW-10). The detected MTBE concentration in sample MW-10 of 2 micrograms per liter ($\mu\text{g/L}$) was below the applicable Vermont Primary Groundwater Enforcement Standard (VPGES) of 40 $\mu\text{g/L}$ for MTBE. A historical summary of ground water VOC data is provided in Table 2.

Supply Well and POET Sampling Results

Analytical results from the April 2009 monitoring event indicate that VOCs were not detected above laboratory PQLs in the samples collected from the Rogers residence, Rowley residence,



Allen residence, Gordon residence, Bresnick residence, Galpin residence, Jelley's Mobil, Second Congregational Church, and the Thrifty Attic/Church Store supply wells on April 16, 2009. MTBE was detected at a concentration above laboratory PQLs (2.3 µg/L), but below applicable drinking water guidelines in a sample analyzed from the former Merrill Service Center supply well. In addition, chloromethane was detected above laboratory PQLs, but below applicable drinking water guidelines in samples analyzed from the Junker residence (0.6 µg/L), the Hare Salon (0.5 µg/L), and the Garden Restaurant (0.5 µg/L). The drinking water guideline for chloromethane is 30 µg/L. As previously discussed in the QA/QC section of this report, the presence of chloromethane in the April 2009 samples is believed to be a result of laboratory handling.

MTBE and methylene chloride were detected above laboratory PQLs, but below applicable drinking water guidelines in samples analyzed from the site POET system influent at concentrations of 2.6 µg/L and 0.6 µg/L, respectively. MTBE (0.9 µg/L) was the only VOC detected above laboratory PQLs in the site POET system effluent sample collected during April 2009.

MTBE was detected at concentrations above laboratory PQLs (0.5 µg/L), but below applicable drinking water guidelines in samples collected from the Thorne-Thomsen residential POET system influent. VOCs were not detected above laboratory PQLs in the sample collected from the Thorne-Thomsen POET system effluent during April 2009.

GeoInsight also collected system mid-point samples from the POET systems serving the site and Thorne-Thomsen supply wells. The April 2009 mid-point sample data are summarized in Table 3. Historical POET system and supply well sampling data for the site, Thorne-Thomsen residence, and Rogers residence are summarized in Table 4.

GeoInsight transmitted the results of the April 2009 supply well and POET system sampling to the applicable property owners in letters dated May 26, 2009. Copies of the supply well and POET system results letters were also provided to the VTDEC and the POET system operator, John Beauchamp of the Vermont Water Treatment Company on May 26, 2009.

UPDATED CONCEPTUAL MODEL

Ground Water Elevations and Flow Direction

Using the ground water elevation data collected in April 2009, GeoInsight plotted ground water elevation contours, which are presented on Figure 3. The observed ground water elevation contours for April 2009 indicated ground water flow was directed to the south, which was generally consistent with flow patterns mapped for recent monitoring events performed by GeoInsight and the previous environmental consultant for the site (Environmental Compliance Services).



VOC Distribution and Trends

Concentrations of MTBE detected in ground water samples during the April 2009 monitoring event were plotted on Figure 4. The April 2009 data were generally consistent with recent data, indicating decreasing ground water VOC concentrations and a contracting VOC plume. Further, VOCs detected during April 2009 were limited to MTBE in well MW-10 at a concentration of 2 µg/L and detected VOCs have not exceeded applicable VPGESs in monitoring wells sampled at the site since the September 2007 monitoring event when benzene, detected at well MW-10 (27.1 µg/L), exceeded the VPGES of 5 µg/L.

CONCLUSIONS AND RECOMMENDATIONS

Based upon the recent decreasing VOC constituent trends in ground water and supply well data collected, the site may be eligible for Sites Management Action Closure after additional monitoring events in 2009 or 2010, if VOCs continue to remain at concentrations below applicable standards and continue to exhibit decreasing trends. GeoInsight recommends completing the three remaining monitoring events described in the VTDEC-approved 2009 work plan for the site. Because well MW-6 was inaccessible during the April 2009 monitoring event, the previously proposed roadbox replacement for this well will be performed during the July or September 2009 monitoring events.

If you have questions regarding the contents of this letter report, please call us at (603) 314-0820.

Sincerely,
GEOINSIGHT, INC.

Anthony Jones (For)

Eric D. Johnson
Staff Geologist


Darrin L. Santos

Darrin L. Santos, P.G.
Senior Geologist


Attachments

cc: Summit Distributing, LLC

P:\5599 Summit Londonderry VT\Monitoring\2009\April 09\Report\5599April09GWreport.doc



FIGURES



SOURCE:

USGS LONDONDERRY, VT QUADRANGLE



APPROX. SCALE IN FEET


CLIENT: SUMMIT DISTRIBUTING, LLC			
PROJECT: 5700 ROUTE 100 LONDONDERRY, VERMONT			
TITLE: SITE LOCUS			
DESIGNED: CAE	DRAWN: STM	CHECKED: AWK	APPROVED: BDK
SCALE: 1" = 2000'	DATE: 12/29/08	FILE NO.: 5599-LOCUS	PROJECT NO.: 5599-000



GeoInsight
Practical in Nature


FIGURE NO.:

1




LEGEND

- MW-1 MONITORING WELL
- SUPPLY WELL
- SEWER MANHOLE
- SEWER LINE
- WATER LINE




NOTES:

1. THIS PLAN WAS BASED UPON A SITE PLAN CREATED BY ECS DATED APRIL 04, 2006. ALL SITE FEATURES ARE APPROXIMATE.



CLIENT:				 GeoInsight <i>Practical in Nature</i>
SUMMIT DISTRIBUTING, LLC				
PROJECT:				
5700 ROUTE 100 LONDONDERRY, VERMONT				
TITLE:				
SITE PLAN				
DESIGNED:	DRAWN:	CHECKED:	APPROVED:	
EDJ	STM	DLS	PDF	
SCALE:	DATE:	FILE NO.:	PROJECT NO.:	FIGURE NO.:
1" = 40'	01/08/09	5599D001	5599-000	2

PLOT DATE: 6-18-09
FILE: I:\5599\5599D004.dwg




LEGEND



- MW-1 MONITORING WELL
- SUPPLY WELL
- SEWER MANHOLE
- SEWER LINE
- WATER LINE
- 92.0 RELATIVE GROUND WATER ELEVATION CONTOUR (DASHED WHERE INFERRED)
- INFERRED DIRECTION OF GROUND WATER FLOW
- (90.89) RELATIVE GROUND WATER ELEVATION

NOTES:

1. THIS PLAN WAS BASED UPON A SITE PLAN CREATED BY ECS DATED APRIL 04, 2006. ALL SITE FEATURES ARE APPROXIMATE.



CLIENT: SUMMIT DISTRIBUTING, LLC				 GeoInsight <i>Practical in Nature</i>
PROJECT: 5700 ROUTE 100 LONDONDERRY, VERMONT				
TITLE: GROUND WATER CONTOUR PLAN APRIL 16, 2009				
DESIGNED: EDJ	DRAWN: STM	CHECKED: DLS	APPROVED: PDF	
SCALE: 1" = 40'	DATE: 06/17/09	FILE NO.: 5599D004	PROJECT NO.: 5599-000	FIGURE NO.: 3




LEGEND

- MW-1 MONITORING WELL
- W SUPPLY WELL
- S SEWER MANHOLE
- S SEWER LINE
- W WATER LINE
- [2.0] MTBE CONCENTRATION (ug/L)
- [ND(2)] NOT DETECTED ABOVE LIMIT NOTED

NOTES:

1. THIS PLAN WAS BASED UPON A SITE PLAN CREATED BY ECS DATED APRIL 04, 2006. ALL SITE FEATURES ARE APPROXIMATE.



CLIENT:		SUMMIT DISTRIBUTING, LLC	
PROJECT:		5700 ROUTE 100 LONDONDERRY, VERMONT	
TITLE:		DISTRIBUTION OF MTBE IN GROUND WATER - APRIL 16, 2009	
DESIGNED:	DRAWN:	CHECKED:	APPROVED:
EDJ	STM	DLS	PDF
SCALE:	DATE:	FILE NO.:	PROJECT NO.:
1" = 40'	06/17/09	5599D005	5599-000
FIGURE NO.:			4



GeoInsight
Practical in Nature



TABLES

TABLE 1
SUMMARY OF GROUND WATER ELEVATION DATA
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

WELL I.D.	REFERENCE ELEVATION (FT) (Note 2)	MONITORING DATE (Note 3)	DEPTH TO GROUND WATER (FT)	RELATIVE GROUND WATER ELEVATION (FT)
MW-1R	100.53	03/21/06	5.23	95.30
		09/12/06	8.93	91.60
		03/30/07	6.47	94.06
		09/19/07	10.56	89.97
		10/09/08	8.27	92.26
		04/16/09	5.72	94.81
MW-2R	99.28	03/21/06	5.20	94.08
		09/12/06	7.75	91.53
		03/30/07	5.30	93.98
		09/19/07	9.82	89.46
		10/09/08	6.93	92.35
		04/16/09	4.49	94.79
MW-3	98.69	03/21/06	4.91	93.78
		09/12/06	7.63	91.06
		03/30/07	5.24	93.45
		09/19/07	9.82	88.87
		10/09/08	7.02	91.67
		04/16/09	4.45	94.24
MW-4	98.32	03/21/06	4.01	94.31
		09/12/06	Dry	--
		03/30/07	Dry	--
		09/19/07	Dry	--
		10/09/08	Dry	--
		04/16/09	Dry	--
MW-5	98.48	03/21/06	NS	--
		09/12/06	NS	--
		03/30/07	8.81	89.67
		09/19/07	11.60	86.88
		10/09/08	9.63	88.85
		04/16/09	6.82	91.66
MW-6	95.13	03/21/06	8.91	86.22
		09/12/06	10.14	84.99
		03/30/07	NS	--
		09/19/07	NS	--
		10/09/08	9.82	85.31
		04/16/09	8.02	87.11
MW-7	98.40	03/21/06	8.39	90.01
		09/12/06	10.37	88.03
		03/30/07	9.21	89.19
		09/19/07	11.86	86.54
		10/09/08	9.87	88.53
		04/16/09	7.51	90.89

TABLE 1
SUMMARY OF GROUND WATER ELEVATION DATA
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

WELL I.D.	REFERENCE ELEVATION (FT) (Note 2)	MONITORING DATE (Note 3)	DEPTH TO GROUND WATER (FT)	RELATIVE GROUND WATER ELEVATION (FT)
MW-8	99.66	03/21/06	5.65	94.01
		09/12/06	8.15	91.51
		03/30/07	5.65	94.01
		09/19/07	9.77	89.89
		10/09/08	7.40	92.26
		04/16/09	4.97	94.69
MW-10	99.60	03/21/06	5.49	94.11
		09/12/06	8.04	91.56
		03/30/07	5.55	94.05
		09/19/07	9.68	89.92
		10/09/08	7.26	92.34
		04/16/09	4.75	94.85
MW-11	98.70	03/21/06	6.01	92.69
		09/12/06	9.47	89.23
		03/30/07	5.95	92.75
		09/19/07	Dry	Dry
		10/09/08	Dry	Dry
		04/16/09	4.81	93.89
MW-S2	94.89	03/21/06	8.75	86.14
		09/12/06	10.22	84.67
		03/30/07	8.56	86.33
		09/19/07	10.64	84.25
		10/09/08	9.93	84.96
		04/16/09	8.11	86.78
MW-S3	94.41	03/21/06	8.19	86.22
		09/12/06	9.73	84.68
		03/30/07	8.56	85.85
		09/19/07	10.12	84.29
		10/09/08	9.45	84.96
		04/16/09	7.42	86.99

NOTES:

1. Depth to ground water measurements were from the top of polyvinyl chloride (PVC) well casings.
2. Survey/reference elevations obtained from historical site investigation documents.
3. Prior to 10/10/08, measurements were performed by Environmental Compliance Services.
4. FT = feet; NS = not sampled.

TABLE 2
SUMMARY OF GROUND WATER ANALYTICAL DATA
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

Well ID	Sample Date	VOLATILE ORGANIC COMPOUNDS (VOCs)								
		MTBE	Benzene	Toluene	Ethyl benzene	Total Xylenes	Total TMB*	Naphthalene	EDB	1,2-DCA
micrograms per liter (µg/L)										
VPGES		40	5	1,000	700	10,000	350	20	0.05	5
MW-1R	03/21/06	298	176	170	9	169.4	13.7	ND(5)	--	--
	04/17/06	72	66.6	34.8	ND(5)	47.4	6.8	ND(5)	--	--
	06/23/06	18.4	43.7	ND(1)	ND(1)	ND(3)	ND(1)	ND(1)	--	--
	09/12/06	10.5	8.5	ND(1)	9.2	2.9	22.7	3.3	--	--
	12/22/06	7.1	24.3	ND(1)	6.6	ND(2)	85.2	6.5	--	--
	03/30/07	ND(1)	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/19/07	1.2	ND(1)	ND(1)	ND(1)	ND(3)	ND(1)	ND(1)	ND(0.01)	ND(1)
	03/04/08	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10/24/2008**	3	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	04/16/09	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
MW-2R	03/21/06	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	04/17/06	1.1	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	06/23/06	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/12/06	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	2.2	ND(1)	--	--
	12/22/06	7.2	ND(1)	ND(1)	ND(1)	ND(3)	ND(1)	ND(1)	--	--
	03/30/07	ND(1)	ND(1)	ND(1)	2.4	ND(2)	7.8	ND(1)	--	--
	09/19/07	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	ND(0.01)	ND(1)
	03/04/08	1.5	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	ND(1)	ND(1)
	10/09/08	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	04/16/09	Well removed from monitoring program								
MW-3	03/08/00	27.9	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	06/12/00	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/19/00	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	12/13/00	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/13/01	1.7	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/25/01	1.83	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/26/02	798	3.2	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/05/02	106	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/27/03	118	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/25/03	80.2	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/16/04	1.5	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/14/04	44.6	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/29/05	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/02/05	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/21/06	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/12/06	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	--	--
	03/30/07	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	--	--
	09/19/07	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	ND(0.01)	ND(1)
	03/04/08	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	ND(0.01)	ND(1)
	10/09/08	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	04/16/09	Well removed from monitoring program								

TABLE 2
SUMMARY OF GROUND WATER ANALYTICAL DATA
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

Well ID	Sample Date	VOLATILE ORGANIC COMPOUNDS (VOCs)								
		MTBE	Benzene	Toluene	Ethyl benzene	Total Xylenes	Total TMB*	Naphthalene	EDB	1,2-DCA
micrograms per liter (µg/L)										
VPGES		40	5	1,000	700	10,000	350	20	0.05	5
MW-4	05/21/97	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--	--	--
	03/13/98	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--	--	--
	06/23/98	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--	--	--
	03/21/06	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--	--	--
	09/12/06	NS	NS	NS	NS	NS	--	--	--	--
	03/30/07	NS	NS	NS	NS	NS	--	--	--	--
	09/19/07	NS	NS	NS	NS	NS	--	--	--	--
	03/04/08	NS	NS	NS	NS	NS	--	--	--	--
	10/09/08	Well purged dry prior to sampling and did not recharge.								
04/16/09	Well removed from monitoring program									
MW-5	03/08/00	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	06/12/00	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/19/00	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	12/13/00	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/13/01	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/25/01	NS	NS	NS	NS	NS	NS	NS	--	--
	03/26/02	NS	NS	NS	NS	NS	NS	NS	--	--
	09/05/02	NS	NS	NS	NS	NS	NS	NS	--	--
	03/27/03	NS	NS	NS	NS	NS	NS	NS	--	--
	09/25/03	NS	NS	NS	NS	NS	NS	NS	--	--
	03/16/04	NS	NS	NS	NS	NS	NS	NS	--	--
	09/14/04	ND(1)	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/29/05	NS	NS	NS	NS	NS	NS	NS	--	--
	09/02/05	ND(1)	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/21/06	NS	NS	NS	NS	NS	NS	NS	--	--
	09/12/06	NS	NS	NS	NS	NS	NS	NS	--	--
	03/30/07	ND(1)	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	ND(1)	--	--
	09/19/07	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	ND(0.01)	ND(1)
03/04/08	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	ND(1)	ND(1)	
10/09/08	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	
04/16/09	Well removed from monitoring program									
MW-6	03/08/00	10.6	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	06/12/00	39	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/19/00	16.5	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	12/13/00	31.7	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/13/01	35.3	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/05/02	1.5	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/27/03	NS	NS	NS	NS	NS	NS	NS	ND(0.01)	ND(1)
	09/25/03	ND(1)	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	NS	NS
	03/16/04	NS	NS	NS	NS	NS	NS	NS	ND(2)	ND(2)
	09/14/04	ND(1)	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)		
	09/02/05	ND(1)	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)		
	03/21/06	2.7	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/12/06	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(1)	ND(1)	--	--
	03/30/07	NS	NS	NS	NS	NS	NS	NS	--	--
	09/19/07	NS	NS	NS	NS	NS	NS	NS	--	--
	03/04/08	NS	NS	NS	NS	NS	NS	NS	--	--
	10/09/08	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	04/16/09	Well removed from monitoring program								

TABLE 2
SUMMARY OF GROUND WATER ANALYTICAL DATA
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

Well ID	Sample Date	VOLATILE ORGANIC COMPOUNDS (VOCs)								
		MTBE	Benzene	Toluene	Ethyl benzene	Total Xylenes	Total TMB*	Naphthalene	EDB	1,2-DCA
micrograms per liter (µg/L)										
VPGES		40	5	1,000	700	10,000	350	20	0.05	5
MW-7	03/08/00	84.3	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	06/12/00	10.2	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/19/00	5.1	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	12/13/00	22.3	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/13/01	85.5	ND(1)	ND(1)	ND(1)	2.4	ND(1)	ND(1)	--	--
	03/26/02	10.4	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/05/02	4.9	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/27/03	77.5	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/25/03	1.72	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/16/04	19.4	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/14/04	1.3	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/29/05	16.3	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/02/05	1.6	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/21/06	ND(1)	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/12/06	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(1)	ND(1)	--	--
	03/30/07	2.2	ND(1)	ND(1)	ND(1)	ND(3)	ND(1)	ND(1)	--	--
	09/19/07	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	ND(1)**	ND(1)
	03/04/08	6.6	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	ND(1)	ND(1)
10/09/08	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	
04/16/09	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	
MW-8	03/08/00	1.2	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	06/12/00	53.1	10.2	7.9	31.1	139	84.7	10.9	--	--
	09/19/00	24.4	10.8	117	129	369	134.5	19	--	--
	12/13/00	24.7	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/13/01	264	5.9	ND(2)	18.6	20	22.9	4.2	--	--
	09/25/01	68.1	4.3	15.1	116	160	124.6	18.8	--	--
	03/26/02	1,080	11.2	35.1	178	1,070	602	146	--	--
	09/05/02	814	20.2	206	588	1,700	918	153	--	--
	03/27/03	38.4	1	1.7	5.9	46.6	24.2	4.1	--	--
	09/25/03	556	ND(25)	116	824	2,422	2,271	376	--	--
	03/16/04	178	12.6	16.9	217	294	544	77.2	--	--
	09/14/04	140	ND(10)	13.4	178	647	735	93.2	--	--
	03/29/05	213	40	ND(5)	35.6	96.1	386.4	29	--	--
	09/02/05	2.4	1.2	ND(1)	2.1	7.7	10.3	1.4	--	--
	03/21/06	22.8	ND(5)	ND(5)	17.5	34.6	278.8	27.5	--	--
	06/23/06	7.2	2.3	ND(1)	ND(1)	1.6	ND(1)	ND(1)	--	--
	09/12/06	16.7	ND(1)	ND(1)	ND(1)	ND(3)	ND(1)	ND(1)	--	--
	12/22/06	8.5	4.6	ND(1)	1.1	ND(3)	13.5	2	--	--
	03/30/07	1.2	3	ND(1)	7.9	6	11.3	3	--	--
	09/19/07	2.1	1.7	ND(1)	43.7	4.6	6.7	4.4	ND(0.01)	ND(1)
	03/04/08	6.1	1.6	ND(1)	2.5	4	65.3	4.6	ND(1)	ND(1)
	10/09/08	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	04/16/09	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)

TABLE 2
SUMMARY OF GROUND WATER ANALYTICAL DATA
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

Well ID	Sample Date	VOLATILE ORGANIC COMPOUNDS (VOCs)								
		MTBE	Benzene	Toluene	Ethyl benzene	Total Xylenes	Total TMB*	Naphthalene	EDB	1,2-DCA
micrograms per liter (µg/L)										
VPGES		40	5	1,000	700	10,000	350	20	0.05	5
MW-10	03/21/06	20.8	32.4	2.4	ND(1)	6.6	2.4	ND(1)	--	--
	06/23/06	18.8	16.1	ND(1)	ND(1)	ND(3)	2.1	ND(1)	--	--
	09/12/06	91.6	17.9	ND(1)	3.9	ND(3)	3.9	ND(1)	--	--
	12/22/06	15.5	2.4	ND(1)	6.8	8.7	7.6	ND(1)	--	--
	03/30/07	9.2	11.9	4.8	1.9	8.1	11.3	ND(1)	--	--
	09/19/07	36.6	27.1	ND(1)	1.4	4.9	12.2	ND(1)	ND(0.01)	ND(1)
	03/04/08	5.6	ND(1)	ND(1)	ND(1)	ND(3)	3.3	ND(1)	ND(1)	ND(1)
	10/09/08	11	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	04/16/09	2	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
MW-11	03/21/06	6	2.8	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/12/06	6.4	ND(1)	ND(1)	ND(1)	ND(3)	ND(1)	ND(1)	--	--
	03/30/07	5.5	ND(1)	ND(1)	ND(1)	ND(3)	ND(1)	ND(1)	--	--
	09/19/07	NS	NS	NS	NS	NS	NS	NS	NS	NS
	03/04/08	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10/09/08	Monitoring well was dry and, therefore, could not be sampled.								
	04/16/09	Well removed from monitoring program								
MW-S2	03/08/00	76.8	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	06/12/00	22	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/19/00	51.3	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	12/13/00	40.7	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/13/01	43.9	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/25/01	29.6	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/26/02	15.6	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/05/02	11.6	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/27/03	41.6	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/25/03	17	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/16/04	16.5	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/14/04	NS	NS	NS	NS	NS	NS	NS	--	--
	03/29/05	49.9	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/02/05	29.1	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/21/06	1	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/12/06	51.4	ND(1)	ND(1)	ND(1)	ND(3)	ND(1)	ND(1)	--	--
	03/30/07	5.5	ND(1)	ND(1)	ND(1)	ND(3)	ND(1)	ND(1)	--	--
	09/19/07	6.7	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	ND(0.01)	ND(1)
	03/08/08	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10/09/08	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	04/16/09	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)

TABLE 2
SUMMARY OF GROUND WATER ANALYTICAL DATA
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

Well ID	Sample Date	VOLATILE ORGANIC COMPOUNDS (VOCs)								
		MTBE	Benzene	Toluene	Ethyl benzene	Total Xylenes	Total TMB*	Naphthalene	EDB	1,2-DCA
micrograms per liter (µg/L)										
VPGES		40	5	1,000	700	10,000	350	20	0.05	5
MW-S3	03/08/00	79.4	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	06/12/00	15.7	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/19/00	17.9	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	12/13/00	21.8	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/13/01	23.7	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/25/01	10.9	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/26/02	14.7	ND(1)	ND(1)	1.3	2.8	ND(1)	ND(1)	--	--
	09/05/02	15.4	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/27/03	43.5	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/25/03	16.8	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/16/04	8.8	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/14/04	NS	NS	NS	NS	NS	NS	NS	--	--
	03/29/05	3.1	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/02/05	1	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	03/21/06	121	ND(1)	ND(1)	ND(1)	ND(2)	ND(1)	ND(1)	--	--
	09/12/06	1.2	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	03/30/07	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	--
	09/19/07	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	ND(0.01)	ND(1)
	03/04/08	ND(1)	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	ND(1)	ND(1)	ND(1)
	10/09/08	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)
	04/16/09	Well removed from monitoring program								

Notes:

1. Results reported in micrograms per liter (µg/L).
2. NS - not sampled.
3. ND(X) - constituent not detected above detection limit noted
4. VPGES - Vermont Primary Groundwater Enforcement Standards.
5. Concentrations in bold exceed VPGES.
6. Prior to 10/10/08, samples were collected by Environmental Compliance Services
7. EDB - 1,2-dibromoethane; 1,2-DCA - 1,2-dichloroethane; MTBE - methyl tert butyl ether
8. -- - data not reported in historical reports or data no longer available
9. * - Effective on 02/28/07, trimethylbenzene (TMB) enforcement standards increased to 350 µg/L, and includes 1,2,4-TMB and 1,3,5-TMB.
10. * *Well MW-1R was resampled on 10/24/08 due to damaged sample vials received by the laboratory from the initial 10/09/08 monitoring event.

TABLE 3
SUMMARY OF SUPPLY WELL SAMPLING ANALYTICAL DATA AND QUALITY ASSURANCE/QUALITY CONTROL
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

MONITORING DATE: APRIL 16, 2009												
Supply Well	MTBE	Benzene	Toluene	Ethyl Benzene	Total Xylenes	Total TMB	Isopropylbenzene	EDB	1,2-DCA	chloromethane	Trichloroethene	Methylene chloride
Shopping Center Main - Influent	2.6	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	0.6	ND(0.5)	ND(0.5)
Shopping Center Main - Mid D-1	1.4	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
Shopping Center Main - Mid G-1	1.3	ND(0.5)	ND(1)	ND(1)	ND(1)	ND(1)	ND(0.5)	ND(1)	ND(1)	0.7	ND(0.5)	ND(0.5)
Shopping Center Main - Effluent	0.9	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
Thorne-Thomsen - Influent	0.5	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
Thorne-Thomsen - Mid	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
Thorne-Thomsen - Effluent	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
Rogers Residence	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
Junker Residence	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	0.6	ND(0.5)	ND(0.5)
Rowley Residence	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
Allen Residence	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
Gordon Residence	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
Breznick Residence	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
Galpin Residence	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
Thrifty Attic/Church Store	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
Congregational Church	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
Former Merrill Service Center	2.3	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
Hare Salon	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	0.5	ND(0.5)	ND(0.5)
Jelley's Mobil	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
The Garden Restaurant	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)	ND(0.5)	0.5	ND(0.5)	ND(0.5)
QUALITY ASSURANCE/QUALITY CONTROL												
Trip Blank	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
MW-8	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	NA	NA	ND(2)	NA	NA	ND(2)
Duplicate (MW-8)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	NA	NA	ND(2)	NA	NA	ND(2)
Relative Percent Difference	---	---	---	---	---	---	---	---	---	---	---	---
MCL	--	5	1,000	700	10,000	--	--	0.05	5	--	5	--
VHA	40	--	--	--	--	350	--	--	--	30	--	5
VAL	--	1	--	--	--	--	--	--	0.5	--	--	--

Notes:

1. Results reported in micrograms per liter (µg/L).
2. NS - not sampled; NA - not applicable.
3. ND(X) - constituent not detected above detection limit noted.
4. MCL - Maximum Contaminant Levels for public water supplies from Chapter 21, Vermont Water Supply Rule (April 25, 2005) or Vermont Department of Health, Drinking Water Guidance (December 2002).
5. VHA - Vermont Health Advisories - guidelines for concentrations of chemicals in drinking water that do not have MCLs; VAL - Vermont Action Levels for eight chemicals of specific health concern in public water systems both established by the Vermont Department of Health (December 2002, revised February 2007).
6. Total TMB - 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene.
7. EDB - 1,2-dibromoethane; 1,2-DCA - 1,2-dichloroethane; MTBE - methyl tert butyl ether.

TABLE 4
SHOPPING CENTER & THORNE-THOMSEN POET SYSTEM AND ROGERS SUPPLY WELL SAMPLING ANALYTICAL DATA
(2001 TO PRESENT)
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

Supply Well / Drinking Water Standard	Sample Date	MTBE	TAME	Benzene	Toluene	Ethyl Benzene	Total Xylenes	Total TMB	Methylene Chloride	Chloromethane
	<i>MCL</i>	—	—	5	1,000	700	10,000	—	—	—
	<i>VHA</i>	40	—	—	—	—	—	350	5	6
	<i>VAL</i>	—	—	1	—	—	—	—	—	—
Shopping Center Main - POET System Influent	01/17/01	3.3	NR	43.9	ND(1)	ND(1)	ND(1)	ND(2)	NR	NR
	02/14/01	1.4	NR	33.2	ND(1)	ND(1)	ND(1)	ND(2)	NR	NR
	03/13/01	2.9	NR	34.9	ND(1)	ND(1)	ND(1)	ND(2)	NR	NR
	04/17/01	2	NR	26.3	ND(1)	ND(1)	ND(1)	ND(2)	NR	NR
	05/17/01	2.5	NR	28.2	ND(1)	ND(1)	1.4	ND(2)	NR	NR
	07/17/01	2.7	NR	27.2	ND(1)	ND(1)	ND(1)	ND(2)	NR	NR
	09/25/01	3.6	NR	36.9	ND(1)	ND(1)	ND(1)	ND(2)	NR	NR
	11/14/01	2.2	NR	33.5	ND(1)	ND(1)	ND(1)	ND(2)	NR	NR
	01/08/02	2.3	NR	28.1	ND(1)	ND(1)	ND(1)	ND(2)	NR	NR
	03/26/02	2.8	NR	27	ND(1)	ND(1)	ND(1)	ND(2)	NR	NR
	09/05/02	2.1	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	01/03/03	1.9	NR	8.4	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	07/18/03	5.6	NR	3.7	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	03/27/03	3.6	NR	6.2	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	09/25/03	15.4	NR	4.1	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	12/03/03	13.2	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	03/16/04	27.7	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	06/16/04	32.9	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	08/11/04	96.4	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	12/28/04	60	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	03/29/05	61.7	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	06/02/05	46	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	09/02/05	34.3	NR	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	12/07/05	25.4	NR	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	03/21/06	62.6	NR	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	06/23/06	16.2	2.2	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	09/12/06	22.3	2.1	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	12/22/06	16.1	2.2	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	03/30/07	14.1	0.7	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	06/21/07	7.2	NR	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	09/16/07	11.9	0.8	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	12/09/07	11.3	1.2	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	03/04/08	10.2	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	06/06/08	6.3	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	10/09/08	9.6	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	1.2	ND(0.5)
	12/31/08	6.3	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)
	04/16/09	2.6	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	0.6

TABLE 4
SHOPPING CENTER & THORNE-THOMSEN POET SYSTEM AND ROGERS SUPPLY WELL SAMPLING ANALYTICAL DATA
(2001 TO PRESENT)
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015


Supply Well / Drinking Water Standard	Sample Date	MTBE	TAME	Benzene	Toluene	Ethyl Benzene	Total Xylenes	Total TMB	Methylene Chloride	Chloromethane
	<i>MCL</i>	—	—	5	1,000	700	10,000	—	—	—
	<i>VHA</i>	40	—	—	—	—	—	350	5	6
	<i>VAL</i>	—	—	1	—	—	—	—	—	—
Thorne-Thomsen - POET System Influent	03/22/01	1	NR	4.6	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	09/25/01	1.38	NR	12	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	01/08/02	ND(1)	NR	2	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	03/26/02	2.8	NR	27	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	09/05/02	2	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	01/03/03	1.2	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	03/27/03	1.6	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	07/18/03	Not sampled.								
	09/25/03	5.5	NR	4.1	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	12/03/03	10.7	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	03/16/04	Not sampled.								
	06/16/04	28.7	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	08/11/04	Not sampled.								
	12/28/04	43.9	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	03/29/05	50.1	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	06/02/05	36.2	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	09/02/05	45.1	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	12/07/05	36.7	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	03/21/06	33.2	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	06/23/06	28.6	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	09/12/06	34.9	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	12/22/06	Not sampled.								
	03/30/07	40.2	NR	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	06/21/07	Not sampled.								
	09/16/07	Not sampled.								
	12/09/07	8.6	NR	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	03/04/08	17.6	NR	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	06/06/08	4.1	NR	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	NR	NR
	10/09/08	6.4	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	1.3	ND(0.5)
	12/31/08	3.8	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)
	04/16/09	0.5	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)

TABLE 4
SHOPPING CENTER & THORNE-THOMSEN POET SYSTEM AND ROGERS SUPPLY WELL SAMPLING ANALYTICAL DATA
(2001 TO PRESENT)
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

Supply Well / Drinking Water Standard	Sample Date	MTBE	TAME	Benzene	Toluene	Ethyl Benzene	Total Xylenes	Total TMB	Methylene Chloride	Chloromethane
	<i>MCL</i>	—	—	5	1,000	700	10,000	—	—	—
	<i>VHA</i>	40	—	—	—	—	—	350	5	6
	<i>VAL</i>	—	—	1	—	—	—	—	—	—
Rogers Residence	03/27/03	1.4	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	03/16/04	22.1	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	03/29/05	6.5	NR	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	NR	NR
	12/07/05	0.9	NR	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	NR	NR
	03/21/06	1.9	NR	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	NR	NR
	06/23/06	1.5	NR	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	NR	NR
	09/12/06	1.4	NR	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	NR	NR
	12/22/06	1	NR	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	NR	NR
	03/30/07	ND(1)	NR	ND(1)	11.8	1.6	2.7	1	NR	NR
	06/21/07	ND(1)	NR	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	NR	NR
	09/16/07	ND(1)	NR	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	NR	NR
	12/06/07	ND(1)	NR	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	NR	NR
	03/04/08	Not sampled.								
	06/06/08	ND(1)	NR	ND(1)	ND(1)	ND(1)	ND(3)	ND(2)	NR	NR
	10/09/08	ND(0.5)	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)
	12/31/08	Not sampled.								
	04/16/09	ND(0.5)	NA	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(0.5)	ND(0.5)

Notes:

1. Results reported in micrograms per liter (µg/L).
2. NS - not sampled; NA - not applicable; NR - not reported; POET system - point-of-entry treatment system.
3. ND(X) - constituent not detected above detection limit noted.
4. MCL - Maximum Contaminant Levels for public water supplies from Chapter 21, Vermont Water Supply Rule (04/25/05) or Vermont Department of Health, Drinking Water Guidance (December 2002).
5. VHA - Vermont Health Advisories - guidelines for concentrations of chemicals in drinking water that do not have MCLs; VAL - Vermont Action Levels for eight chemicals of specific health concern in public water systems both established by the Vermont Department of Health (December 2002, revised February 2007).
6. Total TMB - 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene.
7. MTBE - methyl tert butyl ether; TAME - tertiary amyl ethyl ether.
8. Sampling performed prior to the October 2008 monitoring event was not completed by GeoInsight, Inc. These historical data were obtained from historical reports.



ATTACHMENT A

2009 WORK PLAN AND VTDEC EMAIL APPROVAL

From: Cropley, Tim [Tim.Cropley@state.vt.us]
Sent: Monday, March 23, 2009 3:51 PM
To: Darrin L. Santos
Subject: RE: Londonderry Citgo, SMS #1996-2015

Hi Darrin. I took some time to review the work plan and cost estimate today. I have a few minor comments.

- 1) The mileage rate listed in the March and Sept cost estimates had \$0.585 instead of the going rate of \$0.55 that's list in June and Dec.
- 2) I'd like MW-7 added in for sampling as well.
- 3) Keep in mind that I will be asking for samples from all wells at some point prior to either well abandonment or site closure. I'm not opposed to doing the sampling and abandonment in a phased approach. This way we can abandon those that are no longer needed since if we have adequate coverage without them and there's been nothing there for more than 1-2 years.

Based on the above, I approve the work plan and cost estimate dated February 25, 2009 with the addition of MW-7 sampling and analysis during the March and Sept event and the slight mileage reimbursement adjustment.

Please let me know if you have any additional comments or questions.

From: Cropley, Tim
Sent: Monday, March 23, 2009 11:00 AM
To: 'Darrin L. Santos'
Subject: RE: Londonderry Citgo, SMS #1996-2015

Hey Darrin. It's on my to do list. I plan to get it reviewed this week. Stay tuned.

Tim

From: Darrin L. Santos [mailto:DLSantos@geoinc.com]
Sent: Monday, March 23, 2009 9:34 AM
To: Cropley, Tim
Subject: Londonderry Citgo, SMS #1996-2015

Hi Tim,

I'm wondering if you had a chance to review the 2009 Work Plan and Budget for the Londonderry Citgo site yet (see Feb 25 email below). We're currently scheduling spring field work (as the weather clears) and there was a proposed March or April event for this site.

Best Regards,

Darrin Santos

From: Darrin L. Santos
Sent: Wednesday, February 25, 2009 2:18 PM
To: 'Cropley, Tim'
Subject: RE: Dec 2008 POET data, Londonderry Citgo, SMS #1996-2015

Hi Tim,

As discussed (albeit a few days behind schedule), attached are the December 2008 monitoring report and a Work Plan and Budget for 2009 monitoring activities for the Londonderry Citgo site.

The total budget appears to be slightly higher than ECS's from last year; however, I believe that is a result of GeolInsight proposing to use full list VOC 524.2 analyses for the drinking water samples as opposed to the 8021 short list (the cost for a 524.2 is roughly twice that of the 8021). We also have costs included for well road-box replacement during the March/April event and an extra field staff member to assist with the road-box repair, ground water monitoring, and area supply well sampling, which were not in the 2008 budget.

Please contact me with any questions regarding the December 2008 report or the 2009 Work Plan and Budget.

Best Regards,

Darrin Santos

BUDGET SHEET - 2009 MONITORING PROGRAM
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

VTDEC SMS#: 1996-2015		Facility Name: Londonderry Citgo/Londonderry Shopping Center				Owner: Summit Distributing, LLC				
Date of Submittal: February 25, 2009		Facility Address: 5700 Route 100				Mailing: 240 Mechanic Street				
		Town: Londonderry, Vermont				Address: Lebanon, New Hampshire 03766				
						Class Overall Breakdown		Breakdown by Class		
Description By Task	Contractor	Description	Code	Units	Type	Rate	Cost	Eng./Hydro Services	Laboratory Services	Other
WORK PLAN AND BUDGET PREPARATION										
Includes costs to research current and historical data to develop 2009 monitoring plan and costs to prepare the Work Plan and Budget.	GeoInsight	Principal	E	1	hrs	\$125	\$125.00	\$125.00		
		Senior Geologist	E	4	hrs	\$115	\$460.00	\$460.00		
Task Total							\$585.00	\$585.00		
MARCH/APRIL 2009 MONITORING										
March/April 2009 Project Management and Coordination Includes scheduling 15 supply well sampling times.	GeoInsight	Senior Geologist	E	1	hrs	\$115	\$115.00	\$115.00		
		Staff Eng/Geo	E	8	hrs	\$75	\$600.00	\$600.00		
		Clerical	E	2	hrs	\$50	\$100.00	\$100.00		
Subtotal							\$815.00	\$815.00		
March/April 2009 Ground Water and Drinking Water Sampling and Analyses, Road-Box Repair Includes sampling of 4 monitoring wells and gauging elevations in 8 other; sampling two POET systems; sampling up to 15 area supply wells; and replacement of road-boxes at wells MW-1R, MW-6, MW-7, and MW-11.	GeoInsight	Staff Eng/Geo (w/ travel)	E	12	hrs	\$75.00	\$900.00	\$900.00		
		(sampling & road box repair) Tech-II (w/ travel)	E	12	hrs	\$65.00	\$780.00	\$780.00		
		Mileage	E	228	miles	\$0.585	\$133.38	\$133.38		
		Water Level Meter	E	1	day	\$25.00	\$25.00	\$25.00		
		Sample Equip/Materials (per well)	E	4	each	\$15.00	\$60.00	\$60.00		
		Jack Hammer	O	1	day	\$75.00	\$75.00			\$75.00
		Generator	O	1	day	\$50.00	\$50.00			\$50.00
		Road Boxes	O	4	each	\$75.00	\$300.00			\$300.00
		J-Plugs	O	4	each	\$12.00	\$48.00			\$48.00
		Concrete	O	4	bag	\$12.00	\$48.00			\$48.00
Resource Labs NOTE 1	Petrol VOCs by USEPA 8021	L	5	each	\$75.00	\$375.00			\$375.00	
	VOCs by 524.2 (POET Systems)	L	7	each	\$130.00	\$910.00			\$910.00	
	VOCs by 524.2 (15 Supply Wells)	L	15	each	\$130.00	\$1,950.00			\$1,950.00	
	Laboratory Subcontractor Markup	L	0.1	M/U	10%	\$323.50			\$323.50	
Subtotal							\$5,977.88	\$1,898.38	\$3,558.50	\$521.00
March/April 2009 Summary Report (submitted electronically to the VTDEC and to include flow and plume maps) and POET and supply well sampling letters (15).	GeoInsight	Senior Geologist	E	2	hrs	\$115	\$230.00	\$230.00		
		Staff Eng/Geo	E	16	hrs	\$75	\$1,200.00	\$1,200.00		
		CADD	E	4	hrs	\$60	\$240.00	\$240.00		
		Clerical	E	6	hrs	\$50	\$300.00	\$300.00		
Subtotal							\$1,970.00	\$1,970.00		
Task Total							\$8,762.88	\$4,683.38	\$3,558.50	\$521.00

BUDGET SHEET - 2009 MONITORING PROGRAM
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015


VTDEC SMS#: 1996-2015		Facility Name: Londonderry Citgo/Londonderry Shopping Center		Owner: Summit Distributing, LLC						
Date of Submittal: February 25, 2009		Facility Address: 5700 Route 100		Mailing: 240 Mechanic Street						
		Town: Londonderry, Vermont		Address: Lebanon, New Hampshire 03766						
							Breakdown by Class			
Description By Task	Contractor	Description	Code	Units	Type	Class Overall Breakdown Rate	Cost	Eng./Hydro Services	Laboratory Services	Other
JUNE 2009 MONITORING										
June 2009 Project Management and Coordination	GeoInsight	Senior Geologist	E	0.5	hrs	\$115	\$57.50	\$57.50		
		Staff Eng/Geo	E	2	hrs	\$75	\$150.00	\$150.00		
		Clerical	E	1	hrs	\$50	\$50.00	\$50.00		
Subtotal						\$257.50	\$257.50			
June 2009 Drinking Water Sampling and Analyses	GeoInsight	Tech-II (w/ travel)	E	10	hrs	\$65.00	\$650.00	\$650.00		
		Mileage	E	228	miles	\$0.550	\$125.40	\$125.40		
Sampling of the Shopping Center and Thorne-Thomsen POET systems including purging of the Shopping Center system prior to sampling.	Resource Labs NOTE 2	VOCs by 524.2	L	7	each	\$130.00	\$910.00		\$910.00	
		Laboratory Subcontractor Markup	L	0.1	M/U	10%	\$91.00		\$91.00	
Subtotal						\$1,776.40	\$775.40	\$1,001.00		
June 2009 Prepare summary letter report (submitted electronically to the VTDEC) and POET and supply well sampling letters.	GeoInsight	Senior Geologist	E	1	hrs	\$115	\$115.00	\$115.00		
		Staff Eng/Geo	E	8	hrs	\$75	\$600.00	\$600.00		
		Clerical	E	3	hrs	\$50	\$150.00	\$150.00		
Subtotal						\$865.00	\$865.00			
Task Total						\$2,898.90	\$1,897.90	\$1,001.00		
SEPTEMBER 2009 MONITORING										
September 2009 Project Management and Coordination	GeoInsight	Senior Geologist	E	1	hrs	\$115	\$115.00	\$115.00		
		Staff Eng/Geo	E	2	hrs	\$75	\$150.00	\$150.00		
		Clerical	E	1	hrs	\$50	\$50.00	\$50.00		
Subtotal						\$315.00	\$315.00			
September 2009 Ground and Drinking Water Sampling and Analyses	GeoInsight	Tech-II (w/ travel)	E	14	hrs	\$65.00	\$910.00	\$910.00		
		Mileage	E	228	miles	\$0.585	\$133.38	\$133.38		
		Water Level Meter	E	1	day	\$25.00	\$25.00	\$25.00		
		Sample Equip/Materials (per well)	E	4	each	\$15.00	\$60.00	\$60.00		
Includes sampling of 4 monitoring wells and gauging of 8 wells, and sampling two POET systems.	Resource Labs NOTE 1	Petrol VOCs by USEPA 8021	L	5	each	\$75.00	\$375.00		\$375.00	
		VOCs by 524.2	L	7	each	\$130.00	\$910.00		\$910.00	
		Laboratory Subcontractor Markup	L	0.1	M/U	10%	\$128.50		\$128.50	
Subtotal						\$2,541.88	\$1,128.38	\$1,413.50		
September 2009 Summary Report (submitted electronically to the VTDEC and to include flow and plume maps) and POET and supply well sampling letters.	GeoInsight	Senior Geologist	E	2	hrs	\$115	\$230.00	\$230.00		
		Staff Eng/Geo	E	12	hrs	\$75	\$900.00	\$900.00		
		CADD	E	4	hrs	\$60	\$240.00	\$240.00		
		Clerical	E	4	hrs	\$50	\$200.00	\$200.00		
Subtotal						\$1,570.00	\$1,570.00			
Task Total						\$4,426.88	\$3,013.38	\$1,413.50		

BUDGET SHEET - 2009 MONITORING PROGRAM
LONDONDERRY CITGO/LONDONDERRY SHOPPING CENTER
5700 ROUTE 100
LONDONDERRY, VERMONT
SMS #1996-2015

VTDEC SMS#: 1996-2015		Facility Name: Londonderry Citgo/Londonderry Shopping Center		Owner: Summit Distributing, LLC						
Date of Submittal: February 25, 2009		Facility Address: 5700 Route 100		Mailing: 240 Mechanic Street						
		Town: Londonderry, Vermont		Address: Lebanon, New Hampshire 03766						
							Breakdown by Class			
				Class Overall Breakdown				Eng./Hydro Services	Laboratory Services	Other
Description By Task	Contractor	Description	Code	Units	Type	Rate	Cost			
DECEMBER 2009 MONITORING										
December 2009 Project Management and Coordination	GeoInsight	Senior Geologist	E	0.5	hrs	\$115	\$57.50	\$57.50		
		Staff Eng/Geo	E	2	hrs	\$75	\$150.00	\$150.00		
		Clerical	E	1	hrs	\$50	\$50.00	\$50.00		
Subtotal							\$257.50	\$257.50		
December 2009 Drinking Water Sampling and Analyses	GeoInsight	Tech-II (w/ travel)	E	10	hrs	\$65.00	\$650.00	\$650.00		
		Mileage	E	228	miles	\$0.550	\$125.40	\$125.40		
	Resource Labs	VOCs by 524.2	L	7.0	each	\$130.00	\$910.00		\$910.00	
Sampling of the Shopping Center and Thorne-Thomsen POET systems including purging of the Shopping Center system prior to sampling	NOTE 2	Laboratory Subcontractor Markup	L	0.1	M/U	10%	\$91.00		\$91.00	
	Subtotal							\$1,776.40	\$775.40	\$1,001.00
December 2009 Prepare summary letter report (submitted electronically to the VTDEC) and POET and supply well sampling letters.	GeoInsight	Senior Geologist	E	1	hrs	\$115	\$115.00	\$115.00		
		Staff Eng/Geo	E	8	hrs	\$75	\$600.00	\$600.00		
		Clerical	E	3	hrs	\$50	\$150.00	\$150.00		
Subtotal							\$865.00	\$865.00		
Task Total							\$2,898.90	\$1,897.90	\$1,001.00	
TOTAL PROPOSED							\$19,572.56	\$12,077.56	\$6,974.00	\$521.00
Class Codes: E = Eng./Hydrogeology Services L = Laboratory Services O = Other										
Notes/Comments: 1) Laboratory analyses for the March and September 2009 events include petroleum VOCs by 8021 for 4 monitoring wells plus one duplicate QA sample, and VOCs by 524.2 for four samples for the Shopping Center POET system, three samples for the Thorne-Thomsen POET system, and, during March 2009, 15 samples for area supply wells (a trip blank sample will be analyzed by the laboratory at no cost). 2) Laboratory analyses for the June and December 2009 event include VOCs by 524.2 for four samples for the Shopping Center POET system and three samples for the Thorne-Thomsen POET system.										



ATTACHMENT B
APRIL 2009 ANALYTICAL REPORT



Laboratory Report

Resource Laboratories, LLC

124 Heritage Avenue #10 Portsmouth, NH 03801

Eric Johnson
Geolnsight, Inc.
25 Sundial Avenue
Suite 515 West
Manchester, NH 03103

PO Number: None
LabID: 16532
Date Received: 4/17/09

Project: 5599-000 Summit-Londonderry


Attached please find results for the analysis of the samples received on the date referenced above.

Unless otherwise noted in the attached report, the analyses performed met the requirements of Resource Laboratories, LLC Quality Assurance Plan. The Standard Operating Procedures (SOP) are based upon USEPA SW-846, USEPA Methods for Chemical Analysis of Water and Wastewater, Standard Methods for the Examination of Water and Wastewater and other recognized methodologies. The results contained in this report pertain only to the samples as indicated on the chain of custody.

Resource Laboratories, LLC maintains certification with the agencies listed below.

We appreciate the opportunity to provide laboratory services. If you have any questions regarding the enclosed report, please contact the laboratory and we will be glad to assist you.

Sincerely,
Resource Laboratories, LLC



Susan Sylvester
Principal, General Manager

4-29-09
Date

Total number of pages

48

Resource Laboratories, LLC Certifications

New Hampshire 1732
Maine NH903

Massachusetts M-NH902

RL Resource Laboratories, LLC

Voice: 603-436-2001 Fax: 603-430-2100
www.reslabs.com

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-001

Sample ID: Junker

Matrix: Water

Sampled: 4/16/09 9:10

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
chloromethane	0.6	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
bromomethane	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
chloroethane	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
methylene chloride	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
chloroform	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
benzene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
trichloroethene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
dibromomethane	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
cis-1,3-dichloropropene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
toluene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
trans-1,3-dichloropropene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
o-xylene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
styrene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
bromoform	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
n-propylbenzene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-001

Sample ID: Junker

Matrix: Water

Sampled: 4/16/09 9:10

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
bromobenzene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
naphthalene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900944	4/22/09	15:19	E524.2
Surrogate Recovery		Limits								
4-bromofluorobenzene SUR	98	70-130	%	1	LMM		0900944	4/22/09	15:19	E524.2
1,4-dichlorobenzene-D4 SUR	90	70-130	%	1	LMM		0900944	4/22/09	15:19	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-002

Sample ID: Rogers

Matrix: Water

Sampled: 4/16/09 9:20

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
chloromethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
bromomethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
chloroethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
methylene chloride	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
chloroform	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
benzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
trichloroethene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
dibromomethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
cis-1,3-dichloropropene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
toluene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
trans-1,3-dichloropropene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
o-xylene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
styrene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
bromoform	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
n-propylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-002

Sample ID: Rogers

Matrix: Water

Sampled: 4/16/09 9:20

Sampled: 4/16/09 9:20		Quant	Instr Dil'n		Prep	Analysis				
Parameter	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
bromobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
naphthalene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	19:10	E524.2
Surrogate Recovery		Limits								
4-bromofluorobenzene SUR	84	70-130	%	1	LMM		0900971	4/23/09	19:10	E524.2
1,4-dichlorobenzene-D4 SUR	76	70-130	%	1	LMM		0900971	4/23/09	19:10	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-003

Sample ID: Church Store

Matrix: Water

Sampled: 4/16/09 9:40

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
chloromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
bromomethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
chloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
methylene chloride	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
chloroform	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
benzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
trichloroethene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
dibromomethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
cis-1,3-dichloropropene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
toluene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
trans-1,3-dichloropropene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
o-xylene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
styrene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
bromoform	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
n-propylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-003

Sample ID: Church Store

Matrix: Water

Sampled: 4/16/09 9:40

Sampled: 4/16/09 9:40		Quant		Instr Dil'n		Prep	Analysis			
Parameter	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
bromobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
naphthalene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	19:05	E524.2
Surrogate Recovery		Limits								
4-bromofluorobenzene SUR	100	70-130	%	1	LMM		0900960	4/22/09	19:05	E524.2
1,4-dichlorobenzene-D4 SUR	93	70-130	%	1	LMM		0900960	4/22/09	19:05	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-004

Sample ID: Rowley

Matrix: Water

Sampled: 4/16/09 9:45

Parameter	Result	Quant Limit	Units	Instr Dill'n		Analyst	Prep Date	Analysis			Reference
				Factor				Batch	Date	Time	
dichlorodifluoromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
chloromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
bromomethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
chloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
methylene chloride	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
chloroform	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
benzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
trichloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
dibromomethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
cis-1,3-dichloropropene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
toluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
trans-1,3-dichloropropene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
o-xylene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
styrene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
bromoform	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2
n-propylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-004

Sample ID: Rowley

Matrix: Water

Sampled: 4/16/09 9:45

Parameter	Result	Quant Limit	Units	Instr Dll'n		Analyst	Prep Date	Analysis		
				Factor				Batch	Date	Time
bromobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43
2-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43
4-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43
tert-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43
sec-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43
4-isopropyltoluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43
n-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43
1,2-dibromo-3-chloropropane (DBCP)	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43
hexachlorobutadiene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43
naphthalene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	19:43
Surrogate Recovery		Limits								
4-bromofluorobenzene SUR	101	70-130	%	1		LMM		0900960	4/22/09	19:43
1,4-dichlorobenzene-D4 SUR	94	70-130	%	1		LMM		0900960	4/22/09	19:43

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-005

Sample ID: Church

Matrix: Water

Sampled: 4/16/09 9:55

Parameter	Result	Quant Limit	Instr Dil'n		Analyst	Prep	Analysis			Reference
			Units	Factor		Date	Batch	Date	Time	
dichlorodifluoromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
chloromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
bromomethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
chloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
methylene chloride	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
chloroform	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
benzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
trichloroethene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
dibromomethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
cis-1,3-dichloropropene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
toluene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
trans-1,3-dichloropropene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
o-xylene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
styrene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
bromoform	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2
n-propylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	20:21	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-005

Sample ID: Church

Matrix: Water

Sampled: 4/16/09 9:55

Parameter	Result	Quant		Instr Dil'n		Analyst	Prep Date	Analysis			Reference
		Limit	Units	Factor				Batch	Date	Time	
bromobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	20:21	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	20:21	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	20:21	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	20:21	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	20:21	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	20:21	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	20:21	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	20:21	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	20:21	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	20:21	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	20:21	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	20:21	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	20:21	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	20:21	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	20:21	E524.2
naphthalene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	20:21	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	20:21	E524.2
Surrogate Recovery		Limits									
4-bromofluorobenzene SUR	102	70-130	%	1		LMM		0900960	4/22/09	20:21	E524.2
1,4-dichlorobenzene-D4 SUR	94	70-130	%	1		LMM		0900960	4/22/09	20:21	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-006

Sample ID: Allen

Matrix: Water

Sampled: 4/16/09 10:20

Parameter	Result	Quant Limit	Units	Instr	Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
chloromethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
vinyl chloride	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
bromomethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
chloroethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
trichlorofluoromethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
1,1-dichloroethene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
methylene chloride	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
carbon disulfide	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
1,1-dichloroethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
2,2-dichloropropane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
chloroform	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
bromochloromethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
1,1-dichloropropene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
carbon tetrachloride	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
1,2-dichloroethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
benzene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
trichloroethene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
1,2-dichloropropane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
bromodichloromethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
dibromomethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
cis-1,3-dichloropropene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
toluene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
trans-1,3-dichloropropene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
1,3-dichloropropane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
tetrachloroethene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
dibromochloromethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
chlorobenzene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
ethylbenzene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
m&p-xylenes	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
o-xylene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
styrene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
bromoform	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
isopropylbenzene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	
n-propylbenzene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/22/09	21:00	E524.2	

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-006

Sample ID: Allen

Matrix: Water

Sampled: 4/16/09 10:20

Parameter	Result	Quant Limit	Units	Instr Dil'n		Analyst	Prep Date	Analysis			Reference
				Factor				Batch	Date	Time	
bromobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	21:00	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	21:00	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	21:00	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	21:00	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	21:00	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	21:00	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	21:00	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	21:00	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	21:00	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	21:00	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	21:00	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	21:00	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	21:00	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	21:00	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	21:00	E524.2
naphthalene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	21:00	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	21:00	E524.2
Surrogate Recovery		Limits									
4-bromofluorobenzene SUR	97	70-130	%	1		LMM		0900960	4/22/09	21:00	E524.2
1,4-dichlorobenzene-D4 SUR	91	70-130	%	1		LMM		0900960	4/22/09	21:00	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-007

Sample ID: Service Center

Matrix: Water

Sampled: 4/16/09 10:20

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
chloromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
bromomethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
chloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
methylene chloride	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
methyl t-butyl ether (MTBE)	2.3	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
chloroform	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
benzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
trichloroethene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
dibromomethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
cis-1,3-dichloropropene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
toluene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
trans-1,3-dichloropropene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
o-xylene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
styrene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
bromoform	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
n-propylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-007

Sample ID: Service Center

Matrix: Water

Sampled: 4/16/09 10:20

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
bromobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
naphthalene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	21:38	E524.2
Surrogate Recovery		Limits								
4-bromofluorobenzene SUR	100	70-130	%	1	LMM		0900960	4/22/09	21:38	E524.2
1,4-dichlorobenzene-D4 SUR	93	70-130	%	1	LMM		0900960	4/22/09	21:38	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-008

Sample ID: Hare Salon

Matrix: Water

Sampled: 4/16/09 10:50

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
chloromethane	0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
vinyl chloride	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
bromomethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
chloroethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
trichlorofluoromethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
1,1-dichloroethene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
methylene chloride	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
carbon disulfide	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
1,1-dichloroethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
2,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
chloroform	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
bromochloromethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
1,1-dichloropropene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
carbon tetrachloride	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
1,2-dichloroethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
benzene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
trichloroethene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
1,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
bromodichloromethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
dibromomethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
cis-1,3-dichloropropene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
toluene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
trans-1,3-dichloropropene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
1,3-dichloropropane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
tetrachloroethene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
dibromochloromethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
chlorobenzene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
ethylbenzene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
m&p-xylenes	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
o-xylene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
styrene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
bromoform	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
isopropylbenzene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	
n-propylbenzene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:16	E524.2	

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-008

Sample ID: Hare Salon

Matrix: Water

Sampled: 4/16/09 10:50

Parameter	Result	Quant	Instr Dil'n		Analyst	Prep	Analysis			Reference
		Limit	Units	Factor		Date	Batch	Date	Time	
bromobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	22:16	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	22:16	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	22:16	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	22:16	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	22:16	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	22:16	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	22:16	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	22:16	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	22:16	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	22:16	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	22:16	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	22:16	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	22:16	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	22:16	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	22:16	E524.2
naphthalene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	22:16	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	22:16	E524.2
Surrogate Recovery		Limits								
4-bromofluorobenzene SUR	100	70-130	%	1	LMM		0900960	4/22/09	22:16	E524.2
1,4-dichlorobenzene-D4 SUR	92	70-130	%	1	LMM		0900960	4/22/09	22:16	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-009

Sample ID: Jelley's Mobil

Matrix: Water

Sampled: 4/16/09 10:51

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
chloromethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
vinyl chloride	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
bromomethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
chloroethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
trichlorofluoromethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
1,1-dichloroethene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
methylene chloride	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
carbon disulfide	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
1,1-dichloroethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
2,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
chloroform	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
bromochloromethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
1,1-dichloropropene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
carbon tetrachloride	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
1,2-dichloroethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
benzene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
trichloroethene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
1,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
bromodichloromethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
dibromomethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
cis-1,3-dichloropropene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
toluene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
trans-1,3-dichloropropene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
1,3-dichloropropane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
tetrachloroethene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
dibromochloromethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
chlorobenzene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
ethylbenzene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
m&p-xylenes	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
o-xylene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
styrene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
bromoform	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
isopropylbenzene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	
n-propylbenzene	< 0.5	0.5	ug/L	1	LMM	0900960	4/22/09	22:55	E524.2	

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-009

Sample ID: Jelley's Mobil

Matrix: Water

Sampled: 4/16/09 10:51

Parameter	Result	Quant Limit	Units	Instr Dil'n		Analyst	Prep Date	Batch	Analysis		Reference
				Factor					Date	Time	
bromobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	22:55	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	22:55	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	22:55	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	22:55	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	22:55	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	22:55	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	22:55	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	22:55	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	22:55	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	22:55	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	22:55	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	22:55	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	22:55	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	22:55	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	22:55	E524.2
naphthalene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	22:55	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	22:55	E524.2
Surrogate Recovery		Limits									
4-bromofluorobenzene SUR	99	70-130	%	1		LMM		0900960	4/22/09	22:55	E524.2
1,4-dichlorobenzene-D4 SUR	91	70-130	%	1		LMM		0900960	4/22/09	22:55	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-010

Sample ID: The Garden

Matrix: Water

Sampled: 4/16/09 11:00

Parameter	Result	Quant Limit	Units	Instr	Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
chloromethane	0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
bromomethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
chloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
methylene chloride	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
chloroform	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
benzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
trichloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
dibromomethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
cis-1,3-dichloropropene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
toluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
trans-1,3-dichloropropene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
o-xylene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
styrene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
bromoform	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2
n-propylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/22/09	23:33	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-010

Sample ID: The Garden

Matrix: Water

Sampled: 4/16/09 11:00

Sampled: 4/16/09 11:00		Quant	Instr Dil'n		Prep	Analysis				
Parameter	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
bromobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	23:33	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	23:33	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	23:33	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	23:33	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	23:33	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	23:33	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	23:33	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	23:33	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	23:33	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	23:33	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	23:33	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	23:33	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	23:33	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	23:33	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	23:33	E524.2
naphthalene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	23:33	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/22/09	23:33	E524.2
Surrogate Recovery		Limits								
4-bromofluorobenzene SUR	99	70-130	%	1	LMM		0900960	4/22/09	23:33	E524.2
1,4-dichlorobenzene-D4 SUR	92	70-130	%	1	LMM		0900960	4/22/09	23:33	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-011

Sample ID: Gordon

Matrix: Water

Sampled: 4/16/09 11:15

Parameter	Result	Quant Limit	Units	Instr Dil'n		Analyst	Prep Date	Analysis			Reference
				Factor				Batch	Date	Time	
dichlorodifluoromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
chloromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
bromomethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
chloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
methylene chloride	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
chloroform	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
benzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
trichloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
dibromomethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
cis-1,3-dichloropropene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
toluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
trans-1,3-dichloropropene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
o-xylene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
styrene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
bromoform	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2
n-propylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:12	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-011

Sample ID: Gordon

Matrix: Water

Sampled: 4/16/09 11:15

Parameter	Result	Quant Limit	Units	Instr	Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
bromobenzene	< 0.5	0.5	ug/L		1	LMM		0900960	4/23/09	0:12	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L		1	LMM		0900960	4/23/09	0:12	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L		1	LMM		0900960	4/23/09	0:12	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L		1	LMM		0900960	4/23/09	0:12	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L		1	LMM		0900960	4/23/09	0:12	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L		1	LMM		0900960	4/23/09	0:12	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L		1	LMM		0900960	4/23/09	0:12	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L		1	LMM		0900960	4/23/09	0:12	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L		1	LMM		0900960	4/23/09	0:12	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L		1	LMM		0900960	4/23/09	0:12	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L		1	LMM		0900960	4/23/09	0:12	E524.2
n-butylbenzene	< 0.5	0.5	ug/L		1	LMM		0900960	4/23/09	0:12	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.5	0.5	ug/L		1	LMM		0900960	4/23/09	0:12	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L		1	LMM		0900960	4/23/09	0:12	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L		1	LMM		0900960	4/23/09	0:12	E524.2
naphthalene	< 0.5	0.5	ug/L		1	LMM		0900960	4/23/09	0:12	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L		1	LMM		0900960	4/23/09	0:12	E524.2
Surrogate Recovery		Limits									
4-bromofluorobenzene SUR	102	70-130	%		1	LMM		0900960	4/23/09	0:12	E524.2
1,4-dichlorobenzene-D4 SUR	91	70-130	%		1	LMM		0900960	4/23/09	0:12	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-012

Sample ID: Breznick

Matrix: Water

Sampled: 4/16/09 11:30

Parameter	Result	Quant Limit	Units	Instr	Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
chloromethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
vinyl chloride	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
bromomethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
chloroethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
trichlorofluoromethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
1,1-dichloroethene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
methylene chloride	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
carbon disulfide	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
1,1-dichloroethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
2,2-dichloropropane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
chloroform	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
bromochloromethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
1,1-dichloropropene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
carbon tetrachloride	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
1,2-dichloroethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
benzene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
trichloroethene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
1,2-dichloropropane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
bromodichloromethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
dibromomethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
cis-1,3-dichloropropene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
toluene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
trans-1,3-dichloropropene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
1,3-dichloropropane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
tetrachloroethene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
dibromochloromethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
chlorobenzene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
ethylbenzene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
m&p-xylenes	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
o-xylene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
styrene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
bromoform	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
isopropylbenzene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	
n-propylbenzene	< 0.5	0.5	ug/L	1	1	LMM	0900960	4/23/09	0:50	E524.2	

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-012

Sample ID: Breznick

Matrix: Water

Sampled: 4/16/09 11:30

Parameter	Result	Quant Limit	Units	Instr Dil'n		Analyst	Prep Date	Batch	Analysis		Reference
				Factor					Date	Time	
bromobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:50	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:50	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:50	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:50	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:50	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:50	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:50	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:50	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:50	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:50	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:50	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:50	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:50	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:50	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:50	E524.2
naphthalene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:50	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	0:50	E524.2
Surrogate Recovery		Limits									
4-bromofluorobenzene SUR	102	70-130	%	1		LMM		0900960	4/23/09	0:50	E524.2
1,4-dichlorobenzene-D4 SUR	90	70-130	%	1		LMM		0900960	4/23/09	0:50	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-013

Sample ID: Galpin

Matrix: Water

Sampled: 4/16/09 12:00

Parameter	Result	Quant Limit	Units	Instr	Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
chloromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
bromomethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
chloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
methylene chloride	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
chloroform	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
benzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
trichloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
dibromomethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
cis-1,3-dichloropropene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
toluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
trans-1,3-dichloropropene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
o-xylene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
styrene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
bromoform	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
n-propylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-013

Sample ID: Galpin

Matrix: Water

Sampled: 4/16/09 12:00

Parameter	Result	Quant Limit	Units	Instr Dil'n		Analyst	Prep Date	Analysis			Reference
				Factor				Batch	Date	Time	
bromobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
naphthalene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	1:29	E524.2
Surrogate Recovery		Limits									
4-bromofluorobenzene SUR	101	70-130	%	1		LMM		0900960	4/23/09	1:29	E524.2
1,4-dichlorobenzene-D4 SUR	90	70-130	%	1		LMM		0900960	4/23/09	1:29	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-014

Sample ID: LSC-Inf

Matrix: Water

Sampled: 4/16/09 14:20

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
chloromethane	0.6	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
bromomethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
chloroethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
methylene chloride	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
methyl t-butyl ether (MTBE)	2.6	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
chloroform	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
benzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
trichloroethene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
dibromomethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
cis-1,3-dichloropropene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
toluene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
trans-1,3-dichloropropene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
o-xylene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
styrene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
bromoform	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
n-propylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-014

Sample ID: LSC-Inf

Matrix: Water

Sampled: 4/16/09 14:20

Parameter	Result	Quant Limit	Instr Dil'n		Analyst	Prep Date	Batch	Analysis		Reference
			Units	Factor				Date	Time	
bromobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
naphthalene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	23:39	E524.2
Surrogate Recovery		Limits								
4-bromofluorobenzene SUR	87	70-130	%	1	LMM		0900971	4/23/09	23:39	E524.2
1,4-dichlorobenzene-D4 SUR	77	70-130	%	1	LMM		0900971	4/23/09	23:39	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-015

Sample ID: LSC-Mid-D1

Matrix: Water

Sampled: 4/16/09 14:15

Parameter	Result	Quant Limit	Units	Instr	Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
chloromethane	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
bromomethane	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
chloroethane	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
methylene chloride	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
methyl t-butyl ether (MTBE)	1.4	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
chloroform	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
benzene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
trichloroethene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
dibromomethane	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
cis-1,3-dichloropropene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
toluene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
trans-1,3-dichloropropene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
o-xylene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
styrene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
bromoform	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2
n-propylbenzene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	21:44	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-015

Sample ID: LSC-Mid-D1

Matrix: Water

Sampled: 4/16/09 14:15

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
bromobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	21:44	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	21:44	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	21:44	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	21:44	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	21:44	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	21:44	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	21:44	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	21:44	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	21:44	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	21:44	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	21:44	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	21:44	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	21:44	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	21:44	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	21:44	E524.2
naphthalene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	21:44	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	21:44	E524.2
Surrogate Recovery		Limits								
4-bromofluorobenzene SUR	84	70-130	%	1	LMM		0900971	4/23/09	21:44	E524.2
1,4-dichlorobenzene-D4 SUR	74	70-130	%	1	LMM		0900971	4/23/09	21:44	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-016

Sample ID: LSC-Mid-G1

Matrix: Water

Sampled: 4/16/09 14:17

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
chloromethane	0.7	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
vinyl chloride	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
bromomethane	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
chloroethane	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
trichlorofluoromethane	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
1,1-dichloroethene	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
methylene chloride	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
carbon disulfide	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
methyl t-butyl ether (MTBE)	1.3	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
1,1-dichloroethane	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
2,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
chloroform	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
bromochloromethane	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
1,1-dichloropropene	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
carbon tetrachloride	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
1,2-dichloroethane	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
benzene	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
trichloroethene	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
1,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
bromodichloromethane	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
dibromomethane	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
cis-1,3-dichloropropene	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
toluene	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
trans-1,3-dichloropropene	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
1,3-dichloropropane	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
tetrachloroethene	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
dibromochloromethane	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
chlorobenzene	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
ethylbenzene	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
m&p-xylenes	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
o-xylene	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
styrene	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
bromoform	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
isopropylbenzene	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	
n-propylbenzene	< 0.5	0.5	ug/L	1	LMM	0900971	4/23/09	22:22	E524.2	

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-016

Sample ID: LSC-Mid-G1

Matrix: Water

Sampled: 4/16/09 14:17

Sampled: 4/16/09 14:17		Quant		Instr Dil'n		Prep		Analysis		
Parameter	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
bromobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	22:22	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	22:22	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	22:22	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	22:22	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	22:22	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	22:22	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	22:22	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	22:22	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	22:22	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	22:22	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	22:22	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	22:22	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	22:22	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	22:22	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	22:22	E524.2
naphthalene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	22:22	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900971	4/23/09	22:22	E524.2
Surrogate Recovery		Limits								
4-bromofluorobenzene SUR	82	70-130	%	1	LMM		0900971	4/23/09	22:22	E524.2
1,4-dichlorobenzene-D4 SUR	77	70-130	%	1	LMM		0900971	4/23/09	22:22	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-017

Sample ID: LSC-Eff

Matrix: Water

Sampled: 4/16/09 14:10

Parameter	Result	Quant Limit	Units	Instr	Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
chloromethane	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
vinyl chloride	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
bromomethane	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
chloroethane	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
methylene chloride	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
carbon disulfide	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
methyl t-butyl ether (MTBE)	0.9	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
chloroform	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
bromochloromethane	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
benzene	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
trichloroethene	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
dibromomethane	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
cis-1,3-dichloropropene	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
toluene	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
trans-1,3-dichloropropene	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
chlorobenzene	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
ethylbenzene	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
o-xylene	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
styrene	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
bromoform	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2
n-propylbenzene	< 0.5	0.5	ug/L	1		LMM	0900960	4/23/09	2:07		E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-017

Sample ID: LSC-Eff

Matrix: Water

Sampled: 4/16/09 14:10

Parameter	Result	Quant Limit	Units	Instr Dil'n		Analyst	Prep Date	Analysis			Reference
				Factor				Batch	Date	Time	
bromobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	2:07	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	2:07	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	2:07	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	2:07	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	2:07	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	2:07	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	2:07	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	2:07	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	2:07	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	2:07	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	2:07	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	2:07	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	2:07	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	2:07	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	2:07	E524.2
naphthalene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	2:07	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	2:07	E524.2
Surrogate Recovery		Limits									
4-bromofluorobenzene SUR	103	70-130	%	1		LMM		0900960	4/23/09	2:07	E524.2
1,4-dichlorobenzene-D4 SUR	96	70-130	%	1		LMM		0900960	4/23/09	2:07	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-018

Sample ID: TT-Inf

Matrix: Water

Sampled: 4/16/09 16:00

Parameter	Result	Quant Limit	Units	Instr	Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
chloromethane	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
vinyl chloride	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
bromomethane	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
chloroethane	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
methylene chloride	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
carbon disulfide	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
methyl t-butyl ether (MTBE)	0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
chloroform	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
bromochloromethane	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
benzene	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
trichloroethene	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
dibromomethane	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
cis-1,3-dichloropropene	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
toluene	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
trans-1,3-dichloropropene	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
chlorobenzene	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
ethylbenzene	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
o-xylene	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
styrene	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
bromoform	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2
n-propylbenzene	< 0.5	0.5	ug/L	1		LMM	0900971	4/23/09	23:01		E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-018

Sample ID: TT-Inf

Matrix: Water

Sampled: 4/16/09 16:00

Parameter	Result	Quant Limit	Units	Instr Dil'n		Analyst	Prep Date	Batch	Analysis		Reference
				Factor					Date	Time	
bromobenzene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	23:01	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	23:01	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	23:01	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	23:01	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	23:01	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	23:01	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	23:01	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	23:01	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	23:01	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	23:01	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	23:01	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	23:01	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	23:01	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	23:01	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	23:01	E524.2
naphthalene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	23:01	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900971	4/23/09	23:01	E524.2
Surrogate Recovery		Limits									
4-bromofluorobenzene SUR	84	70-130	%	1		LMM		0900971	4/23/09	23:01	E524.2
1,4-dichlorobenzene-D4 SUR	74	70-130	%	1		LMM		0900971	4/23/09	23:01	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-019

Sample ID: TT-Mid

Matrix: Water

Sampled: 4/16/09 15:57

Parameter	Result	Quant Limit	Units	Instr Dil'n		Analyst	Prep Date	Analysis			Reference
				Factor				Batch	Date	Time	
dichlorodifluoromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
chloromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
bromomethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
chloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
methylene chloride	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
chloroform	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
benzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
trichloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
dibromomethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
cis-1,3-dichloropropene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
toluene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
trans-1,3-dichloropropene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
o-xylene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
styrene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
bromoform	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2
n-propylbenzene	< 0.5	0.5	ug/L	1		LMM		0900960	4/23/09	3:24	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-019

Sample ID: TT-Mid

Matrix: Water

Sampled: 4/16/09 15:57

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
bromobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	3:24	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	3:24	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	3:24	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	3:24	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	3:24	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	3:24	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	3:24	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	3:24	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	3:24	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	3:24	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	3:24	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	3:24	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	3:24	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	3:24	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	3:24	E524.2
naphthalene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	3:24	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	3:24	E524.2
Surrogate Recovery		Limits								
4-bromofluorobenzene SUR	104	70-130	%	1	LMM		0900960	4/23/09	3:24	E524.2
1,4-dichlorobenzene-D4 SUR	91	70-130	%	1	LMM		0900960	4/23/09	3:24	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-020

Sample ID: TT-Eff

Matrix: Water

Sampled: 4/16/09 15:55

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
chloromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
vinyl chloride	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
bromomethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
chloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
trichlorofluoromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
1,1-dichloroethene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
methylene chloride	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
carbon disulfide	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
1,1-dichloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
2,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
chloroform	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
bromochloromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
1,1-dichloropropene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
carbon tetrachloride	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
1,2-dichloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
benzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
trichloroethene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
1,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
bromodichloromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
dibromomethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
cis-1,3-dichloropropene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
toluene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
trans-1,3-dichloropropene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
1,3-dichloropropane	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
tetrachloroethene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
dibromochloromethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
chlorobenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
ethylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
m&p-xylenes	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
o-xylene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
styrene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
bromoform	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
isopropylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2
n-propylbenzene	< 0.5	0.5	ug/L	1	LMM		0900960	4/23/09	2:45	E524.2

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-020

Sample ID: TT-Eff

Matrix: Water

Sampled: 4/16/09 15:55

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
bromobenzene	< 0.5	0.5	ug/L	1	LMM	0900960	0900960	4/23/09	2:45	E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM	0900960	0900960	4/23/09	2:45	E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1	LMM	0900960	0900960	4/23/09	2:45	E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1	LMM	0900960	0900960	4/23/09	2:45	E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1	LMM	0900960	0900960	4/23/09	2:45	E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM	0900960	0900960	4/23/09	2:45	E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1	LMM	0900960	0900960	4/23/09	2:45	E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM	0900960	0900960	4/23/09	2:45	E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1	LMM	0900960	0900960	4/23/09	2:45	E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM	0900960	0900960	4/23/09	2:45	E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM	0900960	0900960	4/23/09	2:45	E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1	LMM	0900960	0900960	4/23/09	2:45	E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.5	0.5	ug/L	1	LMM	0900960	0900960	4/23/09	2:45	E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM	0900960	0900960	4/23/09	2:45	E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM	0900960	0900960	4/23/09	2:45	E524.2
naphthalene	< 0.5	0.5	ug/L	1	LMM	0900960	0900960	4/23/09	2:45	E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM	0900960	0900960	4/23/09	2:45	E524.2
Surrogate Recovery		Limits								
4-bromofluorobenzene SUR	102	70-130	%	1	LMM	0900960	0900960	4/23/09	2:45	E524.2
1,4-dichlorobenzene-D4 SUR	92	70-130	%	1	LMM	0900960	0900960	4/23/09	2:45	E524.2

Lab Number: 16532-021

Sample ID: MW-S2

Matrix: Water

Sampled: 4/16/09 14:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM	0900983	0900983	4/25/09	0:44	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM	0900983	0900983	4/25/09	0:44	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM	0900983	0900983	4/25/09	0:44	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM	0900983	0900983	4/25/09	0:44	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM	0900983	0900983	4/25/09	0:44	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM	0900983	0900983	4/25/09	0:44	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM	0900983	0900983	4/25/09	0:44	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM	0900983	0900983	4/25/09	0:44	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM	0900983	0900983	4/25/09	0:44	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM	0900983	0900983	4/25/09	0:44	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM	0900983	0900983	4/25/09	0:44	SW5030B8260B
Surrogate Recovery		Limits								
dibromofluoromethane SUR	98	78-114	%	1	LMM	0900983	0900983	4/25/09	0:44	SW5030B8260B
toluene-D8 SUR	93	88-110	%	1	LMM	0900983	0900983	4/25/09	0:44	SW5030B8260B
4-bromofluorobenzene SUR	94	86-115	%	1	LMM	0900983	0900983	4/25/09	0:44	SW5030B8260B

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-022

Sample ID: MW-7

Matrix: Water

Sampled: 4/16/09 14:35

Parameter	Result	Quant Limit	Units	Instr Dll'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		0900983	4/25/09	1:15	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		0900983	4/25/09	1:15	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		0900983	4/25/09	1:15	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		0900983	4/25/09	1:15	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		0900983	4/25/09	1:15	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		0900983	4/25/09	1:15	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		0900983	4/25/09	1:15	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		0900983	4/25/09	1:15	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		0900983	4/25/09	1:15	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		0900983	4/25/09	1:15	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		0900983	4/25/09	1:15	SW5030B8260B
Surrogate Recovery		Limits								
dibromofluoromethane SUR	100	78-114	%	1	LMM		0900983	4/25/09	1:15	SW5030B8260B
toluene-D8 SUR	95	88-110	%	1	LMM		0900983	4/25/09	1:15	SW5030B8260B
4-bromofluorobenzene SUR	94	86-115	%	1	LMM		0900983	4/25/09	1:15	SW5030B8260B

Lab Number: 16532-023

Sample ID: MW-8

Matrix: Water

Sampled: 4/16/09 14:40

Parameter	Result	Quant Limit	Units	Instr Dll'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		0900983	4/25/09	1:46	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		0900983	4/25/09	1:46	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		0900983	4/25/09	1:46	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		0900983	4/25/09	1:46	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		0900983	4/25/09	1:46	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		0900983	4/25/09	1:46	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		0900983	4/25/09	1:46	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		0900983	4/25/09	1:46	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		0900983	4/25/09	1:46	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		0900983	4/25/09	1:46	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		0900983	4/25/09	1:46	SW5030B8260B
Surrogate Recovery		Limits								
dibromofluoromethane SUR	97	78-114	%	1	LMM		0900983	4/25/09	1:46	SW5030B8260B
toluene-D8 SUR	93	88-110	%	1	LMM		0900983	4/25/09	1:46	SW5030B8260B
4-bromofluorobenzene SUR	92	86-115	%	1	LMM		0900983	4/25/09	1:46	SW5030B8260B

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-024

Sample ID: MW-10

Matrix: Water

Sampled: 4/16/09 16:05

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
methyl t-butyl ether (MTBE)	2	2	ug/L	1	LMM		0900996	4/27/09	15:38	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		0900996	4/27/09	15:38	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		0900996	4/27/09	15:38	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		0900996	4/27/09	15:38	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		0900996	4/27/09	15:38	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		0900996	4/27/09	15:38	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		0900996	4/27/09	15:38	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		0900996	4/27/09	15:38	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		0900996	4/27/09	15:38	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		0900996	4/27/09	15:38	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		0900996	4/27/09	15:38	SW5030B8260B
Surrogate Recovery		Limits								
dibromofluoromethane SUR	100	78-114	%	1	LMM		0900996	4/27/09	15:38	SW5030B8260B
toluene-D8 SUR	103	88-110	%	1	LMM		0900996	4/27/09	15:38	SW5030B8260B
4-bromofluorobenzene SUR	97	86-115	%	1	LMM		0900996	4/27/09	15:38	SW5030B8260B

Lab Number: 16532-025

Sample ID: Field Duplicate

Matrix: Water

Sampled: 4/16/09 14:48

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM			4/27/09	16:11	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM			4/27/09	16:11	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM			4/27/09	16:11	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM			4/27/09	16:11	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM			4/27/09	16:11	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM			4/27/09	16:11	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM			4/27/09	16:11	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM			4/27/09	16:11	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM			4/27/09	16:11	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM			4/27/09	16:11	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM			4/27/09	16:11	SW5030B8260B
Surrogate Recovery		Limits								
dibromofluoromethane SUR	100	78-114	%	1	LMM			4/27/09	16:11	SW5030B8260B
toluene-D8 SUR	102	88-110	%	1	LMM			4/27/09	16:11	SW5030B8260B
4-bromofluorobenzene SUR	99	86-115	%	1	LMM			4/27/09	16:11	SW5030B8260B

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-026

Sample ID: Trip Blank

Matrix: Water

Sampled: 4/16/09

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
chloromethane	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
vinyl chloride	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
bromomethane	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
chloroethane	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
trichlorofluoromethane	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
1,1-dichloroethene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
methylene chloride	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
carbon disulfide	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
methyl t-butyl ether (MTBE)	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
trans-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
1,1-dichloroethane	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
2,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
cis-1,2-dichloroethene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
chloroform	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
bromochloromethane	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
1,1,1-trichloroethane	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
1,1-dichloropropene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
carbon tetrachloride	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
1,2-dichloroethane	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
benzene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
trichloroethene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
1,2-dichloropropane	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
bromodichloromethane	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
dibromomethane	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
cis-1,3-dichloropropene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
toluene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
trans-1,3-dichloropropene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
1,1,2-trichloroethane	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
1,3-dichloropropane	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
tetrachloroethene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
dibromochloromethane	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
1,2-dibromoethane (EDB)	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
chlorobenzene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
1,1,1,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
ethylbenzene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
m&p-xylenes	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
o-xylene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
styrene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
bromoform	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
isopropylbenzene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
1,1,2,2-tetrachloroethane	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
1,2,3-trichloropropane	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	
n-propylbenzene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41	E524.2	

Project ID: 5599-000 Summit-Londonderry

Lab ID: 16532

Lab Number: 16532-026

Sample ID: Trip Blank

Matrix: Water

Sampled: 4/16/09

Parameter	Result	Quant	Instr Dil'n		Analyst	Prep Date	Analysis			Reference
		Limit	Units	Factor			Batch	Date	Time	
bromobenzene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41		E524.2
1,3,5-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41		E524.2
2-chlorotoluene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41		E524.2
4-chlorotoluene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41		E524.2
tert-butylbenzene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41		E524.2
1,2,4-trimethylbenzene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41		E524.2
sec-butylbenzene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41		E524.2
1,3-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41		E524.2
4-isopropyltoluene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41		E524.2
1,4-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41		E524.2
1,2-dichlorobenzene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41		E524.2
n-butylbenzene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41		E524.2
1,2-dibromo-3-chloropropane (DBCP)	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41		E524.2
1,2,4-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41		E524.2
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41		E524.2
naphthalene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41		E524.2
1,2,3-trichlorobenzene	< 0.5	0.5	ug/L	1	LMM	0900944	4/22/09	14:41		E524.2
Surrogate Recovery		Limits								
4-bromofluorobenzene SUR	97	70-130	%	1	LMM	0900944	4/22/09	14:41		E524.2
1,4-dichlorobenzene-D4 SUR	88	70-130	%	1	LMM	0900944	4/22/09	14:41		E524.2

Lab Number: 16532-027

Sample ID: MW-1R

Matrix: Water

Sampled: 4/16/09 15:15

Parameter	Result	Quant	Instr Dil'n		Analyst	Prep Date	Analysis			Reference
		Limit	Units	Factor			Batch	Date	Time	
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM	0900983	4/25/09	2:18		SW5030B8260B
benzene	< 2	2	ug/L	1	LMM	0900983	4/25/09	2:18		SW5030B8260B
toluene	< 2	2	ug/L	1	LMM	0900983	4/25/09	2:18		SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM	0900983	4/25/09	2:18		SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM	0900983	4/25/09	2:18		SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM	0900983	4/25/09	2:18		SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM	0900983	4/25/09	2:18		SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM	0900983	4/25/09	2:18		SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM	0900983	4/25/09	2:18		SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM	0900983	4/25/09	2:18		SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM	0900983	4/25/09	2:18		SW5030B8260B
Surrogate Recovery		Limits								
dibromofluoromethane SUR	97	78-114	%	1	LMM	0900983	4/25/09	2:18		SW5030B8260B
toluene-D8 SUR	95	88-110	%	1	LMM	0900983	4/25/09	2:18		SW5030B8260B
4-bromofluorobenzene SUR	95	86-115	%	1	LMM	0900983	4/25/09	2:18		SW5030B8260B

CUSTODY RECORD	Relinquished by Sampler:	Date	Time	Received by:	Date	Time
	<i>Joshua Dink</i>	4/16/09	20:10	<i>Cold storage</i>	4/16/09	20:10
	Relinquished by:	Date	Time	Received by:	Date	Time
	<i>Cold Storage</i>	4/17/09	10:50	<i>Infra 3 2 4</i>	4/17/09	10:50
	Relinquished by:	Date	Time	Received by Laboratory:	Date	Time
	<i>Infra 3 2 4</i>	4/17/09	10:50	Way Bill#: <i>W1000000</i>	4-17-09	1050

TAT REQUESTED Priority (24 hr)** ☐ Expedited (48 hr)** ☐ Standard (10 Business Days) ☒ **Date Needed _____		* See www.reslabs.com for sample acceptance policy and current accreditation lists.		SPECIAL INSTRUCTIONS		
REPORTING INSTRUCTIONS		☐ NO HARD COPY REQUIRED		☐ FAX (FAX#) _____		
☒ PDF (e-mail address) _____		☐ OTHER (specify) _____		☐ EXCEL SPREADSHEET		
RECEIVED ON ICE ☒ YES ☐ NO		TEMPERATURE <u>4</u> °				
CUSTODY RECORD	Relinquished by Sampler: <u>Goshue Dink</u>	Date <u>4/16/09</u>	Time <u>20:10</u>	Received by: <u>Cold storage</u>	Date <u>4/16/09</u>	Time <u>20:10</u>
	Relinquished by: <u>Cold Storage</u>	Date <u>4/17/09</u>	Time <u>10:50</u>	Received by: <u>[Signature]</u>	Date <u>4/17/09</u>	Time <u>1050</u>
	Relinquished by: <u>[Signature]</u>	Date <u>4/17/09</u>	Time <u>10:50</u>	Received by Laboratory: <u>[Signature]</u> Way Bill#: _____	Date <u>4-17-09</u>	Time <u>1050</u>