Sample Date	Street Name	Town	PFBS (ppt)	PFHpA (ppt)	PFHxS (ppt)	PFOA (ppt)	PFOS (ppt)	PFNA (ppt)	PFHxA (ppt)	PFUnA (ppt)	PFDA (ppt)	PFDoA (ppt)	PFTriA (ppt)	PFTeA (ppt)
3/13/2018	Airport Road	Clarendon	ND/<3.9	ND/<4.6	ND/<3.8	ND/<3.8	ND/<3.8	ND/<6.7	NA	NA	NA	NA	NA	NA
3/13/2018	Airport Road	Clarendon	ND/<4.1	ND/<4.9	ND/<4.0	ND/<4.0	ND/<4.0	ND/<7.1	NA	NA	NA	NA	NA	NA
3/13/2018	Airport Road	Clarendon	ND/<3.8	ND/<4.5	ND/<3.7	ND/<3.7	ND/<3.7	ND/<6.6	NA	NA	NA	NA	NA	NA
3/13/2018	Airport Road	Clarendon	ND/<3.7	ND/<4.5	ND/<3.6	ND/<3.6	ND/<3.6	ND/<6.5	NA	NA	NA	NA	NA	NA
3/13/2018	Airport Road	Clarendon	ND/<3.9	ND/<4.7	ND/<3.8	ND/<3.8	ND/<3.8	ND/<6.8	NA	NA	NA	NA	NA	NA
3/13/2018	Airport Road	Clarendon	ND/<3.7	ND/<4.4	ND/<3.6	ND/<3.6	ND/<3.6	ND/<6.3	NA	NA	NA	NA	NA	NA
3/13/2018	Route 7B Central	Clarendon	ND/<4.4	ND/<5.3	ND/<4.3	ND/<4.3	ND/<4.3	ND/<7.7	NA	NA	NA	NA	NA	NA
3/13/2018	Route 7B Central	Clarendon	ND/<3.9	ND/<4.7	ND/<3.8	ND/<3.8	ND/<3.8	ND/<6.8	NA	NA	NA	NA	NA	NA
3/13/2018	Innovation Drive	Clarendon	**5.6**	**13**	**53**	**6.8**	**8.1**	ND/<6.3	NA	NA	NA	NA	NA	NA
3/13/2018	Innovation Drive	Clarendon	ND/<4.0	**34**	**3.7**	**19**	**6.2**	ND/<7.0	NA	NA	NA	NA	NA	NA
3/28/2018	Innovation Drive	Clarendon	**14**	**19**	**140**	**16**	**26**	**1.8**	**45**	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8
3/28/2018	Innovation Drive	Clarendon	ND/<1.8	**28**	**4.5**	**17**	**6.1**	**2.7**	**83**	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8
3/28/2018	Innovation Drive	Clarendon	**11**	**31**	**110**	**21**	**19**	**2.9**	**80**	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7
4/12/2018	Gorge Road	Clarendon	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8
4/12/2018	Gorge Road	Clarendon	ND/<1.7	**4.7**	ND/<1.7	**2.2**	**2.7**	ND/<1.7	**4.6**	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7
4/12/2018	Jones Lane	Clarendon	**1.9**	**1.9**	**1.9**	**4.3**	**4.7**	ND/<1.8	**2.8**	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8
4/12/2018	Jones Lane	Clarendon	ND/<1.7	**6.3**	ND/<1.7	**5.2**	**3.6**	ND/<1.7	**12**	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7
4/12/2018	Route 7B Central	Clarendon	**2.6**	ND/<1.9	ND/<1.9	**2.8**	**3.4**	ND/<1.9	**1.9**	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9
4/12/2018	Route 7B Central	Clarendon	**2.4**	**15**	**2.1**	**38**	**16**	ND/<2.0	**11**	ND/<2.0	ND/<2.0	ND/<2.0	ND/<2.0	ND/<2.0
4/12/2018	Route 7B Central	Clarendon	ND/<1.7	**6.6**	**1.9**	**17**	**13**	ND/<1.7	**5.9**	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7
5/9/2018	Route 7B Central	Clarendon	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8
5/9/2018	Route 7B Central	Clarendon	ND/<1.8	**4.0**	ND/<1.8	**3.6**	**1.9**	ND/<1.8	**3.9**	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8
5/9/2018	Route 7B Central	Clarendon	ND/<1.7	ND/<1.7	ND/<1.7	**2.2**	**2.1**	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7
5/9/2018	Route 7B Central	Clarendon	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	**3.7**	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7
5/9/2018	Route 7B Central	Clarendon	ND/<1.7	ND/<1.7	ND/<1.7	**2.7**	**4.5**	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7
5/9/2018	Route 7B Central	Clarendon	**1.9**	**2.4**	**1.8**	**6.8**	**15**	ND/<1.7	**2.7**	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7
5/9/2018	Route 7B Central	Clarendon	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	**2.2**	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8
5/9/2018	Route 7B Central	Clarendon	ND/<1.8	ND/<1.8	ND/<1.8	**5.7**	**7.6**	ND/<1.8	**2.1**	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8
5/9/2018	Route 7B Central	Clarendon	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8
5/9/2018	Route 7B Central	Clarendon	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9
5/9/2018	Route 7B Central	Clarendon	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7
5/9/2018	Route 7B Central	Clarendon	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8
5/9/2018	Route 7B Central	Clarendon	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7
5/9/2018	Route 7B Central	Clarendon	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8
5/9/2018	Middle Road	Clarendon	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8
5/9/2018	Middle Road	Clarendon	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8
5/9/2018	Middle Road	Clarendon	ND/<1.9	ND/<1.9	ND/<1.9	**2.2**	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9
5/9/2018	Gorge Road	Clarendon	ND/<1.7	ND/<1.7	ND/<1.7	**1.9**	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7
5/9/2018	Gorge Road	Clarendon	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7
6/12/2018	Middle Road	Clarendon	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8
6/12/2018	Middle Road	Clarendon	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8
6/12/2018	Middle Road	Clarendon	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9
6/12/2018	Maple Ridge Drive	Clarendon	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9
6/12/2018	Middle Road	Clarendon	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8
6/12/2018	Middle Road	Clarendon	ND/<2.0	ND/<2.0	ND/<2.0	ND/<2.0	ND/<2.0	ND/<2.0	ND/<2.0	ND/<2.0	ND/<2.0	ND/<2.0	ND/<2.0	ND/<2.0
6/12/2018	Middle Road	Clarendon	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8

Sample Date	Street Name	Town	PFBS (ppt)	PFHpA (ppt)	PFHxS (ppt)	PFOA (ppt)	PFOS (ppt)	PFNA (ppt)	PFHxA (ppt)	PFUnA (ppt)	PFDA (ppt)	PFDoA (ppt)	PFTriA (ppt)	PFTeA (ppt)
6/12/2018	Middle Road	Clarendon	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8
6/12/2018	Middle Road	Clarendon	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7
6/12/2018	Minard Road	Clarendon	**3.0**	**1.8**	ND/<1.7	**4.2**	**5.5**	ND/<1.7	**3.8**	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7
6/12/2018	Middle Road	Clarendon	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9
6/12/2018	Gorge Road	Clarendon	ND/<1.8	**3.0**	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	**3.5**	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8
6/12/2018	Gorge Road	Clarendon	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7
6/12/2018	Minard Road	Clarendon	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9
6/12/2018	Middle Road	Clarendon	ND/<2.0	ND/<2.0	ND/<2.0	ND/<2.0	ND/<2.0	ND/<2.0	ND/<2.0	ND/<2.0	ND/<2.0	ND/<2.0	ND/<2.0	ND/<2.0
6/12/2018	Middle Road	Clarendon	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7	ND/<1.7
6/12/2018	Middle Road	Clarendon	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9
6/12/2018	Middle Road	Clarendon	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8	ND/<1.8
6/12/2018	Middle Road	Clarendon	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9	ND/<1.9