



**NOTICE OF INTENT (NOI)  
FOR STORMWATER DISCHARGES  
ASSOCIATED WITH CONSTRUCTION  
ACTIVITIES ON LOW RISK SITES**

**Under Vermont Construction General Permit 3-9020**

For Dept. Use Only  
**Notice of Intent No:**

Submission of this completed Notice of Intent (NOI) constitutes notice that the entity in Section A intends to be authorized to discharge pollutants to waters of the State, from the project identified in Section C, under Vermont's Construction General Permit (CGP). Submission of the NOI constitutes notice that the party identified in Section A of this form has read, understands, and meets the eligibility conditions of the CGP; has determined that the project qualifies for coverage as a Low Risk project in conformance with Appendix A of the CGP; agrees to comply with all applicable terms and conditions of the CGP; understands that continued authorization under the CGP is contingent on maintaining eligibility for coverage; and that all applicable practices in the Low Risk Site Handbook for Erosion Prevention and Sediment Control must be implemented and maintained for the duration of construction activities. In order to be granted coverage, all information required on this form must be provided and an application fee payable to the State of Vermont must be submitted.

**1. Applicant(s) Information<sup>1</sup>** (\*starred fields in Section 1 are required)

A. Landowner Name\*: Village of Essex Junction  
Address\*: 2 Lincoln Street  
City\*: Essex Junction State\*: VT Zip\*: 05452  
Telephone Number\*: (802) 878-6950 E-mail Address\*: robin@essexjunction.org

B. Principal Operator (if known): to be determined  
Address(s): \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
Telephone Number: \_\_\_\_\_ E-mail Address: \_\_\_\_\_

**2. Application Preparer/ Consultant Information**

Application Preparer Name: Andrew Rowe  
Application Preparer Company: Lamoureux & Dickinson  
Address of Application Preparer: 14 Morse Drive  
City Essex State VT Zip 05452  
Telephone Number: (802) 878-4450 E-mail Address: Andy@LDengineering.com

See filing directions for Low Risk Projects here: [http://www.watershedmanagement.vt.gov/stormwater/docs/Address%20Changes%202010-2014/sw\\_Low\\_Risk\\_Filing%20Directions-10.2014.pdf](http://www.watershedmanagement.vt.gov/stormwater/docs/Address%20Changes%202010-2014/sw_Low_Risk_Filing%20Directions-10.2014.pdf)

### 3. Project Information - \*All information in this section is required.

A. Project Name: Pearl Street Link - Essex Junction STP 5300(14)

Is this project part of a Common Plan of Development<sup>1</sup>?  Yes  No

If yes, name of Development: \_\_\_\_\_

B. Does this project have any previously issued or pending stormwater discharge permits?  Yes  No

If yes, prior NOI number(S): \_\_\_\_\_

C. Location Address

Street: Pearl Street (Post Office Sq. to Five Corners) City/Town: Essex Junction

Latitude: 44 ° 29 ' 32 " Longitude: 73 ° 06 ' 56 " County: Chittenden

D. Name of Receiving Water(s)<sup>2</sup>: Sunderland Brook and direct discharge to Winooski River

E. Include a topographic location map - Must provide sufficient information to determine the location of the project. Must be in the form of a USGS topographical map or directional map.

F. Project Type:  Residential  Commercial  Industrial  Other: transportation

G. Total Area of Disturbance: 1.80 acres (<= 5 acres: \$100 per application, > 5 acres: \$220 per application)

H. Description of construction activities to be permitted (below):

The project involves minor widening of Pearl Street, reconstructing sidewalks, and utility construction. The project begins near the Post Office Square intersection and extends to the Five Corners.

### 4. Public Notice Requirement

Prior to submitting the complete NOI for review, you must provide a copy of this complete NOI and related Appendix A to the municipal clerk for posting in the municipality in which the project is located. If the project and the related discharge(s) are located in different municipalities, then the completed NOI must be filed with the municipal clerk in each municipality. In order to be considered complete, you must include the date of posting.

Date of Posting at Municipal Office(s): 08/11/2015

Information for the Municipal Clerk regarding posting instructions can be found on Page 4 of this NOI.

### 5. Certification Relating to the Accuracy of the Information Submitted

I hereby certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. I also certify that the applicable practices in The Low Risk Site Handbook for Erosion Prevention and Sediment Control will be implemented for the duration of the project for which this NOI is submitted.

Landowner Name: Village of Essex Junction

Title: COMM DEV. DIRECTOR

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

08/11/2015

Principal Operator (if known): to be determined

Title: \_\_\_\_\_

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

Application Preparer (if applicable): Andrew Rowe

Title: APPLIC. PREPARER

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

8/11/15

Submit this form and the \$ 100.00 fee to:

Vermont DEC Watershed Management Division, Stormwater Program  
1 National Life Drive, Main Building Second Floor  
Montpelier, VT 05620-3522

<sup>1</sup>"Common Plan of Development" is defined within the CGP 3-9020, Appendix C - Definitions, page A-12

<sup>2</sup>"Waters of the State" (i.e. receiving water) is defined within the CGP 3-9020, Appendix C - Definitions, page A-16

*For Department Use Only*

**VERMONT DEPARTMENT OF ENVIRONMENTAL CONSERVATION AUTHORIZATION TO DISCHARGE**

A determination has been made that the proposed construction activities qualify for coverage under General Permit 3-9020 (amended 2008) as a Low Risk project. Subject to the conditions of General Permit 3-9020 (amended 2008) the applicant is hereby authorized to discharge stormwater runoff from a construction site as described in this Notice of Intent Number 7461-9020.

Dated this 4th day of September, 2015

David K. Mears, Commissioner, Department of Environmental Conservation

By: \_\_\_\_\_  
Padraic Monks, Program Manager  
Stormwater Program

4th

September

15

7401

**PUBLIC COMMENT**

Public comments concerning this Notice of Intent to discharge under CGP 3-9020 (amended 2008) are invited and must be submitted within 10 days of receipt of this Notice by the Municipal Clerk. Comments should address how the application complies or does not comply with the terms and conditions of CGP 3-9020 (amended 2008). A letter of interest should be filed by those persons who elect not to file comments but who wish to be notified if the comment period is extended or reopened for any reason. All written comments received within the time frame described above will be considered by the Department of Environmental Conservation in its final ruling to grant or deny authorization to discharge under CGP 3-9020 (amended 2008). Send written comments to:

Vermont Department of Environmental Conservation  
Watershed Management Division, Stormwater Program  
1 National Life Drive, Main Building Second Floor  
Montpelier, VT 05620-3522

*Please cite the NOI number in any correspondence.*

**APPEALS**

**Renewable Energy Projects – Right to Appeal to Public Service Board**

If this decision relates to a renewable energy plant for which a certificate of public good is required under 30 V.S.A. §248, any appeal of this decision must be filed with the Vermont Public Service Board pursuant to 10 V.S.A. §8506. This section does not apply to a facility that is subject to 10 V.S.A. §1004 (dams before the Federal Energy Regulatory Commission), 10 V.S.A. §1006 (certification of hydroelectric projects) or 10 V.S.A. Chapter 43 (dams). Any appeal under this section must be filed with the clerk of the Public Service Board within 30 days of the date of this decision. For further information, see the Public Service Board website at <http://psb.vermont.gov> or call (802) 828-2358. The address for the Public Service Board is 112 State Street Montpelier, Vermont 05620-2701.

**All Other Projects – Right to Appeal to Environmental Court**

Pursuant to 10 V.S.A. Chapter 220, any appeal of this decision must be filed with the clerk of the Environmental Court within 30 days of the date of the decision. The Notice of Appeal must specify the parties taking the appeal and the statutory provision under which each party claims party status; must designate the act or decision appealed from; must name the Environmental Court; and must be signed by the appellant or their attorney. In addition, the appeal must give the address or location and description of the property, project or facility with which the appeal is concerned and the name of the applicant or any permit involved in the appeal. The appellant must also serve a copy of the Notice of Appeal in accordance with Rule 5(b)(4)(B) of the Vermont Rules for Environmental Court Proceedings. For further information, see the Vermont Rules for Environmental Court Proceedings, available online at [www.vermontjudiciary.org](http://www.vermontjudiciary.org) or call (802) 951-1740. The address for the Environmental Court is 32 Cherry Street, 2<sup>nd</sup> Floor Suite 303, Burlington, Vermont 05401.

A copy of CGP 3-9020 (amended 2008) may be obtained by calling (802) 828-1535; by visiting the Department at the above address between the hours of 7:45 am and 4:30 pm; or by download from the Watershed Management Division’s Web site at: [www.watershedmanagement.vt.gov](http://www.watershedmanagement.vt.gov)

**INFORMATION FOR MUNICIPAL CLERK**

Please post this notice and instruction sheet in a conspicuous place for 10 days from the date received (per 10 V.S.A. Chapter 47 §1263(b)). If you have any questions, contact the Watershed Management Division of the Department of Environmental Conservation at (802) 828-1535.

Submit this form and the \$ 100.00 fee to:

**Vermont Department of Environmental Conservation  
Watershed Management Division, Stormwater Program  
1 National Life Drive, Main Building Second Floor  
Montpelier, VT 05620-3522**