


SECTION A-A



PLAN VIEW

MULCHING
 Where specified, mulch shall be supplied with the following materials at the prescribed coverage rates:
Wood Chips
 Amount: 10-20 tons per acre
 Depth: 2" - 7"
Hay or Straw
 Amount: 2 tons per acre
 Depth: cover about 80% of surface

NOTES:


1. STABILIZED CONSTRUCTION ENTRANCE SHALL BE CONSTRUCTED OF 3" TO 6" WASHED, ANGULAR ROCK. MATERIAL SHALL BE PLACED TO A MINIMUM THICKNESS OF 6 INCHES.
2. LENGTH OF ENTRANCE SHALL BE A MINIMUM OF 50 FEET. WIDTH SHALL BE A MIN. OF 15 FT OR GREATER IF NECESSARY TO COVER ALL VEHICULAR INGRESS AND EGRESS. PROVIDE AMPLE TURNING RADII.
3. THE ENTRANCE SHALL BE KEPT IN GOOD CONDITION BY OCCASIONAL TOP DRESSING WITH MATERIAL AS SPECIFIED IN NOTE 1.
4. ACCESSES SHALL BE INSPECTED WEEKLY DURING PERIODS OF HEAVY USAGE, MONTHLY DURING NORMAL USAGE, AND AFTER EACH RAINFALL, WITH MAINTENANCE PROVIDED AS NECESSARY. PERIODIC TOP DRESSING SHALL BE DONE AS NEEDED.

STABILIZED CONSTRUCTION ENTRANCE
NTS


SEED MIXTURE	VARIETY	LBS./ACRE	LBS./1,000 SF
MIX #1			
SWITCHGRASS	SHELTER, PATHFINDER, TRAILBLAZER, OR BLACKWELL	4	0.1
BIG BLUESTEM	NIAGARA	4	0.1
LITTLE BLUESTEM	ALDOUS OR CAMPER	2	0.05
INDIANGRASS	RUMSEY	4	0.1
COASTAL PANICGRASS	ATLANTIC	2	0.05
SIDEGRASS GRAMA	EL RENO OR TRAILWAY	2	0.05
WILDFLOWER MIX		0.5	0.01
MIX #2			
CREeping RED FESCUE	ENSYLVA, PENNLAWN, BOREAL	20	0.45
TALL FESCUE	KY 31, REBEL	20	0.45
PERENNIAL RYEGRASS	PENNFINE, LINN	5	0.10
BIRDSFOOT TREFLOIL	EMPIRE, PARDEE	10	0.45

SEED MIX
NTS

NOTE: Permanent seeding shall only be undertaken in the spring from April through May, and in late summer and early fall until September 15, except that permanent seeding may be undertaken during the summer if adequate watering is provided. During the peak summer months and in the fall after September 15, when seeding is found to be impracticable, an appropriate temporary stabilization shall be specified.




CENTERLINE STREAM BED
PROFILE AT BRIDGE
SCALE
1" = 30' H
1" = 10' V



CROSS SECTION OF STREAM
CROSSING AT UPGRADIENT EDGE
OF BRIDGE
(FACING UPSTREAM)
SCALE
1" = 30' H
1" = 10' V

STRUCTURAL BRIDGE AND ABUTMENT DESIGN
BY OTHERS.



SURFACE ROUGHENING DETAIL
NTS

SEE VERMONT STANDARDS AND SPECIFICATIONS FOR EROSION PREVENTION & SEDIMENT CONTROL, LATEST EDITION.



Long Trail Engineering, P.C.
 P.O. Box 714
 East Dorset, VT 05253
 (802) 366-1366
 www.longtrailengineering.com
 copyright 2015

THE ANNEX
MOUNTAIN TOP INN

MOUNTAIN TOP INN
CHITTENDEN, VT

EROSION
PREVENTION &
MISC. DETAILS



THE CERTIFICATION ON THIS DRAWING ONLY INDICATES THE VT REGISTERED PROFESSIONAL ENGINEER RESPONSIBLE FOR PREPARATION AND IS NOT ISSUED FOR CONSTRUCTION UNLESS NOTED IN THE 'ISSUED FOR' BOX BELOW.

REV. NO.	DATE	DESCRIPTION

JOB NO.:	0807.2
ISSUED FOR:	PERMIT REVIEW
RELEASE DATE:	03/06/15
CREATION DATE:	03/06/15
SCALE:	AS NOTED
DRAWN BY:	FBP
REV'D BY:	FBP
SHEET NO.:	C11